

INTERIOR FINISHES PERMIT INFORMATION



A **floor plan drawn to scale** (see attached *Sample Floor Plan*) indicating the following:


- **Room** sizes, ceiling heights and type (washroom, bedroom)
- **Window** sizes (window wells if any, depth from base of window to window well, and sill height from grade level)
- Type of **wall and ceiling** finishes in ALL rooms
- Location of **stairs**
- Location (if any) of **doors to exterior**
- Location and width of **doors**
- Location and type (battery powered or hard-wired) of **smoke alarms** (if any)
- Location of all **plumbing fixtures** (including verification of access to laundry facilities)
- Location of **heating outlets** in each room

No single line drawings will be accepted.

If you have any questions related to *Interior Finish Permit Information*, please contact **Building Services** at 519-837-5615 or building@guelph.ca

EGRESS WINDOW DETAILS


FOR BEDROOMS IN A BASEMENT
(NOT FOR ACCESSORY APARTMENTS)



MINIMUM AREA OF UNOBSTRUCTED OPENING NOT LESS THAN 0.35m² (3.8ft²) WITH NO DIMENSION LESS THAN 380mm (15")

380mm (15") OR MORE FOR OPENABLE PORTION OF WINDOW

WINDOW SERVING FLOOR LEVEL CONTAINING BEDROOMS (ARTICLE 9.7.1.3.)



WINDOW WELL FOR WINDOW SERVING FLOOR LEVEL CONTAINING BEDROOMS (ARTICLE 9.7.1.3.)