

220 Arkell Road, Guelph Final Phase I Environmental Site Assessment

May 28, 2019 Updated April 30, 2021

Prepared for:

Rockpoint Properties Inc. 195 Hanlon Creek Blvd. Unit 100 Guelph ON N1C 0A1

Prepared by:

Stantec Consulting Ltd. 200-835 Paramount Drive Stoney Creek ON L8J 04

Project Number: 161423338

## **Table of Contents**

EXECUTIVE SUMMARYI			
<b>1.0</b> 1.1	INTRODU OBJECTIV	CTION	<b>1.1</b> 1.1
1.2 1.3	SCOPE O	F WORK ORY FRAMEWORKS	1.1 1.2
2.0	RECORDS REVIEW		
2.1	INFORMA	TION SOURCES	2.1
2.2	PREVIOU	S REPORTS	2.2
2.3	REGULAT	ORY INFORMATION	2.3
2.4	PHYSICAL	_ SETTING	2.4
	2.4.1	Surficial Geology	2.4
	2.4.2	Surface Water Drainage	2.5
	2.4.3	Topography and Regional Drainage	2.5
	2.4.4	Bedrock Geology	2.5
3.0	SITE DESCRIPTION		3.1
3.1	PROPERT	Y INFORMATION	3.1
3.2	ONSITE B	UILDINGS AND STRUCTURE	3.1
3.3	HISTORIC	AL LAND USE	3.2
4.0	SITE VISI		4.1
4 1	CURRENT	SITE OPERATIONS	41
42	WASTE G	ENERATION AND STORAGE	<u> </u>
7.2	421	Solid and Liquid Wastes	4 1
	4.2.2	Drains, Sumps, Septic Systems and Oil Water Separators	4.1
	4.2.3	Air Discharges and Odours	4.1
4.3	FUEL AND	CHEMICAL STORAGE	4.1
	4.3.1	Underground Storage Tanks (USTs)	4.1
	4.3.2	Above Ground Storage Tanks (ASTs)	4.1
	4.3.3	Other Storage Containers	4.2
4.4	BUILDING	SYSTEMS/EQUIPMENT	4.2
	4.4.1	Heating and Cooling Systems	4.2
	4.4.2	Hydraulic Equipment	4.2
4.5	EXTERIO	R SITE OBSERVATIONS	4.2
	4.5.1	Surface Features	4.2
	4.5.2	Fill Materials	4.2
	4.5.3	Wells	4.2

4.6	HAZAR	DOUS BUILDING MATERIALS	4.3
	4.6.1	Asbestos-Containing Materials (ACMs)	4.3
	4.6.2	Polychlorinated Biphenyls (PCBs)	4.3
	4.6.3	Lead-Based Materials	4.4
	4.6.4	Urea Formaldehyde Foam Insulation (UFFI)	4.4
	4.6.5	Ozone-depleting Substances (ODSs)	4.4
4.7	SPECIA	AL ATTENTION ITEMS	4.4
	4.7.1	Radon Gas	4.4
	4.7.2	Microbial Contamination (Mold) and Indoor Air Quality	4.4
	4.7.3	Electromagnetic Frequencies (EMFs)	4.5
	4.7.4	Noise and Vibration	4.5
4.8	NEIBOU	JRING PROPERTY INFORMATION	4.5
4.9	CLIENT	-SPECIFIC ITEMS	4.6
5.0	CONCL	USIONS	5.1
6.0	CLOSU	RE	6.1

## LIST OF FIGURES

Figure 1	Site Plan .		Appendix /	A
----------	-------------	--	------------	---

## LIST OF APPENDICES

APPENDIX A	Site Plan
APPENDIX B	Photographs
APPENDIX C	Assessor Qualifications
APPENDIX D	Supporting Documentation

## **Executive Summary**

#### **Site Description and Current Operations**

Stantec Consulting Ltd. (Stantec) conducted a Phase I Environmental Site Assessment (Phase I ESA) of the property at 220 Arkell Road in Guelph, Ontario, herein referred to as the "Site". The Phase I ESA was conducted for Rockpoint Holdings Inc., herein referred to as the "Client", to support development. The purpose of the Phase I ESA was to assess if evidence of potential or actual environmental contamination exists in connection with the Site, as a result of current or past activities on the Site or neighbouring properties. The Phase I ESA was initially finalized in May 2019, with an updated site visit completed in March 2021.

The Site is located at 220 Arkell Road, northwest of the intersection of Amos Road and Arkell Road in Guelph, Ontario. At the time of the site visit, the Site was occupied by a two-story residential building with a pool, a detached garage/shed and a greenhouse building. The Site was bounded by a former golf course under construction to the north; residential properties to the south; agricultural land to the east; and a woodland property to the west which was under development in 2021.

#### **Records Review**

Based on the historical information gathered during the Phase I ESA, the Site was undeveloped, wooded and/or agricultural prior to 1990 with a horse barn and several small structures. The Site was developed for residential use in the early 1990s.

The northern adjacent property has been occupied by a golf course since the 1970s. Residential subdivisions situated south of the Site were constructed in the mid 2000s and mid-2010s. The eastern adjacent agricultural land and the western adjacent woodland remained unchanged since at least 1954, except for very recent development work to the west. Activities on the neighbouring and adjacent properties were not considered to represent a potential environmental concern to the Site.

#### **Site Visit/Interviews**

An initial site visit was conducted on September 23, 2016 and supplemental site visits were conducted on December 13, 2018 and March 8, 2021. The following potential environmental concerns were noted:

• It was reported that fill material of unknown environmental quality was used to infill a former pond located on the Site.

The presence of fill material was considered to represent a potential environmental concern to the Site. No other potential environmental concerns were identified during the site visit or through interviews with persons associated with the Site.

#### Conclusions

The Phase I ESA has revealed evidence of potential environmental contamination associated with the Site. The following environmental concern was identified:

• Historical use of fill material of unknown environmental quality to infill a former pond on the Site.

Stantec recommended the completion of a soil characterization program to confirm the environmental quality of soil in this area. A Phase II ESA and Remedial Excavation report summarizing the findings of the characterization and subsequent remediation dated January 13, 2020 was prepared by Stantec under separate cover.

Based on the unknown age of the detached garage/shed building, asbestos, polychlorinated biphenyls and lead containing materials may be present. A hazardous materials survey should be completed prior to any demolition activities.

The statements made in this Executive Summary are subject to the same limitations included in the Closure (Section 6.0) and are to be read in conjunction with the remainder of this report.

Introduction

## **1.0 INTRODUCTION**

## 1.1 **OBJECTIVES**

Stantec Consulting Ltd. (Stantec) conducted a Phase I Environmental Site Assessment (Phase I ESA) of the property at 220 Arkell Road in Guelph, Ontario, herein referred to as the "Site". The Phase I ESA was conducted for Rockpoint Holdings Inc., herein referred to as the "Client", to support development. The purpose of the Phase I ESA was to assess if evidence of potential or actual environmental contamination exists in connection with the Site, as a result of current or past activities on the Site or neighboring properties.

A site plan is included in **Appendix A** and selected photographs of the Site are included in **Appendix B**.

## 1.2 SCOPE OF WORK

The Phase I ESA carried out by Stantec on this property was conducted in general accordance with the Canadian Standards Association's (CSA) Phase I Environmental Site Assessment Standard Z768-01 (R2016) and consisted of the following:

- Records review including, but not limited to, aerial photographs, Fire Insurance Plans (if available), geological and topographic maps
- Purchase of a database report from Environmental Risk Information Services (ERIS) that consisted of a search of available databases within a 250 m radius of the boundaries of the Site
- Request to Ontario Ministry of the Environment, Conservation and Parks (MECP) for documents related to various environmental concerns associated with the Site (e.g., spills, incident reports, etc.)
- Review of available environmental databases and records
- Request to OPTA Information Intelligence Inc. OPTA) for fire insurance plans and/or property underwriters' reports/plans available for the Site
- Request to the Technical Standards and Safety Authority (TSSA) for records related to fuel storage tanks, spills, and contamination records for the Site
- Review of available previous environmental reports completed for the Site
- Interview with an individual associated with the Site
- Site visit
- Evaluation of information and preparation of the report provided herein

A Phase I ESA does not include sampling or testing of air, soil, groundwater, surface water or building materials. For this Phase I ESA, a Phase II ESA and Remedial Excavation program was undertaken, and is reported under separate cover. This assessment did not include a review or audit of operational environmental compliance issues, or of any environmental management systems, which may exist for the Site. The assessment of the Site for the potential presence of hazardous building materials was based on the age of the building and



#### Introduction

components, and a non-intrusive visual review of the Site. No sampling of materials was conducted. A Phase I ESA does not constitute a Hazardous Materials Survey or Designated Substances Survey.

The assessment of the Site for microbial contamination and moisture damage was made during the walk through of the building. This assessment was visual only and not every area was assessed. No sampling or intrusive investigation was conducted.

An initial site visit was conducted by Ms. Erika Ryter, M.A.Sc., P.Eng. of Stantec on September 23, 2016. S supplemental site visits were conducted by Mr. Aseel Kaiser, M.Sc., C.E.T., EP of Stantec on December 13, 2018 and by Erika Ryter on March 8, 2021; the residential building and the green house were not accessed during the 2018 and 2021 site visits. The Site and readily visible and publicly accessible portions of adjoining and neighbouring properties were observed for the presence of potential sources of environmental contamination. The site was snow-covered during the December 2018 and March 2021 site visits. During the site visits, Stantec was accompanied by Mr. Tom Anderson, former property owner and Mr. Bob Stan, current tenant, in 2016 and 2018, respectively. Stantec was unaccompanied during the March 2021 site visit. An interview was carried out during the course of the site visits to obtain or confirm information on the current and former operations at the Site. Mr. Anderson had been associated with the Site since the early 1990s and Mr. Stan had been associated with the Site since early 2018.

The professional qualifications of the project team are provided in Appendix C

## **1.3 REGULATORY FRAMEWORK**

CSA Standard Z768-01 (R2016) establishes principles and practices that are applicable to a Phase I ESA. The purpose of a Phase I ESA is to identify actual and potential site contamination. Such identification involves the evaluation and reporting of existing information collected through records review, site visits, and interviews. Phase I ESAs may assist in reducing uncertainty about potential environmental liabilities and may be a basis for further investigation of a property. Phase I ESAs may be used to make informed decisions about property transactions, to identify certain baseline environmental conditions, to assist in meeting regulatory requirements, and as an initial step in site remediation. This Phase I ESA, however, was not completed for the purposes of meeting the Record of Site Condition (RSC) requirements described in Ontario Regulation 153/04, as amended.

Because a Phase I ESA does not include such tasks as sample gathering, laboratory testing, or intrusive investigations, a Phase I ESA report can, in most cases, only describe the potential of contamination being present or absent at a property. If there are previous soil or groundwater sample results available, the data can be compared to applicable Federal and/or Provincial numerical standards for soil and groundwater quality for specific land and groundwater uses. A Phase I ESA performed in accordance with the requirements of CSA Standard Z768-01 (R2016) is intended to reduce, but not necessarily eliminate, uncertainty regarding the potential for contamination of a property.

In addition, a Phase I ESA in accordance with the requirements of CSA Standard Z768-01 (R2016) involves a review of any site buildings for the potential presence of hazardous materials related to building components and materials. Specific Federal and/or Provincial regulations, guidelines or codes of practice exist for the individual hazardous materials. Where required, this documentation was used to determine appropriate conclusions and formulate appropriate recommendations.



**Records Review** 

## 2.0 RECORDS REVIEW

## 2.1 INFORMATION SOURCES

The applicable search distance for the records review included the Site, properties immediately adjoining the Site and other neighbouring properties where activities considered to be potential sources of environmental contamination were apparent. Information sources obtained and reviewed as part of the records review are listed below:

SOURCE	INFORMATION/CONTACT
Aerial Photographs	1954, 1969, 1971, 1975 and 1990 - ERIS, 2006, 2009, 2013, 2016, 2017, 2018, 2019 and 2020 - Google Earth Imagery
Fire Insurance Plans	OPTA - No Fire Insurance Plans were found for the Site and the study area
City Directories	City directories searches were not completed due to other available data, property type and property location.
Previous Environmental Reports	No previous environmental reports were provided
	No company records were provided to Stantec for review
Geological and Geotechnical Reports	Geotechnical Investigation, 220 Arkell Road Guelph ON, prepared by Stantec dated May 2019
	Hydrogeological Assessment, 220 Arkell Road Guelph ON, prepared by Stantec dated May 2019
Regulatory Infractions	A request submitted to the MECP's Freedom of Information and Protection of Privacy Office included a search for occurrence reports and general information from the District Office, investigation documents from the Investigations and Enforcement Branch, and orders from the Sector Compliance Branch pertaining to the municipal address of the Site and current/former tenants and owners of the Site.

**Reportable Spill Occurrences** 

ERIS - Ontario Spills



Records Review	
Contaminated Sites	"Inventory of Coal Gasification Plant Waste Sites in Ontario" (April 1987)
	"Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario" (November 1988)
	Ecolog ERIS - MECP Brownfields Environmental Site Registry
Hazardous Waste Generator Registration	ERIS - Ontario Regulation 347 Waste Generators Summary
	ERIS - MECP Hazardous Waste Information Network (HWIN) Registered Generator List
PCB Storage Sites	ERIS - Ontario Inventory of PCB Storage Sites, National PCB Inventory
Landfill Records	"Waste Disposal Site Inventory" (MOE, June 1991)
Underground & Aboveground Storage Tanks	ERIS (various databases)
Other Available Information	Ontario Geological Survey 2010. Surficial Geology of Southern Ontario, Data 128-REV, Scale 1:50,000
	Ontario Geological Survey 2011. Bedrock Geology of Ontario; Data 126-Revision 1, Scale 1:250,000
	Topographic mapping available from the Ontario Ministry of Natural Resources and Forestry online mapping obtained September 04, 2018.
Water Well Records	ERIS - Water Well Information System
Environmental Risk Information Services (ERIS)	A database report was purchased from ERIS on September 10, 2018 that consisted of a search of available databases within a 250 m radius of the boundaries of the Site.

## 2.2 PREVIOUS REPORTS

No previous environmental reports were provided to Stantec for review.



Records Review

## 2.3 **REGULATORY INFORMATION**

Available environmental databases and records were searched to determine if the Site, adjacent and/or neighbouring properties were listed. The relevant information relating to potential environmental concerns at the Site are presented below. Supporting documentation is included in **Appendix D**.

#### MECP Freedom of Information and Privacy Protection Office

A request submitted to the MECP's Freedom of Information and Protection of Privacy Office in January 2019 and included a search for occurrence reports and general information from the District Office, investigation documents from the Investigations and Enforcement Branch, waste generator information from the Environmental Monitoring and Reporting Branch, Certificates of Approval from the Environmental Assessment and Approvals Branch, and orders from the Sector Compliance Branch pertaining to the municipal address of the Site and current/former tenants and owners of the Site.

A response from the MECP indicated that no records were found for the Site. A copy of the MECP response is provided in **Appendix D**.

#### Technical Standards and Safety Authority

A request to the TSSA in 2019 included a search of outstanding instructions, incident reports, fuel oil spills, contamination records, retail facilities or licensed underground storage tanks was submitted pertaining to the Site. It should be noted, however, that the Fuels Safety Division of the TSSA did not register private fuel underground or aboveground storage tanks prior to January 1990, or fuel oil tanks prior to May 1, 2002. Further, private waste oil tanks in apartments, office buildings, residences, etc. and aboveground gas or diesel tanks are not registered with the TSSA.

No records were found for the Site in the TSSA database. A copy of the TSSA response is provided in **Appendix D**.

Inventory of Coal Gasification Plant Waste Sites in Ontario (dated April 1987)

No properties within 1 km of the Site were listed as former coal gasification plant waste properties.

Inventory of Industrial Sites Producing or Using Coal Tars in Ontario (dated November 1988)

No properties within 1 km of the Site were listed as former coal tar industrial properties.

#### MECP Waste Disposal Site Inventory (dated June 1991)

No properties within 250 m of the Site were listed as waste disposal sites in the databases searched by ERIS.

Stantec searched the MECP Waste Disposal Site Inventory for active and closed waste disposal sites within 1 km of the Site. No waste disposal sites were found to be located within 1 km of the Site.



#### Records Review HWIN Registered Generator List

The ERIS report indicated that the neighbouring property to the north was registered with the MECP for the generation of various hazardous wastes. These are discussed in Section 5.8, and the complete ERIS report is provided in **Appendix D**.

#### Ontario Inventory of PCB Storage Sites and National PCB Inventory

According to ERIS, a search of PCB storage site databases indicated that neither the Site nor adjacent and/or neighbouring properties were listed as a PCB Storage Site.

#### MECP Brownfields Environmental Site Registry

According to a search completed by ERIS, no RSCs under O.Reg. 153/04 (Part XV.1 of the Environmental Protection Act) were identified for the Site and two RSCs were identified for a neighbouring property to the south within 250 m of the Site boundary. These are discussed in Section 5.8, and the complete ERIS report is provided in **Appendix D**.

#### <u>ERIS</u>

An ERIS report was purchased in September 2018 and consisted of a search of available databases within a 250 m radius of the Site property boundary. A complete copy of the report is included in **Appendix D**. Pertinent records pertaining to the adjoining/ neighbouring properties are summarized in section 5.8. No pertinent records were identified for the Site.

- 220 Arkell Road (the Site)
  - No records were found in the ERIS report that represent a significant potential environmental concern to the Site. ERIS Historical Searches is the only listing found in the ERIS report for the Site

#### 

Historical insurance inspection reports/plans, and Fire Insurance Plans were not found as part of the OPTA search.

## 2.4 PHYSICAL SETTING

## 2.4.1 Surficial Geology

Based on an available surficial geology map (Ontario Geological Survey Map 2556), the native surficial soils of the Site consist of Glaciofluvial deposits including river, delta and sandy deposits.

In April 2017, Stantec conducted a geotechnical investigation and advanced four boreholes to a maximum depth of approximately 8.2 m below ground surface (m BGS) at the Site as summarized in Stantec's 2019 Hydrogeological Assessment report. The subsurface conditions encountered in the boreholes generally consisted of topsoil and a veneer of sand, or fill, overlying glacial till. The glacial till generally comprised silty sand and gravel till. Groundwater was perched in fill or sand deposits above the glacial till or contained in saturated seams within the glacial till. Bedrock was not encountered in the boreholes advanced at the Site for



**Records Review** 

this investigation. The fill was identified in a borehole advanced in the location of the former pond. The presence of fill material of unknown environmental quality represents a potential environmental concern to the Site.

Several historical records for abandoned wells, boreholes and water wells in the vicinity of the Site were included in the ERIS report. The stratigraphy identified sand, gravel and silt overburden to a depth of up to approximately 40 m BGS

## 2.4.2 Surface Water Drainage

Other than the site buildings, the majority of the Site was generally covered by vegetated and grassy areas. Stormwater collected on the landscaped or grassy areas likely drains by infiltration and/or overland flow.

## 2.4.3 Topography and Regional Drainage

The Site was observed to be generally flat with a gentle slope upwards to the north, and generally at grade with the adjacent properties.

Based on observed topography and information accessed from the Ministry of Natural Resources and Forestry (MNRF) online mapping, the northern portion of the Site drainage (and anticipated shallow groundwater flow direction) appears to be to the north/northeast towards Torrance Creek, located approximately 400 m northeast of the Site.

According to Stantec's 2019 Hydrogeological Assessment report for the Site, groundwater flows horizontally through the subsurface overburden deposits to the south and southwest towards the wooded portion of the Site and the western adjacent woodland (Torrance Creek Swamp). Hence, the central and southern portion of the Site drainage appears to be to the south/southwest.

It should be noted that the direction of the shallow groundwater flow in limited areas can also be influenced by the presence of underground utility corridors and is not necessarily a reflection of regional or local groundwater flow or a replica of the Site or area topography.

## 2.4.4 Bedrock Geology

Based on an available bedrock geology map (Ontario Geological Survey Map 2544), bedrock in the area of the Site consists of Guelph Formation which includes sandstone, shale, dolostone and siltstone.

Bedrock was not encountered during the geotechnical investigation completed by Stantec to a maximum depth of 8.2 m BGS. According to the borehole information provided in the ERIS report, bedrock was encountered in the vicinity of the Site at depths between 10 m BGS and 40 m BGS.



Site Description

## 3.0 SITE DESCRIPTION

## 3.1 PROPERTY INFORMATION

The Site is located at 220 Arkell Road northwest of the intersection of Amos Road and Arkell Road in Guelph, Ontario as shown on **Figure No. 1** in **Appendix A**.

At the time of the site visits, the Site was occupied by a two-story residential building and a detached garage/shed. The Site was bounded by a former golf course under construction to the north; residential properties to the south; agricultural land to the east; and a woodland property to the west which was under development in 2021.

A Parcel Register Search was obtained from Geowarehouse for the Site in 2019 and 2021. Relevant information from the Parcel Register is outlined below:

Current Site Owner:	Rockpoint Properties Inc.
Legal Description:	Part South 1/2 of Rear Part of Lot 6, Concession 8, Township of Puslinch, as in R0662220; Guelph
Property Area:	Approximately 72,000 square metres
Utility Providers:	
Water:	City of Guelph
Storm and Sanitary Sewers:	Private Septic System
Electricity:	Guelph Hydro Electric Systems Inc.
Natural Gas:	Union Gas Limited

## 3.2 ONSITE BUILDINGS AND STRUCTURE

The site buildings consist of a two-storey, irregularly shaped residential building with a basement, as well as a detached garage/shed and a single-story greenhouse located south and west of the residential building, respectively, as shown on Figure No. 1. The general exterior construction of the residential building was observed to be brick/stone masonry with shingle roofing and the general exterior construction of the garage/ shed building was observed to be metal siding.



Site Description

## 3.3 HISTORICAL LAND USE

Historical land use for the Site was determined through a review of historical records listed in Section 3.0. A summary of the historical information is presented below.

Period/Date:	Land Use:
1954	Agricultural, Woodland and/or Undeveloped
	Based on the available aerial photographs, the Site appeared to be agricultural and
1969	Agricultural, Woodland and/or Undeveloped
	A review of the 1969 aerial photograph indicated that a driveway was constructed on the Site. A structure was observed near the end of the driveway in the vicinity of the current greenhouse location.
1975	Agricultural/ Woodland
	Based on a review of the available aerial photograph, a structure was built in the vicinity of the current garage/shed building and is likely to be a portion of the current garage/shed building.
1990	Based on a review of the aerial photograph, earth work activities appear to have taken place in the vicinity of the current residential building.
	Due to the aerial photograph quality, it was unclear whether any bodies of water, such as ponds, existed at the Site.
2006, 2009, 2013, 2016, 2017, 2018, 2019 and	The site buildings observed during the site visits are consistent in appearance and configurations with the buildings in these aerial photographs.
	No ponds or bodies of water were visible on the Site in these aerial photographs.



Site Visit Findings

## 4.0 SITE VISIT FINDINGS

## 4.1 CURRENT SITE OPERATIONS

The Site is currently occupied by a residential building, greenhouse and a detached garage/shed building. At the time of the site visits, the Site was occupied for residential use. No potential environmental concerns were identified. The detached garage was used for vehicle and equipment storage as well as minor repairs to personal vehicles and equipment.

The current site use is not expected to represent an environmental concern to the Site.

## 4.2 WASTE GENERATION AND STORAGE

## 4.2.1 Solid and Liquid Wastes

No wastewater discharges other than domestic wastewater was identified to be produced on the Site at the time of the site visits.

No hazardous waste generation or storage was identified to be conducted on the Site.

## 4.2.2 Drains, Sumps, Septic Systems and Oil Water Separators

During the initial site visit, two sumps were observed in the basement of the residential building. The sumps appeared in good condition with no staining observed. The residential building was reportedly serviced with a septic system for domestic wastewater.

No other sumps, septic systems, separators or interceptors were identified at the Site.

## 4.2.3 Air Discharges and Odours

No sources of air emissions that are suspected to result in residual contamination to the property were identified on the Site. Further, no strong, pungent, or unusual odours were identified during the site visit.

## 4.3 FUEL AND CHEMICAL STORAGE

## 4.3.1 Underground Storage Tanks (USTs)

No chemical or fuel USTs were observed or reported to be present at the Site. Further, no vent or fill pipes indicating the potential presence of any unknown abandoned or decommissioned UST were observed on the Site.

## 4.3.2 Above Ground Storage Tanks (ASTs)

During the 2016 site visit, two propane ASTs were observed at the Site.



Site Visit Findings

## 4.3.3 Other Storage Containers

Small quantities of commercially packaged cleaning chemicals, antifreeze coolants, brake fluids, and degreasers were observed to be stored in the garage/ shed building for minor repairs to personal vehicles during the 2018 and 2021 site visits. A portable gasoline tank used for lawn mowers was stored near the garage/shed building during the 2016 site visit. No evidence of spills or leaks was identified associated with the chemical storage.

## 4.4 BUILDING SYSTEMS/EQUIPMENT

## 4.4.1 Heating and Cooling Systems

Based on observations made during the site visit, the residential building is provided with heating via a propanefired furnace. Two air conditioning units were noted during the 2016 site visit.

## 4.4.2 Hydraulic Equipment

No hydraulic equipment was observed on the Site during the site visits.

## 4.5 EXTERIOR SITE OBSERVATIONS

## 4.5.1 Surface Features

The residential building is surrounded by asphalt pavement and landscaped areas including grass, low-lying vegetation and trees. A wooded area was observed west of the Site.

No stained surficial materials or stressed vegetation was observed on the Site. No watercourses, pits or lagoons were identified on the Site and no standing water was observed.

## 4.5.2 Fill Materials

A pond was historically located southwest of the residential building and was reportedly infilled with fill material of unknown environmental quality. The presence of fill material represents a potential environmental concern to the Site.

## 4.5.3 Wells

During the initial site visit, a water supply well was identified west of the residential building and was surrounded by a landscaped area. It was reported that the well depth was approximately 50 m BGS.

Four monitoring wells were installed at the Site in 2017 to support Stantec's hydrogeological assessment. Two of the wells were located near the eastern boundary of the Site; one well was located in the northwestern portion of the Site; and one well was located on the southern portion of the Site. No other abandoned or existing wells (water, oil, gas or disposal) were identified or reported on the Site.



Site Visit Findings

Water wells were identified within 250 m of the Site, as detailed in the ERIS report in Appendix D.

## 4.6 HAZARDOUS BUILDING MATERIALS

## 4.6.1 Asbestos-Containing Materials (ACMs)

The common use of friable (crumbles easily by hand pressure) asbestos-containing materials (ACMs) in construction generally ceased voluntarily in the mid to late1970s. Non-friable asbestos-containing products continued to be manufactured, imported and used in Canada until asbestos products were formally banned in December 2018. Asbestos was used in thousands of building products and the common uses of friable ACMs included boiler and pipe insulation, and spray-on fireproofing. Asbestos was also used in many manufactured products such as floor tiles, ceiling tiles, transite cement products and various other construction materials. Vermiculite used as insulation may be contaminated with asbestos fibres.

As of November 1, 2005, Ontario has introduced an asbestos regulation (Ontario Regulation 278/05 made under the Occupational Health and Safety Act) obligating owners to implement an Asbestos Management Program (AMP) at their facilities if friable or non-friable asbestos is known or suspected to be present. A component of the AMP requires the preparation of an asbestos record to identify locations of confirmed or suspected asbestos-containing materials (ACM). Based on these requirements, it is recommended that an assessment to identify the locations of known or suspected asbestos-containing materials (ACM). Based on these requirements, it is recommended that an assessment to identify the locations of known or suspected asbestos-containing materials be undertaken at the subject facility. Should friable or non-friable ACMs be identified or presumed to be present, an Asbestos Management Program should be implemented for the subject facility. Asbestos surveys of buildings (including additions) constructed prior to 1990 should include all suspected friable and non-friable building materials. Surveys of buildings (and additions) constructed in 1990 or later can be limited to cement-based non-friable materials and gasket materials. Asbestos surveys undertaken for the subject facility completed prior to November 1, 2005 should be reviewed and reassessed to determine if they meet the requirements of Ont. Reg. 278/05.

Based on the age of the residential building (built in the early 1990s), ACMs are not expected; however, depending on the age of the shed (possibly built in the mid-1970s), ACMs may be present. No evidence of suspected ACMs in poor condition was observed during the site visits.

## 4.6.2 Polychlorinated Biphenyls (PCBs)

From the 1930s to the 1970s, PCBs were widely used as coolants and lubricants for electrical equipment, including transformers and capacitors, and in a number of industrial materials, including sealing and caulking compounds, inks and paint additives. The use of PCBs was prohibited in heat transfer and electrical equipment installed after September 1, 1977, and in transformers and capacitors installed after July 1, 1980. Regulations now require that PCB containing equipment be taken out of service prior to regulated deadlines.

Based on the construction date of the residential building (early 1990s), PCB-containing electrical equipment is not expected to be present at the Site; however, depending on the age of the shed PCBs may be present.



### Site Visit Findings 4.6.3 Lead-Based Materials

In 1976, the lead content in interior paint was limited to 0.5% by weight under the federal *Hazardous Products Act*. Lead based water supply pipes were used greater than 50 years ago. Between 1930 and 1986, most buildings used copper pipe with lead-solder joints. Other lead-based products include wall shielding (x-ray rooms).

Based on the age of the residential building (built in the early 1990s), lead-based products are not expected; however, depending on the age of the shed (possibly built in the mid-1970s) lead-based products may be present. No evidence of lead-based materials in poor condition (e.g., peeling paint) was observed during the site visits.

## 4.6.4 Urea Formaldehyde Foam Insulation (UFFI)

Urea Formaldehyde Foam Insulation (UFFI) was used as an insulation product for existing houses between the mid-1970s and its ban in Canada in 1980. It was not commonly used for commercial or industrial buildings.

Based on the age and nature of the site building, UFFI was not expected to be present at the Site. No evidence of the application of UFFI was observed during the site visit

## 4.6.5 Ozone-depleting Substances (ODSs)

Refrigeration and air conditioning equipment in place before 1998 may contain refrigerants containing ozone-depleting substances (ODS). Non-ODS refrigerants have been developed and are available to replace these materials in newer equipment.

Sources of ODSs at the Site were limited to minor quantities of refrigerant in refrigeration equipment and air conditioning units

## 4.7 SPECIAL ATTENTION ITEMS

## 4.7.1 Radon Gas

Radon is a radioactive gas associated with uranium rich black shale and/or granite bedrock. Radon emits alpha particles and produces several solid radioactive products called radon daughters. Harmful levels of radon and radon daughters can accumulate in confined air spaces, such as basements and crawl spaces.

There are insufficient existing data available to make an accurate assessment of the potential for radon gas issues at this Site. Such conditions would have to be determined by the completion of a study which is beyond the scope of work of this project.

## 4.7.2 Microbial Contamination (Mold) and Indoor Air Quality

The growth of mold in indoor environments is typically due to a moisture problem related to building envelope or mechanical systems deficiencies or design and can produce adverse health effects. There is no practical way to eliminate all mold and mold spores in the indoor environment. The way to control mold is to control moisture.



Site Visit Findings

A former leak around a skylight and chimney in the residential building was reported during the 2016 site visit. No visual evidence of suspected mould growth was observed or reported during the site visits.

## 4.7.3 Electromagnetic Frequencies (EMFs)

Electrical currents induce electromagnetic fields. No scientific data supports definitive answers to questions about the existence or non-existence of health risks related to electromagnetic fields.

No high-voltage transmission lines or electrical substations, which could generate significant electromagnetic fields, were identified on the Site.

## 4.7.4 Noise and Vibration

The effects of noise and vibration on human health vary according to the susceptibility of the individual exposed, the nature of the noise/vibration and whether exposure occurs in the working environment or in the home.

No major or persistent sources of noise and vibration were identified on the Site at the time of the site visit.

## 4.8 **NEIGHBOURING PROPERTY INFORMATION**

The current activities on neighbouring properties observed at the time of the site visit and a summary of historical information gathered through the records review are presented in the following sections.

#### North of the Site

The adjacent property to the north of the Site was formerly a golf course and was under redevelopment between 2016 to the present. Prior to the development in the 1970s, the northern adjacent property was agricultural/undeveloped based on the available aerial photographs. Victoria Park Golf Club West was listed as a generator of petroleum distillates, waste oil and lubricants between 2002 and 2012. Fuel storage tanks and historical fuel storage tanks records showed that Victoria Park Golf Club West was listed as a private fuel outlet for a self-serve including a single wall horizontal AST for gasoline (2200 L capacity) and diesel (1360 L capacity); both ASTs were listed as active.

Based on the inferred groundwater flow direction to the north/northeast in the northern portion of the Site, the operations on the northern adjacent property are not expected to represent an environmental concern to the Site. No evidence of fuel and chemical storage was found adjacent to the Site during the 2016 site visit and the portion of this property adjacent to the Site was under construction in 2018 and 2021.



Site Visit Findings East of the Site

The property east of the Site has been agricultural/woodland between 1954 and the present.

#### South and Southeast of the Site

Adjacent and neighbouring properties to the south of the Site have been occupied by residential subdivisions since between the mid-2000s and the mid-2010s. The residential subdivisions located north of Arkell Road and south of Arkell Road were built in the mid-2000s and the mid-2010s, respectively. In 2013, two listings of Record of Site Conditions in the Ecolog ERIS report were filed with the MECP for the southern adjacent property in order to develop the land from agricultural use to residential and parkland use.

Two spill to land records were found in the ERIS report including:

- In March 2015, a spill incident of possible hydraulic oil leak of unknown quantity into snow on the cul de sac took place at 25 Coutts Court, approximately 65 m south of the Site
- In May 2007, a spill incident of 400 L of diesel fuel occurred due to a garbage truck rollover at an intersection located approximately 225 m southeast of the Site

These spills are not expected to represent a potential environmental concern to the Site, based on the distance and/or the inferred groundwater flow direction to the south/southwest in the southern portion of the Site.

#### West and Southwest of the Site

The adjacent property to the west of the Site has been undeveloped/woodland between 1954 to at least 2018; and was under construction in 2021. Neighbouring properties to the southwest along Arkell Road have been occupied by residential properties since the late 1960s. Additionally, a Municipal Drinking Water System (Burke Well Station) is located approximately 190 m southwest of the Site. An engine oil leak incident with unknown quality occurred at the Burke Well Station in 2017. Based on the distance from the Site, approximately 190 m southwest of the spill is not expected to represent a potential environmental concern to the Site.

## 4.9 CLIENT-SPECIFIC ITEMS

No specific Client requests were made with respect to this Phase I ESA.



Conclusions

## 5.0 CONCLUSIONS

The Phase I ESA has revealed evidence of potential environmental contamination associated with the Site. The following environmental concern was identified:

• Historical use of fill material of unknown environmental quality to infill a former pond on the Site.

Stantec recommended the completion of a soil characterization program to confirm the environmental quality of soil in this area. A Phase II ESA and Remedial Excavation report summarizing the findings of the characterization and subsequent remediation dated January 13, 2020 was prepared by Stantec under separate cover.

Based on the unknown age of the detached garage/shed building (possibly built in the mid-1970s), asbestos, PCBs and lead containing materials may be present. A hazardous materials survey should be completed prior to any demolition activities.



Closure

## 6.0 CLOSURE

This report documents work that was performed in accordance with generally accepted professional standards at the time and location in which the services were provided. No other representations, warranties or guarantees are made concerning the accuracy or completeness of the data or conclusions contained within this report, including no assurance that this work has uncovered all potential liabilities associated with the identified property.

This report provides an evaluation of selected environmental conditions associated with the identified portion of the property that was assessed at the time the work was conducted and is based on information obtained by and/or provided to Stantec at that time. There are no assurances regarding the accuracy and completeness of this information. All information received from the client or third parties in the preparation of this report has been assumed by Stantec to be correct. Stantec assumes no responsibility for any deficiency or inaccuracy in information received from others.

The opinions in this report can only be relied upon as they relate to the condition of the portion of the identified property that was assessed at the time the work was conducted. Activities at the property subsequent to Stantec's assessment may have significantly altered the property's condition. Stantec cannot comment on other areas of the property that were not assessed.

Conclusions made within this report consist of Stantec's professional opinion as of the time of the writing of this report and are based solely on the scope of work described in the report, the limited data available and the results of the work. They are not a certification of the property's environmental condition. This report should not be construed as legal advice.

This report has been prepared for the exclusive use of the client identified herein and any use by any third party is prohibited. Stantec assumes no responsibility for losses, damages, liabilities or claims, howsoever arising, from third party use of this report.

This report is limited by the following:

- The fenced area at the northwestern corner of the Site and the heavily wooded area at the southwestern corner of the Site were not assessed/accessed
- The residential building and the greenhouse were not assessed during the 2018 and 2021 site visits
- The site was snow-covered during the 2018 and 2021 site visits

The locations of any utilities, buildings and structures, and property boundaries illustrated in or described within this report, if any, including pole lines, conduits, water mains, sewers and other surface or sub-surface utilities and structures are not guaranteed. Before starting work, the exact location of all such utilities and structures should be confirmed and Stantec assumes no liability for damage to them.

The conclusions are based on the site conditions encountered by Stantec at the time the work was performed at the specific testing and/or sampling locations, and conditions may vary among sampling locations. Factors such as areas of potential concern identified in previous studies, site conditions



Closure

(e.g., utilities) and cost may have constrained the sampling locations used in this assessment. In addition, analysis has been carried out for only a limited number of chemical parameters, and it should not be inferred that other chemical species are not present. Due to the nature of the investigation and the limited data available, Stantec does not warrant against undiscovered environmental liabilities nor that the sampling results are indicative of the condition of the entire site. As the purpose of this report is to identify site conditions which may pose an environmental risk; the identification of non-environmental risks to structures or people on the site is beyond the scope of this assessment.

Should additional information become available which differs significantly from our understanding of conditions presented in this report, Stantec specifically disclaims any responsibility to update the conclusions in this report.

This report was initially prepared by Aseel Kaiser, M.Sc., C.E.T., EP and reviewed by Erika Ryter, P.Eng. This report was updated in 2021 by Erika Ryter, P.Eng. and reviewed by Don Carey, M.Sc., P.Eng.

Stantec Consulting Ltd.

Erika Ryter, M.A.Sc., P.Eng. Principal, Environmental Services Phone: 416-460-2911 Erika.Ryter@Stantec.com Donald Carey, M.A.Sc., P.Eng. Senior Principal, Environmental Services Phone: 902-468-7777 Donald.Carey@Stantec.com

The environmental site assessment and preparation of this report were completed in general accordance with the objectives, requirements or standards of the CSA Phase I Environmental Site Assessment Standard Z768-01 (R2016)



Appendix A

Site Plan





**Appendix B** 

**Photographs** 





View of the interior of the garage/shed, located south of the Site in  $2016\,$ 



View of the former pond area, facing west in 2016





View of the residential building, facing northeast in 2018

## Appendix C

## **Assessor Qualifications**

## Aseel Kaiser M.Sc., C.E.T., EP

**Environmental Scientist** 



Aseel Kaiser, M.Sc., C.E.T., EP, is an Environmental Assessor and Project Manager in training with the Site Investigation, Remediation, and Risk Team at Stantec. Mr. Kaiser completed his master's thesis from the University of Waterloo in the field of water quality and ecosystems interaction and has eight (8) years of consulting experience. He has experience in the field with groundwater monitoring and sampling, drilling, excavation and remediation supervision. He also has experience with Phase I ESA, Phase II ESA, and Contamination Overview Study reporting and the preparation of Permit to Take Water applications and reporting. Prior to his consulting experience, Aseel spent two years working on the restoration of Iraqi wetlands project between 2003 and 2005.

Mr. Kaiser is registered as a Certified Engineering Technologist (C.E.T.) and an Environmental Professional (EP) and is also a volunteer member of Halton Region's Natural Heritage Advisory Committee.

Mr. Kaiser has been involved in both private and public sectors including tens of large-scale projects related to both municipal and provincial transportation projects.

### **EDUCATION**

Bachelor of Science in Biology, University of Baghdad, Baghdad, Iraq, 2002

Master of Science in Environmental Research, University of Waterloo, Waterloo, Ontario, 2009

#### **CERTIFICATIONS & TRAINING**

Standard First Aid – CPR C -AED, St. John Ambulance, Oakville, Ontario, 2018

WHMIS Certification, Acute Environmental and Safety Services Inc., Waterloo, Ontario, 2011

40-Hour OSHA Health and Safety Training Certificate, Acute Environmental and Safety Services Inc., Waterloo, Ontario, 2011

#### REGISTRATIONS

Environmental Professional, Environmental Careers Organization of Canada (ECO Canada)

Certified Engineering Technologist #876395, Ontario Association of Certified Engineering Technicians & Technologists

#### **MEMBERSHIPS**

Volunteer Member (Citizens Representative) , Halton Region Natural Heritage Advisory Committee

### **PROJECT EXPERIENCE**

**Environmental Assessment and Permitting** Permit to Take Water (PTTW) Reporting and Applications\*, Mississauga, Ontario (Environmental Scientist)

Prepared three (3) PTTW reports and applications for three (3) different sections of the transitway to accommodate building bus stations and bridges as part of a high-efficiency transit corridor running east-west across Mississauga. The Transitway supports all-station stop and extensive express bus service.

## Aseel Kaiser M.Sc., C.E.T., EP

**Environmental Scientist** 

### **Phase I & II Environmental Site Assessments** Private and Public Sectors\* (Environmental Scientist)

Conducted Phase I Environmental Site Assessments (ESAs), Phase II ESAs, and remediation projects at a wide variety of chemical manufacturing, distribution plants, commercial, industrial and/or government properties including MTO projects. The sites typically contained chemical/oil storage tanks and were impacted with a broad range of inorganic and organic chemicals, including both dense and light non-aqueous phase liquids (DNAPLs and LNAPLs). Additionally, supervised in-situ remediation of groundwater impacted with different chemicals using injection of oxidants into the groundwater. Groundwater monitoring events were conducted after injection of oxidants.

#### Groundwater Monitoring

## Groundwater Monitoring Program\*, Newmarket, Ontario (Environmental Scientist)

Conducted extensive groundwater sampling and wells assessment of over 400 existing monitoring wells to determine contaminated sites along few kilometers stretch in Newmarket, Ontario for York Region.

## Residential Water Wells Sampling Program\*, Oakville, Ontario (Environmental Scientist)

Performed site visits on biannual basis and reports preparation, in addition to preparing tailored letters to affected residents. Salt release from a municipal patrol yard into the groundwater feeding a new subdivision occurred after building a new subdivision in the Town of Milton. Collected untreated groundwater samples from residential and commercial properties around the contamination source, as well as groundwater samples from monitoring wells in the Patrol Yard (source of contamination). Surface water sampling from northern and southern locations near the patrol yard was conducted, as well.

## Groundwater Monitoring/Environmental Monitoring\* (Environmental Scientist)

Conducted daily, weekly and monthly monitoring program at the site including over 60 monitoring wells (overburden and bedrock). Petroleum release from a pipeline had impacted soil and groundwater along Bronte Creek. Two (2) groundwater Pump and Treat (P&T) systems were installed. These P&T systems were intended to control, capture and treat the PHC groundwater plume, and consisted of linear array of approximately 40 shallow groundwater extraction wells at the south and north ends of the site connected to mobile 10 and 150 gallon per minute units.

Sampled surface water from Bronte Creek, groundwater from shallow and deep wells, and pump and treat system, in addition to performing containment measurements at the site.

## Aseel Kaiser M.Sc., C.E.T., EP

**Environmental Scientist** 

#### **Environmental Assessment**

#### Detailed Design Studies (Permit to Take Water (PTTW) Reporting and Applications)\* (Environmental Scientist)

Responsible for compiling and summarizing various multidisciplinary background reports and communicating with the Ministry of Environment and Climate Change (MOECC) as part of PTTW reports and applications preparation, in addition to coordination with multidisciplinary teams. Reviewed public information centers (PICs), terrestrial impact Assessments, fisheries impact assessments, hydrogeological studies, storm water management studies, and geotechnical investigations of preliminary design studies as part of class environmental assessments. Various projects, in Ontario, were completed including construction and rehabilitation of highways, bridges, drainage pipes, culverts.

### **Class Environmental Assessment Studies**

Preliminary Design Studies (Contamination Overview Studies and Preliminary Site Screening)\* (Environmental Scientist) Responsible for conducting site visits and report writings as part of the Preliminary Design Studies in support of various MTO projects such as highway widenings, road realignments, Bridge rehabilitations and roundabout constructions. Projects were located across Southern Ontario and ranged from few hundred meters to several kilometers.



Erika Ryter, M.A.Sc., P.Eng., is an environmental engineer and project manager with the Site Management and Remediation group at Stantec. Ms. Ryter completed her master's thesis in the field of contaminant hydrogeology and has over 12 years of consulting experience with Stantec relating to the identification, assessment, and remediation of contaminants in various media. She has conducted and managed over 300 Phase I and II Environmental Site Assessment (ESA) and Remediation projects across Canada and has been involved in all aspects of these projects, from field work to reporting, project management and development of remedial action plans. Ms. Ryter has successfully coordinated the delivery of large-scale portfolio projects within tight timeframes to satisfy client due diligence requirements. Ms. Ryter is a quality and independent reviewer within Stantec for Phase I and II ESAs, is a licensed Professional Engineer in Ontario and is recognized by the MOECC as a Qualified Person for ESAs (QPESA) under O.Reg.153/04.

## **EDUCATION**

Master of Applied Science in Civil Engineering, McMaster University / Civil Engineering, Hamilton, Ontario, 2007

Bachelor of Science in Engineering, University of Guelph / Environmental Engineering, Guelph, Ontario, 2002

## **CERTIFICATIONS & TRAINING**

Special Industry Course - Construction Management Certificate, Utility Infrastructure Awareness, Canadian Construction Association, OWN Your Safety Inc., Ontario, 2018

## REGISTRATIONS

Professional Engineer #100124633, Professional Engineers Ontario

## **PROJECT EXPERIENCE**

**Environmental Site Assessments Phase I, II, III** Phase I ESAs for Telecommunication Sites Across Southern Ontario (Project Manager, Quality Reviewer)

Managed a team of site assessors to complete over 75 Phase I ESAs of telecommunication sites across Southern Ontario in 2017. Conducted quality and independent review of the reports and supported the client through evaluation of potential liabilities to support acquisitions.

## Phase I ESA of a Pulp and Paper Mill Facility, Thorold, Ontario (Site Assessor)

Conducted a Phase I ESA for a former pulp and paper mill including review of historical operating records, historical mapping, and review and synthesis of historical soil and groundwater analytical data to assist client in identifying potential liabilities.

### Phase I Environmental Site Assessment for Wind Energy Project, Southwestern Ontario (Project Manager, Technical Reviewer)

Project management, coordination and technical review for a Phase One ESA in accordance with O.Reg.153/04 for 60 parcels of land in southwestern Ontario to identify environmental liabilities in support of client's development of the properties for a wind energy project. Managed site assessment team, organized logistics and completed technical review.

## Erika Ryter M.A.Sc., P.Eng.

Environmental Engineer, Project Manager

#### Phase I Environmental Site Assessment Portfolio for Commercial Due Diligence, Ontario (Task Manager, Site Assessor)

Project management, coordination, site visits and reporting for 21 Phase I ESAs for mobile home parks across southwestern Ontario (part of a larger 70+ property portfolio). Managed site assessment team, coordinated logistics for field program, and coordinated reporting and technical review for the successful delivery of 21 reports within 8 weeks of approval to proceed.

# Phase I Environmental Site Assessments, various sites Across Canada (Project Manager, Site Assessor)

Conducted or managed over 200 Phase I ESAs on both large portfolio projects and smaller single site locations. Sites include industrial facilities, warehouses, gasoline service stations, lumberyards, railways, commercial shopping centres, hotels, apartment buildings, and residential homes. Senior technical reviewer of various Phase I ESAs for residential and commercial properties.

### Phase I Environmental Site Assessment Portfolio for Commercial Due Diligence, Ontario (Project Manager, Technical Reviewer)

Project management, coordination and technical review for 75 Phase I ESAs for commercial retail facilities across southwestern Ontario (part of a larger 200+ property portfolio). Managed site assessment team, organized logistics for field program, coordinated reporting and technical review for the successful delivery of 75 reports within 6 weeks of approval to proceed.

#### Phase I and II ESA of an Industrial Facility, Scarborough, Ontario (Project Manager, Site Assessor)

Completed a Phase I ESA of a manufacturing facility to support planning for plant decommissioning. Managed a tank removal, Phase II ESA and sub-slab vapour sampling program to support the assessment of soil and groundwater impacts associated with a former spill containment underground storage tank. Assisted the client in assessing and managing the potential risks to on-going operations associated with the identified contaminants of concern and currently working to develop recommendations for additional assessment, management and/or remediation.

## Erika Ryter M.A.Sc., P.Eng.

Environmental Engineer, Project Manager

#### Phase II ESA for a Large Industrial Facility, Ontario (Project Manager)

Project manager for a Phase II ESA, screening level risk assessment and remedial action plan for a pulp and paper facility in Northern Ontario. This project was completed to assess our client's potential environmental liabilities associated with current and historical activities on their properties. The work program included the advancement of over 150 boreholes, 90 completed as monitoring wells, across more than 10 parcels of land during two field events (a total field program of 8 weeks). Erika completed a review and interpretation of a Phase I ESA completed by others, data gap analysis, developed a detailed sampling and analysis plan, managed the health and safety program and coordinated required sub-contractors including use of ground-penetrating radar to confirm locations of buried services and potential subsurface anomalies. Erika conducted on-going review and interpretation of field and laboratory analytical results and provided our client with regular updates, interpretation and recommendations, throughout the course of the field program. Contaminants of concern included petroleum hydrocarbons, volatile organic compounds, metals, inorganics, polycyclic aromatic hydrocarbons, dioxins and furans, polychlorinated biphenyls and phenols.

#### Phase II Environmental Site Assessments, various sites in Nova Scotia, Ontario, and Manitoba (Project Manager, Site Assessor)

Project management, coordination and field supervision for over 150 Phase II ESA projects in Nova Scotia, Ontario and Manitoba including design of sampling programs, regulatory evaluation, and design and evaluation of remedial strategies. Sites include brownfield development sites, active commercial and industrial properties, and residential developments.

### Site Assessment to Support Record of Site Condition, Niagara Falls, Ontario (Project Manager)

Managed Phase One and Two ESA and remediation programs to support the assessment of a former industrial property and waste disposal facility to assist the client to identify options for development and to ultimately support the pursuit of a Record of Site Condition. Reviewed historical data, completed data gap analysis and developed soil and groundwater sampling programs to quantify the extent of impacts and worked with risk assessment team to evaluate risk assessment and remedial options.

## Contaminant Overview Studies, Ontario (Quality Reviewer)

Quality reviewer for various Contaminant Overview Studies to assess potential environmental liabilities and provide recommendations for the management of excess soil and groundwater generated during construction. Projects were located across Ontario and ranged from several kilometres to nearly one hundred kilometres, associated with pipeline construction, road widenings and realignments and alternative energy projects for municipal and private sector clients.

## Erika Ryter M.A.Sc., P.Eng.

Environmental Engineer, Project Manager

## Environmental Peer Reviews (Site Assessor/Quality Reviewer)

Provided peer review support for various insurance and legal clients for various claims including fuel oil spills, impacts associated with historical buried fuel tanks, and commercial liability claims. Support included review of work programs, site assessment findings and remedial action plans. Provided data gap analyses, recommendations for further investigation, where warranted, and review and interpretation of project expenditures.

### **Site Management & Remediation** Home Heating Oil Remediation, Coldwater, Ontario (Project Manager)

Managed the assessment, delineation and remedial excavation of petroleum hydrocarbon impacts associated with a home heating oil release at a residential property. A spill during filling of an above-ground tank in the basement of the home resulted in the release of an unknown quantity of fuel oil in close proximity (i.e., less than 30 m) to a water body. Petroleum hydrocarbon impacts to soil were identified adjacent to and beneath the building footing and beneath the basement floor. Our initial response included an initial excavation to mitigate further migration of contaminants and the subsequent completion of a test pit and borehole program to delineate the extent of impacts to soil and groundwater and confirm that impacts had not migrated to the nearby water body. Erika subsequently managed a remediation program that included excavation of soil impacts beneath the basement floor, a conventional underpinning program to remove the impacted soil beneath the footings and backfilling and restoration.

#### Removal of an Underground Storage Tank and Remediation of Impacted Soil, Bracebridge, Ontario (Project Manager)

Project manager for the remedial excavation of petroleum hydrocarbon impacted soils associated with an historical buried underground storage tank. Work program included the removal and disposal of the buried tank, coordination with contractors and field staff for the assessment, delineation, and excavation of petroleum hydrocarbon impacted soils, including a borehole and monitoring well drilling program. Petroleum impacted soils were subsequently excavated and removed and the Site was remediated to meet the applicable Ontario Regulation 153/04 Site Condition Standards.

### Subsurface Delineation Program, Remedial Excavation, Vapour and Indoor Air Assessment, Mississauga, Ontario (Project Manager)

Subsurface delineation, remedial excavation and a tailored vapour monitoring and risk evaluation program was completed to help our client evaluate, understand and manage potential liability associated with VOC soil and groundwater impacts on a school property. By understanding the client's risk tolerance, and appreciating the need to minimize disruption to students, the monitoring, assessment and remediation program was completed under tight timelines outside of regular school hours and during scheduled holidays.
### Erika Ryter M.A.Sc., P.Eng.

Environmental Engineer, Project Manager

### Soil Assessment, Remediation Programs and Peer Review for Furnace Oil Spills, Ontario (Project Manager, Field Supervisor)

Project management, coordination and field supervision for numerous fuel oil losses for residential properties across Ontario. Managed programs of on- and off-site assessment and delineation, developed remedial action plans, coordinated and managed remedial excavations, restoration and site closure. Provided peer review support for various claims including review of work programs, recommendations for appropriate work plans and review and interpretation of project expenditures.

### Soil Remediation Program for a Furnace Oil Spill, Huntsville, Ontario (Assistant Project Manager)

Petroleum hydrocarbon impacts at a residential property were identified following a suspected fuel oil loss from an above-ground storage tank. Project management and field supervision for the excavation and disposal of impacted soil.

### Site Documentation and Tender Compliance for a PCB Storage Site, Halifax, Nova Scotia (Field Supervisor)

Responsible for site documentation and supervision of deconstruction and contract compliance at a PCB remediation storage site.

### Groundwater Monitoring and Assessment Programs, various sites across Canada (Project Manager, Field Supervisor, Project Coordinator)

Conducted or managed various groundwater monitoring projects including design of sampling programs, regulatory evaluation and comparison, and design and evaluation of remedial strategies.

## Mediation Support, Toronto, Ontario (Environmental Engineer)

Provided peer review support to insurance company to support mitigation associated with a \$5M+ claim for remediation associated with petroleum hydrocarbon impacts to soil and groundwater resulting from leaking underground storage tanks. Completed a data gap analysis and review of soil and groundwater data and remedial cost estimates to assist our client in achieving a settlement significantly less than the initial claim amount and within the Insured's policy limits. Appendix D

# **Supporting Documentation**

Ministry of the Environment, Conservation and Parks

Access and Privacy Office

12<sup>th</sup> Floor 40 St. Clair Avenue West Toronto ON M4V 1M2 Tel: (416) 314-4075 Fax: (416) 314-4285 Ministère de l'Environnement, de la Protection de la nature et des Parcs

Bureau de l'accès à l'information et de la protection de la vie privée

12<sup>e</sup> étage 40, avenue St. Clair ouest Toronto ON M4V 1M2 Tél. : (416) 314-4075



January 31, 2019

Aseel Kaiser Stantec Consulting 835 Paramount Drive, Suite 200 Stoney Creek, ON L8J 0B4

Dear Aseel Kaiser:

### RE: Freedom of Information and Protection of Privacy Act Request Our File # A-2019-00452, Your Reference 161423338-810

This letter is in response to your request made pursuant to the *Freedom of Information and Protection of Privacy Act* relating to 220 Arkell Road, Guelph.

After a thorough search through the files of the Ministry's Guelph District Office, West-Central Regional Office, Investigations and Enforcement Branch, Environmental Monitoring and Reporting Branch, Sector Compliance Branch and Safe Drinking Water Branch, no records were located responsive to your request. To provide you with this response and in accordance with Section 57 of the *Freedom of Information and Protection of Privacy Act*, the fee owed is \$30.00 for 1 hour of search time @ \$30.00 per hour. We have applied the \$30.00 for this request from your initial payment. This file is now closed.

You may request a review of my decision by contacting the Information and Privacy Commissioner/Ontario, 2 Bloor Street East, Suite 1400, Toronto, ON M4W 1A8 (800-387-0073 or 416-326-3333). Please note that there is a \$25.00 fee and you only have 30 days from receipt of this letter to request a review.

If you have any questions regarding this matter, please contact Junyi Cai at 416-314-4075 or junyi.cai@ontario.ca.

Yours truly,

tur

Janet Dadufalza Manager, Access and Privacy





345 Carlingview Drive Toronto, Ontario M9W 6N9 Tel.: 416.734.3300 Fax: 416.231.1626 Toll Free: 1.877.682.8772

www.tssa.org

### 08 February 2019

Aseel Kaiser STANTEC CONSULTING LTD. Suite 200 835 Paramount Drive STONEY CREEK ON L8J0B4

Subject:	220 Arkell Road, Guelph, Ontario
Your File No.:	161423338-810
SR No.:	2486428

Dear Madam/Sir:

We are in receipt of your correspondence wherein you requested information regarding the above noted subject.

A search of our records did not produce the requested Fuels Safety documents.

Should you have any questions, please contact Public Information at <u>publicinformationservices@tssa.org</u>.

Yours truly,

oxana Suare

Roxana Suarez-Mashtaler Public Information Services



#### An SCM Company

175 Commerce Valley Drive W Markham, Ontario L3T 7Z3

T: 905-882-6300 W: www.optaintel.ca

Report Completed By:

Anthony

Site Address: 220 Arkell Road Guelph ON Canada

### Project No:

161423338810 Opta Order ID: 57294 Requested by: Aseel Kaiser Stantec Consulting Ltd.

Date Completed: 1/22/2019 8:46:25 AM



### **ENVIROSCAN Report**

Opta Historical Environmental Services Enviroscan Terms and Conditions Requested by:



OPTA INFORMATION INTELLIGENCE

Aseel Kaiser

Date Completed: 01/22/2019 08:46:25

### Opta Historical Environmental Services Enviroscan <sup>™</sup> Terms and Conditions

### Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

#### Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

#### **Entire Agreement**

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

### **Governing Document**

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

#### Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.



175 Commerce Valley Drive W

Markham, Ontario

L3T 7Z3

**T:** 905.882.6300

Toll Free: 905.882.6300

F: 905.882.6300

An SCM Company

www.optaintel.ca

**ENVIROSCAN Report** 

**No Records Found** 

Page: 4 Project Name: 220 Arkell Road Guelph ON Phase I Environmental Site Assessment Project #: 161423338810

**Requested by:** Aseel Kaiser Date Completed: 01/22/2019 08:46:25

enviroscan

OPTA INFORMATION INTELLIGENCE

**No Records Found** 

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.



# DATABASE REPORT

Project Property:	220 Arkell Road, Guelph, ON
	220 Arkell Road
	Guelph ON N1L 1E6
Project No:	161413338-810
Report Type:	Quote - Custom-Build Your Own Repor
Order No:	20180824203
Requested by:	Stantec Consulting Ltd.
Date Completed:	September 10, 2018

Environmental Risk Information Services A division of Glacier Media Inc. P: 1.866.517.5204 E: info@erisinfo.com

www.erisinfo.com

### Table of Contents

Table of Contents	2
Executive Summary	3
Executive Summary: Report Summary	4
Executive Summary: Site Report Summary - Project Property	6
Executive Summary: Site Report Summary - Surrounding Properties	7
Executive Summary: Summary By Data Source	13
Мар	21
Aerial	22
Topographic Map	23
Detail Report	24
Unplottable Summary	114
Unplottable Report	115
Appendix: Database Descriptions	133
Definitions	142

### Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

2

### **Executive Summary**

#### Property Information:

**Project Property:** 

Project No:

220 Arkell Road, Guelph, ON 220 Arkell Road Guelph ON N1L 1E6

161413338-810

### Order Information:

Order No: Date Requested: Requested by: Report Type: 20180824203 August 24, 2018 Stantec Consulting Ltd. Quote - Custom-Build Your Own Report

#### Historical/Products:

### Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	0	0
CA	Certificates of Approval	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar	Y	0	0	0
CONV	Sites Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DRYCLEANERS	Dry Cleaning Facilities	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Y	0	0	0
ECA	Environmental Compliance Approval	Y	0	7	7
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	1	6	7
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EXP	List of TSSA Expired Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FST	Fuel Storage Tank	Y	0	2	2
FSTH	Fuel Storage Tank - Historic	Y	0	2	2
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	7	7
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	TSSA Incidents	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MISA PENALTY	Environmental Penalty Annual Report	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBW	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGW	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	0	0
PINC	TSSA Pipeline Incidents	Y	0	1	1
PRT	Private and Retail Fuel Storage Tanks	Y	0	0	0
PTTW	Permit to Take Water	Y	0	3	3
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	2	2
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	0	0
SPL	Ontario Spills	Y	0	4	4
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	TSSA Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	33	33
	-	Total:	1	67	68

### Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
1	EHS		220 Arkell Road Guelph ON	-/0.0	0.00	<u>24</u>
			<b>Order ID:</b> 467181			

erisinfo.com | Environmental Risk Information Services

### Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
2	WWIS		ON <b>Well ID:</b> 7209139	SE/7.0	-3.50	<u>24</u>
<u>3</u>	WWIS		GUELPH ON <b>Well ID:</b> 7167861	N/14.6	-0.77	<u>25</u>
<u>4</u>	WWIS		ON Well ID: 7229605	SE/15.2	-2.22	<u>27</u>
<u>5</u>	ECA	The Corporation of the City of Guelph	Part Lots 6 & 7, Conc. 8, Former Twp. of Puslinch Guelph ON N1H 3A1	S/16.8	-4.18	<u>28</u>
<u>5</u>	ECA	The Corporation of the City of Guelph	Arkell Rd (from Gordon Street to Victoria Road) Guelph ON N1H 3A1	S/16.8	-4.18	<u>28</u>
<u>5</u>	ECA	The Corporation of the City of Guelph	Arkell Rd (from Gordon Street to Victoria Road) Guelph ON N1H 3A1	S/16.8	-4.18	<u>28</u>
<u>6</u>	wwis		ON <b>Well ID:</b> 7169407	N/18.8	-1.42	<u>29</u>
<u>7</u>	WWIS		lot 6 con 8 ON <i>Well ID:</i> 6712543	S/19.5	-4.18	<u>29</u>
<u>8</u>	WWIS		Guelph ON <i>Well ID:</i> 7167862	N/23.0	-1.42	<u>33</u>
<u>9</u>	WWIS		Guelph ON <i>Well ID:</i> 7285694	SSE/25.0	-3.72	<u>35</u>
<u>10</u>	WWIS		Guelph ON <i>Well ID:</i> 7285695	SSE/54.9	-3.72	<u>38</u>

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>11</u>	SPL		25 coutts court Guelph ON	SE/62.6	-0.72	<u>40</u>
<u>12</u>	wwis		Guelph ON <b>Well ID:</b> 7167860	N/71.9	-2.79	<u>41</u>
<u>13</u>	WWIS		Guelph ON <i>Well ID:</i> 7285692	S/75.9	-3.72	<u>43</u>
<u>14</u>	WWIS		lot 6 con 8 ON <b>Well ID:</b> 6703602	SE/77.6	-0.42	<u>46</u>
<u>15</u>	WWIS		lot 6 con 8 ON <i>Well ID:</i> 6702590	SSE/82.6	-3.81	<u>48</u>
<u>16</u>	WWIS		Guelph ON <b>Well ID:</b> 7285693	SSE/88.4	-3.81	<u>51</u>
<u>17</u>	WWIS		lot 6 con 8 GUELPH ON <b>Well ID:</b> 7211048	SE/97.9	-0.72	<u>53</u>
<u>18</u>	wwis		GUELPH ON <b>Well ID:</b> 7163099	ESE/101.3	1.28	<u>55</u>
<u>19</u>	WWIS		lot 5 con 8 ON <b>Well ID:</b> 6702582	NNE/118.5	-3.77	<u>57</u>
<u>20</u>	PINC		14 AMOS DR, GUELPH ON	ESE/138.8	3.99	<u>60</u>
<u>20</u>	SPL	Union Gas Limited	14 Amos Dr Guelph ON	ESE/138.8	3.99	<u>61</u>
<u>21</u>	WWIS		lot 6 con 8 ON <b>Well ID:</b> 6703579	SSE/143.3	-3.75	<u>61</u>
<u>22</u>	WWIS		GUELPH ON <i>Well ID:</i> 7163100	ESE/145.9	3.99	<u>65</u>

DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
WWIS		lot 6 con 8 GUELPH ON	ESE/148.0	6.70	<u>67</u>
		Well ID: 7211047			
WWIS		GUELPH ON <b>Well ID:</b> 6604906	SE/148.4	0.24	<u>69</u>
WWIS		lot 7 con 8 GUELPH ON	SSE/152.2	-1.03	<u>71</u>
		Well ID: 6715351			
WWIS		lot 7 con 8 ON	SSE/154.6	-0.72	<u>72</u>
		Well ID: 6714128			
WWIS		lot 6 con 8 ON	E/163.5	6.97	<u>73</u>
		Well ID: 6702589			
WWIS		lot 7 con 8 ON	SSE/167.4	-1.75	<u>76</u>
		Well ID: 6711291			
WWIS		Guelph ON	S/176.9	-3.39	<u>80</u>
		Well ID: 7188310			
WWIS		lot 5 con 8 Guelph ON	NNE/182.6	-4.57	<u>82</u>
		Well ID: 7275559			
WWIS		Guelph ON	WNW/183.6	-5.03	<u>84</u>
		Well ID: 7236307			
ECA	The Corporation of the City of Guelph	264 Arkell Rd Part of Lot 6, Concession 8, Parts 1 and 2 of Reference Plan 61R-11714 Guelph ON N1H 3A1	ESE/183.9	7.40	<u>87</u>
ECA	The Corporation of the City of Guelph	246 Arkell Rd Part of Lot 6, Concession 8, Parts 1 and 2 of Reference Plan 61R-11714 Guelph ON N1H 3A1	ESE/184.2	7.40	<u>87</u>
EHS		246 Arkell Rd Guelob ON N11_1E6	ESE/184.2	7.40	<u>87</u>
		Order ID: 238146			
EHS		246 Arkell Rd Guelph ON N1L 1E6	ESE/184.2	7.40	<u>87</u>
	DB     WWIS     WWIS     WWIS     WWIS     WWIS     WWIS     WWIS     WWIS     ECA     ECA     EHS	DBCompany/Site NameWWIS	DB Company/Site Name Address   WWIS Ut 6 con 8 GUELPH ON Weil ID: 7211047   WWIS GUELPH ON Weil ID: 6604906   WWIS GUELPH ON Weil ID: 6604906   WWIS Di 7 con 8 ON Weil ID: 6715351   WWIS Di 7 con 8 ON Weil ID: 6714128   WWIS Di 7 con 8 ON Weil ID: 6714128   WWIS Di 7 con 8 ON Weil ID: 6714128   WWIS Di 7 con 8 ON Weil ID: 671428   WWIS Di 7 con 8 ON Weil ID: 6714291   WWIS Di 7 con 8 ON Weil ID: 7118310   WWIS Guelph ON Weil ID: 727559   WWIS Guelph ON Weil ID: 727559   WWIS Guelph ON Weil ID: 727559   WWIS The Corporation of the City of Guelph ON Weil ID: 7236307   ECA The Corporation of the City of Guelph ON NIT 1341   ECA The Corporation of the City of Guelph ON NIT 1341   ECA The Corporation of the City of Guelph ON NIT 1341   ECA The Corporation of the City of Guelph ON NIT 1341   ECA The Corporation of the City of Guelph ON NIT 1341   ECA The Corporation of the City of Guelph ON NIT 1341   ECA The Corporation of the City of Guelph ON NIT 1341   ECA The Corporation of the City of Guelph ON NIT 1341   ECA The Corporation of the City of Guelph ON NIT 1341   ECA	DB Company/Site Name Address Dir/Dist (m)   WWIS Ut 6 con 8 GUELPH ON Well D: 7211047 ESE/148.0   WWIS GUELPH ON Well D: 6004000 SE/148.4   WWIS GUELPH ON Well D: 6004000 SE/152.2   WWIS Int 7 con 8 ON Well D: 67105311 SSE/152.2   WWIS Int 7 con 8 ON Well D: 67102589 SSE/154.6   WWIS Int 6 con 8 ON Well D: 67102589 SSE/154.6   WWIS Int 6 con 8 ON Well D: 67102589 E/163.5   WWIS Int 6 con 8 ON Well D: 67102589 SSE/167.4   WWIS Guelph ON Well D: 770559 SSE/167.4   WWIS Guelph ON Well D: 777559 SSE/163.6   WWIS Guelph ON Well D: 727559 NNE/182.6   ECA The Corporation of the City of Guelph ON Mell D: 7230307 VNWI/183.6   ECA The Corporation of the City of Guelph ON MIH 3A1 SSE/184.2   ECA The Corporation of the City of Guelph ON NH 3A1 ESE/184.3   ECA The Corporation of the City of Guelph ON NH 3A1 ESE/184.2   ECA The Corporation of the City of Guelph ON NH 3A1 ESE/184.2   ECA The Corporation of the City of Guelph ON NH 13A1 ESE/184.2   ECA The Corporation of the City of Guelph ON NH 13A1 ESE/184.2   ECA <td< td=""><td>DB     Company/Site Name     Address     Dir/Dist (m)     Elev Diff (m)       WWIS     bit 6 con 8 GUELPH ON WWIS     ESE/148.0     6.70       WWIS     GUELPH ON WWIS     SE/148.4     0.24       WWIS     bit 7 con 8 OUELPH ON WWIS     SE/148.4     0.24       WWIS     bit 7 con 8 OUELPH ON WWIS     SSE/152.2     -1.03       WWIS     bit 7 con 8 OUELPH ON WWIS     SSE/154.6     0.72       WWIS     bit 7 con 8 ON WWIS     SSE/167.4     1.75       WWIS     bit 5 con 8 Guelph ON WWIS     SSE/167.4     1.75       WWIS     bit 5 con 8 Guelph ON WWIS     Sit 76.9     3.39       ECA     The Corporation of the City of Guelph ON WWI D: 7283007     SWWI93.6     5.03       ECA     The Corporation of the City of Guelph ON Hit 531     SE/184.2     7.40       ECA     The Corporation of the City of Guelph ON NIL1 541     SE/184.2     7.</td></td<>	DB     Company/Site Name     Address     Dir/Dist (m)     Elev Diff (m)       WWIS     bit 6 con 8 GUELPH ON WWIS     ESE/148.0     6.70       WWIS     GUELPH ON WWIS     SE/148.4     0.24       WWIS     bit 7 con 8 OUELPH ON WWIS     SE/148.4     0.24       WWIS     bit 7 con 8 OUELPH ON WWIS     SSE/152.2     -1.03       WWIS     bit 7 con 8 OUELPH ON WWIS     SSE/154.6     0.72       WWIS     bit 7 con 8 ON WWIS     SSE/167.4     1.75       WWIS     bit 5 con 8 Guelph ON WWIS     SSE/167.4     1.75       WWIS     bit 5 con 8 Guelph ON WWIS     Sit 76.9     3.39       ECA     The Corporation of the City of Guelph ON WWI D: 7283007     SWWI93.6     5.03       ECA     The Corporation of the City of Guelph ON Hit 531     SE/184.2     7.40       ECA     The Corporation of the City of Guelph ON NIL1 541     SE/184.2     7.

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Order ID: 238147			
<u>33</u>	EHS		246 Arkell Road Guelph ON N1L 1E6	ESE/184.2	7.40	<u>88</u>
			Order ID: 181457			
<u>33</u>	RSC		246 ARKELL ROAD, GUELPH, ONTARIO N1L 1E6 Guelph ON	ESE/184.2	7.40	<u>88</u>
<u>33</u>	RSC		246 ARKELL ROAD, GUELPH, ONTARIO N1L 1E6 Guelph ON	ESE/184.2	7.40	<u>89</u>
<u>34</u>	EHS		164 And 174 Arkell Rd Guelph ON	S/186.0	-3.72	<u>90</u>
			Order ID: 219047			
<u>35</u>	WWIS		lot 5 con 8 ON	N/186.2	-4.66	<u>91</u>
			<b>Well ID:</b> 6713994			
<u>36</u>	ECA	The Corporation of the City of Guelph	164 Arkell Rd Guelph ON N1H 3A1	S/196.8	-3.72	<u>92</u>
<u>36</u>	SPL	City of Guelph	164 Arkell Road Guelph ON	S/196.8	-3.72	<u>92</u>
<u>37</u>	EHS		1159 Victoria Road South Guelph ON N1L 1B3	N/198.1	-3.81	<u>92</u>
			<b>Order ID:</b> 187508			
<u>37</u>	EHS		1159 Victoria Road S Puslinch, Guelph ON	N/198.1	-3.81	<u>93</u>
			Order ID: 190922			
<u>37</u>	FST	VICTORIA PARK GOLF CLUB WEST	1159 VICTORIA RD S GUELPH ON N1L 1B3	N/198.1	-3.81	<u>93</u>
<u>37</u>	FST	VICTORIA PARK GOLF CLUB WEST	1159 VICTORIA RD S GUELPH ON N1L 1B3	N/198.1	-3.81	<u>93</u>
<u>37</u>	FSTH	VICTORIA PARK GOLF CLUB WEST	1159 VICTORIA RD S GUELPH ON N1L 1B3	N/198.1	-3.81	<u>93</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>37</u>	FSTH	VICTORIA PARK GOLF CLUB WEST	1159 VICTORIA RD S GUELPH ON N1L 1B3	N/198.1	-3.81	<u>94</u>
<u>37</u>	GEN	VICTORIA PARK GOLF CLUB WEST	DIODORO INVESTMENTS 1159 Victoria Road South GUELPH ON N1L 1B3	N/198.1	-3.81	<u>94</u>
<u>37</u>	GEN	VICTORIA PARK GOLF CLUB WEST	DIODORO INVESTMENTS 1159 Victoria Road South GUELPH ON N1L 1B3	N/198.1	-3.81	<u>94</u>
<u>37</u>	GEN	VICTORIA PARK GOLF CLUB WEST	DIODORO INVESTMENTS 1159 Victoria Road South GUELPH ON N1L 1B3	N/198.1	-3.81	<u>95</u>
<u>37</u>	GEN	VICTORIA PARK GOLF CLUB WEST	DIODORO INVESTMENTS 1159 Victoria Road South GUELPH ON N1L 1B3	N/198.1	-3.81	<u>95</u>
<u>37</u>	GEN	VICTORIA PARK GOLF CLUB WEST	DIODORO INVESTMENTS 1159 Victoria Road South GUELPH ON N1L 1B3	N/198.1	-3.81	<u>96</u>
<u>37</u>	GEN	VICTORIA PARK GOLF CLUB WEST	DIODORO INVESTMENTS R.R. #21159 Victoria Road South GUELPH ON N1L 1B3	N/198.1	-3.81	<u>96</u>
<u>37</u>	GEN	VICTORIA PARK GOLF CLUB WEST	DIODORO INVESTMENTS R.R. #2 1159 Victoria Road South GUELPH ON N1L 1B3	N/198.1	-3.81	<u>96</u>
<u>37</u>	PTTW	Victoria Park Village Inc.	Property of Victoria Park Village Inc. 1159 Victoria Road South, Lot: 5, Concession: 8, Geographic Township of Puslinch, City of Guelph, County of Wellington CITY OF GUELPH ON	N/198.1	-3.81	<u>97</u>
<u>37</u>	PTTW	Victoria Park Village Inc.	1159 Victoria Road South Lot 5, Concession 8 City of Guelph, County of Wellington CITY OF GUELPH ON	N/198.1	-3.81	<u>97</u>
<u>37</u>	PTTW	Victoria Park Village Inc.	Property of Victoria Park Village Inc. 1159 Victoria Road South, Lot: 5, Concession: 8, Geographic Township of Puslinch, City of Guelph, County of Wellington CITY OF GUELPH ON	N/198.1	-3.81	<u>97</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>38</u>	WWIS		lot 6 con 8 ON	E/201.2	6.28	<u>98</u>
			<b>Well ID:</b> 6704984			
<u>39</u>	WWIS		lot 6 con 8 ON	S/201.8	-3.72	<u>100</u>
			<b>Well ID:</b> 6704985			
<u>40</u>	ECA	The Corporation of the City of Guelph	Guelph ON N1H 3A1	WNW/215.2	-3.72	<u>103</u>
<u>41</u>	SPL	The Corporation of the City of Guelph	Corner of Coutts Court and Bard Blvd. Guelph ON	SE/225.1	-0.72	<u>103</u>
<u>42</u>	WWIS		lot 6 con 8 ON	S/227.4	-3.72	<u>104</u>
			<b>Well ID:</b> 6702585			
<u>43</u>	WWIS		GUELPH ON	NNW/235.6	-3.69	<u>107</u>
			<b>Well ID:</b> 6715740			
<u>44</u>	WWIS		lot 5 con 8 ON	NNW/246.6	-4.33	<u>109</u>
			Well ID: 6709380			

### Executive Summary: Summary By Data Source

### **ECA** - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Jul 31, 2018 has found that there are 7 ECA site(s) within approximately 0.25 kilometers of the project property.

Site	Address	Distance (m)	<u>Map Key</u>
The Corporation of the City of Guelph	Part Lots 6 & 7, Conc. 8, Former Twp. of Puslinch Guelph ON N1H 3A1	16.8	<u>5</u>
The Corporation of the City of Guelph	Arkell Rd (from Gordon Street to Victoria Road) Guelph ON N1H 3A1	16.8	<u>5</u>
The Corporation of the City of Guelph	Arkell Rd (from Gordon Street to Victoria Road) Guelph ON N1H 3A1	16.8	<u>5</u>
The Corporation of the City of Guelph	264 Arkell Rd Part of Lot 6, Concession 8, Parts 1 and 2 of Reference Plan 61R-11714 Guelph ON N1H 3A1	183.9	<u>32</u>
The Corporation of the City of Guelph	246 Arkell Rd Part of Lot 6, Concession 8, Parts 1 and 2 of Reference Plan 61R-11714 Guelph ON N1H 3A1	184.2	<u>33</u>
The Corporation of the City of Guelph	164 Arkell Rd Guelph ON N1H 3A1	196.8	<u>36</u>
The Corporation of the City of Guelph	Guelph ON N1H 3A1	215.2	<u>40</u>

### **EHS** - ERIS Historical Searches

A search of the EHS database, dated 1999-Feb 28, 2018 has found that there are 7 EHS site(s) within approximately 0.25 kilometers of the project property.

Address	<u>Distance (m)</u>	<u>Map Key</u>
220 Arkell Road Guelph ON	0.0	<u>1</u>
<b>Order ID:</b> 467181		
246 Arkell Rd Guelph ON N1L 1E6	184.2	<u>33</u>
<b>Order ID:</b> 238146		
246 Arkell Rd Guelph ON N1L 1E6	184.2	<u>33</u>
Order ID: 238147		
246 Arkell Road Guelph ON N1L 1E6	184.2	<u>33</u>
Order ID: 181457		
164 And 174 Arkell Rd Guelph ON	186.0	<u>34</u>
<b>Order ID:</b> 219047		
1159 Victoria Road South Guelph ON N1L 1B3	198.1	<u>37</u>
<b>Order ID:</b> 187508		
1159 Victoria Road S Puslinch, Guelph ON	198.1	<u>37</u>
Order ID: 190922		

### FST - Fuel Storage Tank

A search of the FST database, dated Feb 28, 2017 has found that there are 2 FST site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	Address	<u>Distance (m)</u>	<u>Map Key</u>
VICTORIA PARK GOLF CLUB WEST	1159 VICTORIA RD S GUELPH ON N1L 1B3	198.1	<u>37</u>
VICTORIA PARK GOLF CLUB WEST	1159 VICTORIA RD S GUELPH ON N1L 1B3	198.1	<u>37</u>

### **FSTH** - Fuel Storage Tank - Historic

14

A search of the FSTH database, dated Pre-Jan 2010\* has found that there are 2 FSTH site(s) within approximately 0.25 kilometers of the project property.

Site	Address	<u>Distance (m)</u>	<u>Map Key</u>
VICTORIA PARK GOLF CLUB WEST	1159 VICTORIA RD S GUELPH ON N1L 1B3	198.1	<u>37</u>
VICTORIA PARK GOLF CLUB WEST	1159 VICTORIA RD S GUELPH ON N1L 1B3	198.1	<u>37</u>

### **GEN** - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-December 31, 2017 has found that there are 7 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
VICTORIA PARK GOLF CLUB WEST	DIODORO INVESTMENTS 1159 Victoria Road South GUELPH ON N1L 1B3	198.1	<u>37</u>
VICTORIA PARK GOLF CLUB WEST	DIODORO INVESTMENTS 1159 Victoria Road South GUELPH ON N1L 1B3	198.1	<u>37</u>
VICTORIA PARK GOLF CLUB WEST	DIODORO INVESTMENTS 1159 Victoria Road South GUELPH ON N1L 1B3	198.1	<u>37</u>
VICTORIA PARK GOLF CLUB WEST	DIODORO INVESTMENTS 1159 Victoria Road South GUELPH ON N1L 1B3	198.1	<u>37</u>
VICTORIA PARK GOLF CLUB WEST	DIODORO INVESTMENTS 1159 Victoria Road South GUELPH ON N1L 1B3	198.1	<u>37</u>
VICTORIA PARK GOLF CLUB WEST	DIODORO INVESTMENTS R.R. #21159 Victoria Road South GUELPH ON N1L 1B3	198.1	<u>37</u>
VICTORIA PARK GOLF CLUB WEST	DIODORO INVESTMENTS R.R. #2 1159 Victoria Road South GUELPH ON N1L 1B3	198.1	<u>37</u>

### **PINC** - TSSA Pipeline Incidents

A search of the PINC database, dated Feb 28, 2017 has found that there are 1 PINC site(s) within approximately 0.25 kilometers of the project property.

Site	Address	<u>Distance (m)</u>	<u>Map Key</u>
	14 AMOS DR, GUELPH ON	138.8	<u>20</u>

### PTTW - Permit to Take Water

A search of the PTTW database, dated 1994-Jul 31, 2018 has found that there are 3 PTTW site(s) within approximately 0.25 kilometers of the project property.

Site	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Victoria Park Village Inc.	1159 Victoria Road South Lot 5, Concession 8 City of Guelph, County of Wellington CITY OF GUELPH ON	198.1	<u>37</u>
Victoria Park Village Inc.	Property of Victoria Park Village Inc. 1159 Victoria Road South, Lot: 5, Concession: 8, Geographic Township of Puslinch, City of Guelph, County of Wellington CITY OF GUELPH ON	198.1	<u>37</u>
Victoria Park Village Inc.	Property of Victoria Park Village Inc. 1159 Victoria Road South, Lot: 5, Concession: 8, Geographic Township of Puslinch, City of Guelph, County of Wellington CITY OF GUELPH ON	198.1	<u>37</u>

### **<u>RSC</u>** - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Apr 2018 has found that there are 2 RSC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	246 ARKELL ROAD, GUELPH, ONTARIO N1L 1E6 Guelph ON	184.2	<u>33</u>
	246 ARKELL ROAD, GUELPH, ONTARIO N1L 1E6 Guelph ON	184.2	<u>33</u>

### SPL - Ontario Spills

A search of the SPL database, dated 1988-May 2018 has found that there are 4 SPL site(s) within approximately 0.25 kilometers of the project property.

Site	Address 25 coutts court Guelph ON	<u>Distance (m)</u> 62.6	<u>Map Key</u> <u>11</u>
Union Gas Limited	14 Amos Dr Guelph ON	138.8	<u>20</u>
City of Guelph	164 Arkell Road Guelph ON	196.8	<u>36</u>
The Corporation of the City of Guelph	Corner of Coutts Court and Bard Blvd. Guelph ON	225.1	<u>41</u>

### WWIS - Water Well Information System

A search of the WWIS database, dated Dec 31, 2017 has found that there are 33 WWIS site(s) within approximately 0.25 kilometers of the project property.

Site	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	7.0	<u>2</u>
	Well ID: 7209139		
	GUELPH ON	14.6	<u>3</u>
		15.2	4
	UN Well ID: 7229605		
	ON	18.8	<u>6</u>
	<b>Well ID:</b> 7169407		
	lot 6 con 8 ON	19.5	<u>7</u>

Address Well ID: 6712543	<u>Distance (m)</u>	<u>Map Key</u>
Guelph ON <b>Well ID:</b> 7167862	23.0	<u>8</u>
Guelph ON	25.0	<u>9</u>
<b>Well ID:</b> 7285694	54.9	10
Guelph ON <i>Well ID:</i> 7285695		_
Guelph ON	71.9	<u>12</u>
Guelph ON	75.9	<u>13</u>
Well ID: 7285692	77.6	14
ON Well ID: 6703602		<u>14</u>
lot 6 con 8 ON	82.6	<u>15</u>
Well ID: 6702590	88.4	<u>16</u>
Well ID: 7285693		
lot 6 con 8 GUELPH ON <i>Well ID:</i> 7211048	97.9	<u>17</u>
GUELPH ON	101.3	<u>18</u>
<b>Well ID:</b> 7163099		
lot 5 con 8 ON	118.5	<u>19</u>
Well ID: 6702582		

Address	<u>Distance (m)</u>	<u>Map Key</u>
lot 6 con 8 ON	143.3	<u>21</u>
Well ID: 6703579		
	145.9	22
GUELPH ON		
Well ID: 7163100		
lot 6 con 8 GUELPH ON	148.0	<u>23</u>
Well ID: 7211047		
	148.4	24
GUELPH ON		
Well ID: 6604906		
lot 7 con 8 GUELPH ON	152.2	<u>25</u>
Well ID: 6715351		
lot 7 con 8 ON	154.6	<u>26</u>
Well ID: 6714128		
lot 6 con 8 ON	163.5	<u>27</u>
Well ID: 6702589		
lot 7 con 8 ON	167.4	<u>28</u>
Well ID: 6711291		
	176.9	29
Guelph ON		
<b>Well ID:</b> 7188310		
lot 5 con 8 Guelph ON	182.6	<u>30</u>
Well ID: 7275559		
Outlinh ON	183.6	<u>31</u>
Gueiph ON		
Well ID: 7236307		
lot 5 con 8 ON	186.2	<u>35</u>

Address Well ID: 6713994	<u>Distance (m)</u>	<u>Map Key</u>
lot 6 con 8 ON	201.2	<u>38</u>
Well ID: 6704984		
lot 6 con 8 ON	201.8	<u>39</u>
Well ID: 6704985		
lot 6 con 8 ON	227.4	<u>42</u>
Well ID: 6702585		
GUELPH ON	235.6	<u>43</u>
Well ID: 6715740		
lot 5 con 8 ON	246.6	<u>44</u>

Well ID: 6709380

20



Source: © 2015 DMTI Spatial Inc.



### Aerial (2017)

43°31'30"N

Address: 220 Arkell Road, Guelph, ON, N1L 1E6

Source: ESRI World Imagery

### Order No: 20180824203



© ERIS Information Limited Partnership

80°12'W

80°10'30"W



### **Topographic Map**

### Address: 220 Arkell Road, Guelph, ON, N1L 1E6

Source: ESRI World Topographic Map

Order No: 20180824203



© ERIS Information Limited Partnership

### Detail Report

Мар Кеу	Number Record	r of s	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
<u>1</u>	1 of 1		-/0.0	338.6 / 0.00	220 Arkell Road Guelph ON		EHS
Order ID: Order No: Customer ID: Company ID: Status: Report Code: Report Type: Report Date: Report Date: Report Reque Nearest Inters Previous Site Additional Inf	ested by: section: Name: o Ordered	467181 201606281 56827 56 C 4CAN Custom Re 29-JUN-16	04 eport Stantec Consulting	Ltd.	Date Received: Lot/Building Size: Municipality: Client Prov/State: Search Radius (km): Large Radius: X: Y:	28-JUN-16 ON .25 .3 -80.194142 43.521645	
<u>2</u>	1 of 1		SE/7.0	335.1 / -3.50	ON		WWIS
Well ID: Construction Primary Wate Sec. Water Us Final Well Sta Water Type: Casing Materi Audit No: Tag: Construction Elevation (m): Elevation Reli Depth to Bedi Well Depth: Overburden/E Pump Rate: Static Water L Flowing (Y/N) Flow Rate: Clear/Cloudy:	Date: r Use: se: tus: ial: Method: iability: rock: Bedrock: .evel:	7209139 C21501			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	Yes 10/3/2013 Yes 7282 8 WELLINGTON PUSLINCH TOWNSHIP	
Bore Hole Info Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Des Open Hole: Cluster Kind: Date Complet Remarks: Elevrc Desc: Location Soul	ormation s: c: ed: rce Date:	100459655 13-JUN-13	57		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC: UTMRC Desc: Location Method:	335.43 17 565256 UTM83 4818891 4 margin of error : 30 m - 100 m wwr	

24

Map Key	Numbe Record	er of Is	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Improvemen Improvemen Source Revi Supplier Cor	t Location t Location sion Comn mment:	Source: Method: nent:					
<u>3</u>	1 of 1		N/14.6	337.8 / -0.77	GUELPH ON		WWIS
Well ID: Construction	n Dato:	7167861			Data Entry Status:		
Primary Wat	er Use:	Monitoring			Date Received:	8/30/2011	
Sec. Water L	lse:	5			Selected Flag:	Yes	
Final Well St	atus:	Observation	n Wells		Abandonment Rec:		
Water Type:					Contractor:	7238	
Casing Mate	rial:				Form Version:	7	
Audit No:		Z130744			Owner:		
Tag:		A114019			Street Name:	1159 VICTORIA RD SOUTH	

	oonnaoton	1200
Casing Material:	Form Version:	7
Audit No: Z130744	Owner:	
<i>Tag:</i> A114019	Street Name:	1159 VICTORIA RD SOUTH
Construction Method:	County:	WELLINGTON
Elevation (m):	Municipality:	GUELPH CITY
Elevation Reliability:	Site Info:	
Depth to Bedrock:	Lot:	
Well Depth:	Concession:	
Overburden/Bedrock:	Concession Name:	
Pump Rate:	Easting NAD83:	
Static Water Level:	Northing NAD83:	
Flowing (Y/N):	Zone:	
Flow Rate:	UTM Reliability:	
Clear/Cloudy:	-	
•		
Bore Hole Information		
Bore Hole ID: 1003556431	Elevation:	338.1
Bore Hole ID: 1003556431 DP2BR:	Elevation: Elevrc:	338.1
Bore Hole ID: 1003556431 DP2BR: Spatial Status:	Elevation: Elevrc: Zone:	338.1 17
Bore Hole ID: 1003556431 DP2BR: Spatial Status: Code OB:	Elevation: Elevrc: Zone: East83:	338.1 17 565130
Bore Hole ID: 1003556431 DP2BR: Spatial Status: Code OB: Code OB Desc:	Elevation: Elevrc: Zone: East83: Org CS:	338.1 17 565130 UTM83
Bore Hole ID: 1003556431 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:	Elevation: Elevrc: Zone: East83: Org CS: North83:	338.1 17 565130 UTM83 4819238
Bore Hole ID: 1003556431 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:	Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC:	338.1 17 565130 UTM83 4819238 3
Bore Hole ID: 1003556431 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 26-JUN-11	Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc:	338.1 17 565130 UTM83 4819238 3 margin of error : 10 - 30 m
Bore Hole ID: 1003556431 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 26-JUN-11 Remarks:	Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	338.1 17 565130 UTM83 4819238 3 margin of error : 10 - 30 m wwr
Bore Hole ID: 1003556431 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 26-JUN-11 Remarks: Elevrc Desc:	Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	338.1 17 565130 UTM83 4819238 3 margin of error : 10 - 30 m wwr
Bore Hole ID: 1003556431 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 26-JUN-11 Remarks: Elevrc Desc: Location Source Date:	Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	338.1 17 565130 UTM83 4819238 3 margin of error : 10 - 30 m wwr

#### Overburden and Bedrock Materials Interval

25

Improvement Location Method: Source Revision Comment: Supplier Comment:

1003962361
3
6
BROWN
06
SILT
28
SAND
12
STONES
3
9.5
m

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Formation ID	:	1003962360				
Layer:		2				
Color:		6				
General Colo	r:	BROWN				
Mat1:		28				
Most Commo	n Material:	SAND				
Mat2:		12				
Other Materia	als:	STONES				
Mat3:						
Other Materia	als:					
Formation To	p Depth:	.3				
Formation En	id Depth:	3				
Formation En	la Depth UOW:	III				
Formation ID		1003962359				
l aver:	•	1				
Color:		6				
General Colo	r:	BROWN				
Mat1:		11				
Most Commo	n Material:	GRAVEL				
Mat2:		28				
Other Materia	als:	SAND				
Mat3:	_					
Other Materia	als:					
Formation To	p Depth:	U				
Formation En	u Deptn: Dopth LOM:	.ა ო				
Formation En	ia Deptil OOM.	111				
<u>Annular Spac</u> <u>Sealing Reco</u>	e/Abandonment rd					
Plua ID:		1003962368				
Layer:		1				
Plug From:		0				
Plug To:		.3				
Plug Depth U	ОМ:	m				
Diver ID.		1002062270				
Plug ID:		1003962370				
Layer. Diug Erom:		3 1				
Plua To:		4.5				
Plug Depth U	OM:	m				
Plug ID:		1003962369				
Layer:		2				
Plug From:		.3				
Plug To:		1				
Plug Depth U	OM:	m				
<u>Method of Co</u> <u>Use</u>	onstruction & Well					
Method Cons	truction ID.	1003962367				
Method Cons	truction Code:	E				
Method Cons	truction:	Auger				
Other Method	Construction:	5				
<u>Pipe Information Pipe Information Pipe Information Pipe Information Pipe Pipe Pipe Pipe Pipe Pipe Pipe Pipe</u>	tion					
Pipe ID:		1003962358				
Casing No:		0				
Comment:						

26

Alt Name:

#### Construction Record - Casing

Casing ID:	1003962364
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	1.5
Casing Diameter:	5.1
Casing Diameter UOM:	cm
Casing Depth UOM:	m

### Construction Record - Screen

Screen ID:	1003962365
Layer:	1
Slot:	10
Screen Top Depth:	1.5
Screen End Depth:	4.5
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	6.4

#### Water Details

Water ID:	1003962363
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	m

#### Hole Diameter

1003962362
21
4.5
m
cm

<u>4</u> 1	of 1		SE/15.2	336.4 / -2.22	ON		WWIS
Well ID: Construction D	ate <sup>.</sup>	7229605			Data Entry Status: Data Src:	Yes	
Primary Water	Use:				Date Received:	10/16/2014	
Sec. Water Use	:				Selected Flag:	Yes	
Final Well Statu	ıs:				Abandonment Rec:		
Water Type:					Contractor:	6607	
Casing Materia	I:				Form Version:	8	
Audit No:		C23988			Owner:		
Tag:		A126174			Street Name:		
Construction N	lethod:				County:	WELLINGTON	
Elevation (m):					Municipality:	PUSLINCH TOWNSHIP	
Elevation Relia	bility:				Site Info:		
Depth to Bedro	ck:				Lot:		
Well Depth:					Concession:		
Overburden/Be	drock:				Concession Name:		

Мар Кеу	Number Records	of	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Pump Rate: Static Water L Flowing (Y/N): Flow Rate: Clear/Cloudy:	.evel: :				Easting NAD83: Northing NAD83: Zone: UTM Reliability:		
Bore Hole Info	ormation						
Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Dest Open Hole: Cluster Kind: Date Complete Remarks: Elevrc Desc: Location Sour Improvement Improvement Source Revisi Supplier Com	:: c: ed: Location S Location M ion Comme ment:	100516429 13-AUG-14 ource: lethod: ont:	4		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	335.8 17 565271 UTM83 4818888 4 margin of error : 30 m - 100 m wwr	
<u>5</u>	1 of 3		S/16.8	334.4 / -4.18	The Corporation of the Part Lots 6 & 7, Conc. Puslinch Guelph ON N1H 3A1	e City of Guelph 8, Former Twp. of	ECA
Approval No: Approval Date Status: Record Type: Link Source: Approval Type Project Type: Address: Full Address: Full Address:	e: :	8674-5B5M 2002-06-21 Approved ECA IDS E M P	74 CA-Municipal and Iunicipal and Priva art Lots 6 & 7, Cor	Private Water Wor te Water Works nc. 8, Former Twp.	SWP Area Name: MOE District: City: Longitude: Latitude: ks of Puslinch	Grand River Guelph -80.1943 43.5202	
<u>5</u>	2 of 3		S/16.8	334.4 / -4.18	The Corporation of the Arkell Rd (from Gordo Guelph ON N1H 3A1	e City of Guelph n Street to Victoria Road)	ECA
Approval No: Approval Date Status: Record Type: Link Source: Approval Type Project Type: Address: Full Address: Full Address:	e: :	3084-7CAC 2008-03-07 Approved ECA IDS E M A	CA-MUNICIPAL A IUNICIPAL AND P rkell Rd (from Gord ttps://www.accesse	ND PRIVATE SEV RIVATE SEWAGE don Street to Victo environment.ene.g	SWP Area Name: MOE District: City: Longitude: Latitude: VAGE WORKS WORKS WORKS ria Road) ov.on.ca/instruments/9013-7	Grand River Guelph Guelph -80.1943 43.5202 /BSTM2-14.pdf	
<u>5</u>	3 of 3		S/16.8	334.4 / -4.18	The Corporation of the Arkell Rd (from Gordo Guelph ON N1H 3A1	e City of Guelph n Street to Victoria Road)	ECA
Approval No: Approval Date	<del>)</del> :	9839-7CDS 2008-03-07	44		SWP Area Name: MOE District:	Grand River Guelph	
28	erisinfo.co	m   Enviror	mental Risk Info	ormation Services	5	Order No: 207	180824203
Map Key	Numbe Record	r of 's	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
--	---	---	---	--	--	---	------
Status: Record Type Link Source Approval Ty Project Type Address: Full Address Full PDF Lin	e: ; pe: e: s: s: k:	Approved ECA IDS F	ECA-MUNICIPAL A MUNICIPAL AND P Arkell Rd (from Gord https://www.accesse	ND PRIVATE SE RIVATE SEWAG don Street to Victo environment.ene.	<i>City: Longitude: Latitude:</i> WAGE WORKS E WORKS bria Road) gov.on.ca/instruments/1943	Guelph -80.1943 43.5202 8-7BSTND-14.pdf	
<u>6</u>	1 of 1		N/18.8	337.2 / -1.42	ON		wwis
Well ID: Construction Primary Wat Sec. Water U Final Well St Water Type: Casing Mate Audit No: Tag: Construction Elevation Re Depth to Bet Well Depth: Overburden, Pump Rate: Static Water Flow Rate: Clear/Cloud	n Date: ter Use: Jse: tatus: erial: n Method: ): eliability: drock: /Bedrock: /Bedrock: (Level: u):	7169407 M10856 A120781			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	Yes 10/4/2011 Yes 7282 5 WELLINGTON GUELPH CITY	
<u>Bore Hole In</u>	nformation						
Bore Hole II DP2BR: Spatial Statu Code OB: Code OB De Open Hole: Cluster Kind Date Comple Remarks: Elevrc Desc Location So Improvement Source Revi Supplier Cod	): IS: SSC: I: eted: : urce Date: of Location of Location Sion Comm mment:	100357524 28-SEP-11 Source: Method: ient:	4		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	337.42 17 565151 UTM83 4819266 3 margin of error : 10 - 30 m wwr	
<u>7</u>	1 of 1		S/19.5	334.4 / -4.18	lot 6 con 8 ON		WWIS
Well ID: Construction Primary Wat Sec. Water U Final Well St Water Type: Casing Mate Audit No:	n Date: ter Use: Jse: tatus: erial:	6712543 Domestic Water Sup 187626	oly		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner:	1 6/8/1998 Yes 2336 1	

erisinfo.com | Environmental Risk Information Services

Map Key Nui Rec	mber of cords	Direction/ Distance (m)	Elev/Diff (m)	Site		D
Tag: Construction Methe Elevation (m): Elevation Reliabilit Depth to Bedrock: Well Depth: Overburden/Bedro Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	od: ty: ck:			Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	WELLINGTON PUSLINCH TOWNSHIP 006 08 CON	
Bore Hole Informat	<u>tion</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevro Desc:	10476376 39 r Bedrock 21-MAY-98	3		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	334.66 17 565123.3 4818905 9 unknown UTM lot	
Location Source Do Improvement Loca Improvement Loca Source Revision Co Supplier Comment	ate: tion Source: tion Method: comment: :: edrock					
Formation ID:	9	932657688				
Color: General Color: Mat1: Most Common Mat Mat2: Other Materials: Mat2:	2 C t <b>erial:</b> F	2 GREY 26 ROCK				
Other Materials: Formation Top Dep Formation End Dep Formation End Dep	oth: 5 oth: 8 oth UOM: fi	55 30 t				
Formation ID: Layer: Color: General Color: Mat1: Most Common Mat Mat2: Other Materials: Mat3: Other Materials: Formation Top Doc	9 2 6 E 2 terial: 5 1 0 0	932657686 2 3 BROWN 28 SAND 1 GRAVEL				
Formation ID:	oth: 3 oth: 3 oth UOM: fi	99 t 932657685				
Layer:	1					

Map Key Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials:	6 BROWN 28 SAND 12 STONES			
Formation Top Depth: Formation End Depth: Formation End Depth UOM:	30 ft			
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3:	932657687 3 6 BROWN 26 ROCK			
Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	39 55 ft			
<u>Annular Space/Abandonment</u> <u>Sealing Record</u>				
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	933210822 1 0 25 ft			
<u>Method of Construction &amp; Well</u> <u>Use</u>				
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	966712543 4 Rotary (Air)			
Pipe Information				
<i>Pipe ID: Casing No: Comment: Alt Name:</i>	11024946 1			
Construction Record - Casing				
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To:	930776088 1 1 STEEL			
Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	4∠ 6 inch ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930776089			
Layer:		2			
Open Hole of	r Material:	4 OPEN HOLE			
Depth From:					
Depth To:		80			
Casing Diam	eter:	6 in ch			
Casing Diam Casing Depti	eter UOM: h UOM:	ft			
<u>Results of W</u>	ell Yield Testing				
Pump Test IL	D:	996712543			
Pump Set At	:	10			
Final Level A	fter Pumpina:	50			
Recommend	ed Pump Depth:	70			
Pumping Rat Flowing Rate	te:	10			
Recommend	ed Pump Rate:	10			
Levels UOM:		ft			
Rate UOM:	After Test Code	GPM 1			
Water State /	After Test Code: After Test				
Pumping Tes	st Method:	1			
Pumping Du	ration HR:	1			
Pumping Du	ration MIN:	0			
Flowing:		Ν			
<u>Draw Down 8</u>	& Recovery				
Pump Test D	etail ID:	934617298 Draw Down			
Test Duration	n:	30			
Test Level:		46			
Test Level U	ОМ:	ft			
Pump Test D	etail ID:	934869129			
Test Type:		Draw Down			
Test Duration	n:	45 50			
Test Level U	ОМ:	ft			
Pump Test D	etail ID:	934352296			
Test Type:		Draw Down			
Test Duration	n:	15			
Test Level U	ОМ:	ft			
Pump Test D	etail ID:	935138943			
Test Type:		Draw Down			
Test Duration	n:	60			
Test Level:	0.14	50 ft			
Test Level U	UW:	π			
Water Details	<u>§</u>				
Water ID:		933966957			
Layer:		1			
Kind Code:					
Kind: Water Found	I Donth:	FKESH 75			
Water Found	Depth UOM:	ft			
32	erisinfo.com   En	vironmental Risk Info	rmation Service	S	Order No: 20180824203

Map Key	Number Record	r of s	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
<u>8</u>	1 of 1		N/23.0	337.2 / -1.42	Guelph ON		wwis
Well ID:		7167862			Data Entry Status:		
Construction	n Date:				Data Src:	2/22/2244	
Sec. Water L	er Use: Ise:	WORITOUL	ig		Selected Flag:	8/30/2011 Yes	
Final Well St	tatus:	Observat	tion Wells		Abandonment Rec:		
Water Type:					Contractor:	7238	
Casing Mate	riai:	7130743			Form version: Owner:	7	
Tag:		A114001			Street Name:	1159 VICTORIA RD S	
Construction	n Method:				County:	WELLINGTON	
Elevation (m	): diability:				Municipality: Site Info:	GUELPH CITY	
Depth to Bed	drock:				Lot:		
Well Depth:					Concession:		
Overburden/	Bedrock:				Concession Name:		
Static Water	Level:				Northing NAD63.		
Flowing (Y/N	I):				Zone:		
Flow Rate:					UTM Reliability:		
Bore Hole In	<i>formation</i>						
		4000550	400		<b>-</b> , , ,	207.04	
Bore Hole ID	):	1003556	433		Elevation: Elevro:	337.34	
Spatial Statu	is:				Zone:	17	
Code OB:					East83:	565149	
Code OB De	SC:				Org CS: North83:	UTM83 4819270	
Cluster Kind	l:				UTMRC:	3	
Date Comple	eted:	26-JUN-1	11		UTMRC Desc:	margin of error : 10 - 30 m	
Remarks:					Location Method:	wwr	
Location Sol	urce Date:						
Improvemen	t Location	Source:					
Improvemen	t Location I	Method:					
Source Revis	sion Comm mment:	ent:					
<u>Overburden</u> Materials Int	and Bedroo erval	<u>:k</u>					
Formation IF	D:		1003962382				
Layer:			2				
Color:			6				
General Colo Mat1	or:		BROWN 28				
Most Comm	on Material:	•	SAND				
Mat2:			12				
Other Materi	als:		STONES				
Other Materi	als:						
Formation T	op Depth:		.3				
Formation E Formation E	nd Depth: nd Depth U	ОМ:	3 m				
Formation IL	D:		1003962381				
Layer:			1				
Color:			6				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Colo Mat1: Most Commo Mat2: Other Materia Mat3: Other Materia Formation To Formation En	r: n Material: Ils: Ils: p Depth: Id Depth: Id Depth: Id Depth UOM:	BROWN 11 GRAVEL 28 SAND 0 .3 m			
Formation ID. Layer: Color: General Colo Mat1: Most Commo Mat2: Other Materia Mat3: Other Materia Formation To Formation En Formation En	: n Material: nls: nls: p Depth: nd Depth: nd Depth UOM:	1003962383 3 6 BROWN 06 SILT 28 SAND 12 STONES 3 4.5 m			
<u>Annular Spac</u> Sealing Reco	e/Abandonment rd				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	ОМ:	1003962391 2 .3 1 m			
Plug ID: Layer: Plug From: Plug To: Plug Depth U	ОМ:	1003962390 1 0 .3 m			
Plug ID: Layer: Plug From: Plug To: Plug Depth U	ОМ:	1003962392 3 1 4.5 m			
<u>Method of Co</u> <u>Use</u>	nstruction & Well				
Method Cons Method Cons Method Cons Other Method	truction ID: truction Code: truction: I Construction:	1003962389 E Auger			
<u>Pipe Informat</u> Pipe ID: Casing No: Comment: Alt Name:	<u>tion</u>	1003962380 0			

# Construction Record - Casing

Мар Кеу	Number Records	of Direct Distai	tion/ l nce (m) (	Elev/Diff (m)	Site		DB
Casing ID: Layer: Material: Open Hole or Depth From: Depth To: Casing Diame Casing Diame Casing Depth	Material: eter: eter UOM: o UOM:	10039623 1 5 PLASTIC 0 1.5 5.1 cm m	86				
<u>Construction</u>	Record - S	<u>creen</u>					
Screen ID: Layer: Slot: Screen Top D Screen End D Screen Mater Screen Diame Screen Diame	Depth: Depth: ial: o UOM: eter UOM: eter:	10039623 1 10 1.5 4.5 5 m cm 6.4	87				
Water Details	I						
Water ID: Layer: Kind Code: Kind: Water Found	Depth:	10039623	85				
Water Found	Depth UON	<b>1:</b> m					
Hole Diamete	<u>er</u>						
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	OM: er UOM:	10039623 2.1 0 4.5 m cm	84				
<u>9</u>	1 of 1	SSE/25.	0 3	34.9 / -3.72	Guelph ON		WWIS
Well ID: Construction Primary Wate Sec. Water Us Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction Elevation (m) Elevation Rel Depth to Bed Well Depth: Overburden/E Pump Rate: Static Water I Flowing (Y/N)	Date: er Use: se: atus: ial: Method: : iability: rock: Bedrock: Level: ):	7285694 Test Hole Monitoring and Test Z256381 A219997	: Hole		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:	4/27/2017 Yes 7320 7 190 ARKELL RD WELLINGTON PUSLINCH TOWNSHIP	

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DE
Flow Rate: Clear/Cloudy	:			UTM Reliability:		
Bore Hole Inf	ormation					
Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Des Open Hole: Cluster Kind: Date Complet Remarks: Elevrc Desc: Location Sou Improvement Improvement Source Revis Supplier Con	ted: 21-MA ted: 21-MA trce Date: Location Source: Location Method: sion Comment:	84734 R-17		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	334.76 17 565167 UTM83 4818918 4 margin of error : 30 m - 100 m wwr	
<u>Overburden a</u> <u>Materials Inte</u>	and Bedrock erval					
Formation ID. Layer: Color: General Color Mat1: Most Commo Mat2: Other Materia Mat3:	: r: n Material: als:	1006690279 1 6 BROWN 28 SAND 11 GRAVEL				
Mats. Other Materia Formation To Formation Er Formation Er	als: op Depth: nd Depth: nd Depth UOM:	0 4.6 m				
Formation ID. Layer: Color: General Color Mat1: Most Commo Mat2: Other Materia Mat3: Other Materia Formation To Formation Er	: r: on Material: als: als: p Depth: nd Depth: nd Depth UOM:	1006690280 2 6 BROWN 28 SAND 11 GRAVEL 91 WATER-BEARING 4.6 7.6 m				
<u>Annular Spac</u> Sealing Reco	ce/Abandonment ord					
Plug ID: Layer: Plug From: Plug To: Plug Depth U	IOM:	1006690289 3 5.7 7.6 m				
Plug ID: Layer:		1006690288 2				
36	erisinfo.com   En	vironmental Risk Info	rmation Servic	es	Order No: 2018	0824203

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Plug From: Plug To: Plug Depth U	IOM:	.15 5.7 m				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	IOM:	1006690287 1 0 .15 m				
Method of Co	onstruction & Well					
Method Cons Method Cons Method Cons Other Method	atruction ID: atruction Code: atruction: d Construction:	1006690286 2 Rotary (Convent.) HSA				
Pipe Informa	<u>tion</u>					
Pipe ID: Casing No: Comment: Alt Name:		1006690278 0				
<b>Construction</b>	Record - Casing					
Casing ID: Layer: Material: Open Hole or Depth From: Depth To: Casing Diam Casing Diam Casing Depth	r Material: eter: eter UOM: n UOM:	1006690283 1 5 PLASTIC 7 6.1 5.1 cm m				
<b>Construction</b>	Record - Screen					
Screen ID: Layer: Slot: Screen Top L Screen End L Screen Mater Screen Diam Screen Diam	Depth: Depth: rial: n UOM: eter UOM: eter:	1006690284 1 .01 6.1 7.6 5 m cm 6.1				
Water Details	2					
Water ID: Layer: Kind Code: Kind:	2.4	1006690282				
Water Found Water Found	Depth: Depth UOM:	m				
Hole Diamete	<u>er</u>					
Hole ID:		1006690281				
37	erisinfo.com   En	vironmental Risk Info	rmation Service	25	Order No: 201808242	03

Map Key	Number Records	r of s	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	IOM: er UOM:	2 ( 7 7 7	21 ) 7.6 n cm				
<u>10</u>	1 of 1		SSE/54.9	334.9 / -3.72	Guelph ON		wwis
Well ID: Construction Primary Wate Sec. Water U. Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction Elevation (m) Elevation Rel Depth to Bed Well Depth: Overburden/I Pump Rate: Static Water I Flowing (Y/N) Flow Rate: Clear/Cloudy	Date: er Use: se: atus: rial: Method: ): liability: lrock: Bedrock: Level: ):	7285695 Test Hole Monitoring Z256382 A219998	and Test Hole		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	4/27/2017 Yes 7320 7 190 ARKELL RD WELLINGTON PUSLINCH TOWNSHIP	
Bore Hole Inf	formation						
Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Des Open Hole: Cluster Kind: Date Complet Remarks: Elevrc Desc: Location Sou Improvement Source Revis Supplier Con	: s: ted: tcoation s t Location I sion Comm nment:	100638473 21-MAR-17 Source: Method: ent:	7		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC: UTMRC Desc: Location Method:	335.04 17 565207 UTM83 4818841 4 margin of error : 30 m - 100 m wwr	
<u>Overburden a</u> Materials Inte	and Bedroc erval	: <u>k</u>					
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Other Materia Mat3: Other Materia Formation To Formation Er	: on Material: als: als: op Depth: nd Depth:		1006690368 2 3 BROWN 28 SAND 11 GRAVEL 31 WATER-BEARING 4.6 7.6				

erisinfo.com | Environmental Risk Information Services

Order No: 20180824203

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation En	d Depth UOM:	m			
Formation ID: Layer: Color:		1006690367 1 6			
General Color	r:	BROWN			
Most Commo	n Material:	SAND			
Mat2:		11			
Other Materia Mat3:	IS:	GRAVEL			
Other Materia	ls:	_			
Formation To Formation Fn	p Depth: d Depth:	0 4.6			
Formation En	d Depth UOM:	m			
<u>Annular Spac</u> Sealing Reco	e/Abandonment rd				
Plug ID:		1006690375			
Layer: Plug From:		1			
Plug To:		.15			
Plug Depth U	ОМ:	m			
Plug ID:		1006690376			
Layer: Plug From <sup>.</sup>		2 .15			
Plug To:		5.7			
Plug Depth U	ОМ:	m			
Plug ID:		1006690377			
Layer: Plug From <sup>.</sup>		3 5.7			
Plug To:		7.6			
Plug Depth U	ОМ:	m			
<u>Method of Co</u> <u>Use</u>	nstruction & Well				
Method Cons	truction ID:	1006690374			
Method Cons Method Cons	truction Code: truction:	2 Rotary (Convent.)			
Other Method	Construction:	HSA			
<u>Pipe Informat</u>	ion				
Pipe ID:		1006690366			
Casing No: Comment: Alt Name:		0			
<u>Construction</u>	<u>Record - Casing</u>				
Casing ID:		1006690371			
Layer: Material:		5			
Open Hole or	Material:	PLASTIC			
Depth From: Depth To:		<i>1</i> 6.1			
Casing Diame	eter:	5.1			
Casing Diame	eter UOM:	cm			

Мар Кеу	Number Records	of Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Casing Depth	n UOM:	m				
<u>Construction</u>	Record - Se	creen				
Screen ID: Layer: Slot: Screen Top D Screen End D Screen Mater Screen Depth Screen Diamo Screen Diamo Screen Diamo	Depth: Depth: rial: n UOM: eter UOM: eter:	1006690372 1 .01 6.1 7.6 5 m cm 6.1				
Water ID: Layer: Kind Code: Kind: Water Found Water Found	Depth: Depth UOM	1006690370 1 8 Untested <b>I:</b> m				
Hole Diamete	<u>er</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	IOM: er UOM:	1006690369 21 0 7.6 m cm				
<u>11</u>	1 of 1	SE/62.6	337.9 / -0.72	25 coutts court Guelph ON		SPL
Ref No: Site No: Incident Dt: Year: Incident Caus Incident Caus Incident Caus Contaminant	se: Code: Name: Limit 1: t Freq 1: UN No 1: Qty: Impact: pact: edium: v: conseq: se: on Scn: ed Dt: t Closed: ved: Class: son: mary:	0860-9UCQJF NA 3/3/2015 Leak/Break 15 HYDRAULIC OIL 0 other - see incident descript Land N 3/6/2015 3/12/2015 Land Spills Operator/Human Er Coutts Court; Possi	ion ror ble Hydraulic oil ir	Discharger Report: Material Group: Client Type: Sector Type: Source Type: Nearest Watercourse: Site Name: Site Address: Site District Office: Site County/District: Site Postal Code: Site Region: Site Region: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Geo Ref Meth: Site Geo Ref Meth: Site Map Datum:	residential <unofficial> 25 coutts court Guelph 4818765 565373</unofficial>	

Map Key Numbe Record	r of Direction/ Is Distance (m	Elev/Diff n) (m)	Site		DB
12 1 of 1	N/71.9	335.8 / -2.79	Guelph ON		wwis
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	7167860 Monitoring Observation Wells Z130713 A114018		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	8/30/2011 Yes 7238 7 1159 VICTORIA RD S WELLINGTON GUELPH CITY	
<u>Bore Hole Information</u> Bore Hole ID: DP2BR:	1003556429		Elevation: Elevrc:	336.15	
Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:			Zone: East83: Org CS: North83: UTMRC:	17 565167 UTM83 4819326 3	
Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Improvement Location Source Revision Comm Supplier Comment:	26-JUN-11 Source: Method: nent:		UTMRC Desc: Location Method:	margin of error : 10 - 30 m wwr	
<u>Overburden and Bedro</u> <u>Materials Interval</u>	<u>ck</u>				
Formation ID: Layer: Color: General Color: Mat1: Most Common Material Mat2: Other Materials: Mat3:	1003962321 1 8 BLACK 02 : TOPSOIL				
Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth U	0 .3 <i>IOM:</i> m				
Formation ID: Layer: Color: General Color: Mat1:	1003962322 2 6 BROWN 28				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Comm Mat2: Other Materi Mat3: Other Materi Formation T Formation E Formation E	on Material: als: als: op Depth: nd Depth: nd Depth UOM:	SAND 12 STONES .3 3 m			
Formation IL Layer: Color: General Colo Mat1: Most Comm Mat2: Other Materi Mat3: Other Materi Formation T Formation E	D: Dr: Dr Material: Sals: Sals: Depth: nd Depth: nd Depth UOM:	1003962323 3 6 BROWN 06 SILT 28 SAND 12 STONES 3 4.5 m			
<u>Annular Spa</u> <u>Sealing Rec</u>	<u>ce/Abandonment</u> ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth (	JOM:	1003962331 2 .3 1 m			
Plug ID: Layer: Plug From: Plug To: Plug Depth (	JOM:	1003962332 3 1 4.5 m			
Plug ID: Layer: Plug From: Plug To: Plug Depth (	ЈОМ:	1003962330 1 0 .3 m			
<u>Method of C</u> <u>Use</u>	onstruction & Well				
Method Con Method Con Method Con Other Metho	struction ID: struction Code: struction: d Construction:	1003962329 E Auger			
<u>Pipe Informa</u>	ation				
Pipe ID: Casing No: Comment: Alt Name:		1003962320 0			
<u>Construction</u>	n Record - Casing				
Casing ID:		1003962326			

Мар Кеу	Number Records	r of S	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Layer: Material: Open Hole or Depth From: Depth To: Casing Diame Casing Depth	Material: eter: eter UOM: 1 UOM:		1 5 PLASTIC 0 1.5 5.1 cm m				
<u>Construction</u>	Record - S	<u>creen</u>					
Screen ID: Layer: Slot: Screen Top D Screen End D Screen Mater Screen Depth Screen Diame	Depth: Depth: ial: I UOM: eter UOM: eter:		1003962327 1 10 1.5 4.5 5 m cm 6.4				
Water Details	I						
Water ID: Layer: Kind Code: Kind: Water Found	Depth:	_	1003962325				
Water Found	Depth UON	И:	m				
<u>Hole Diamete</u>	<u>er</u>						
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	OM: or UOM:		1003962324 21 0 4.5 m cm				
<u>13</u>	1 of 1		S/75.9	334.9/-3.72	Guelph ON		wwis
Well ID: Construction Primary Wate Sec. Water Us Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction Elevation Rel Depth to Bed Well Depth: Overburden/I Pump Rate: Static Water I Flowing (Y/N) Flow Rate: Clear/Cloudy.	Date: er Use: se: atus: ial: Method: : iability: rock: Bedrock: Level: ): :	7285692 Test Hole Test Hole Z250516 A220009	9		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	4/27/2017 Yes 7320 7 190 ARKELL ST WELLINGTON PUSLINCH TOWNSHIP	

## Bore Hole Information

Bore Hole ID: DP2BR:	1006384728	Elevation: Elevrc:	334.82
Spatial Status:		Zone:	17
Code OB:		East83:	565134
Code OB Desc:		Org CS:	UTM83
Open Hole:		North83:	4818835
Cluster Kind:		UTMRC:	4
Date Completed:	14-FEB-17	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc: Location Source Date:			

<b>Overburden and Bedrock</b>
Materials Interval

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Formation ID:	1006690151
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	11
Other Materials:	GRAVEL
Mat3:	
Other Materials:	
Formation Top Depth:	2.1
Formation End Depth:	7.6
Formation End Depth UOM:	m
Formation ID:	1006690150
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	11
Other Materials:	GRAVEL

GR
0
2.1
m

## Annular Space/Abandonment Sealing Record

Plug ID:	1006690158
Layer:	1
Plug From:	0
Plug To:	.3
Plug Depth UOM:	m
Plug ID:	1006690159
Layer:	2
Plug From:	.3
Plug To:	5.7

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Plug Depth U	OM:	m				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	OM:	1006690160 3 5.7 7.6 m				
<u>Method of Co</u> <u>Use</u>	onstruction & Well					
Method Cons Method Cons Method Cons Other Method	truction ID: truction Code: truction: I Construction:	1006690157 6 Boring HSA				
<u>Pipe Informa</u>	tion					
Pipe ID: Casing No: Comment: Alt Name:		1006690149 0				
Construction	Record - Casing					
Casing ID: Layer: Material: Open Hole or Depth From: Depth To: Casing Diam Casing Diam Casing Depth	Material: eter: eter UOM: o UOM:	1006690154 1 5 PLASTIC 7 6.1 5.1 cm m				
<u>Construction</u>	Record - Screen					
Screen ID: Layer: Slot: Screen Top L Screen End L Screen Mater Screen Diam Screen Diam	Depth: Depth: ial: 1 UOM: eter UOM: eter:	1006690155 1 10 6.1 7.6 5 m cm 6.1				
Water Details	i					
Water ID: Layer: Kind Code: Kind: Water Found Water Found	Depth: Depth UOM:	1006690153 1 8 Untested 2.1 m				
Hole Diamete	<u>er</u>					
Hole ID: Diameter: Depth From:		1006690152 21 0				
15	erisinfo.com   Env	vironmental Risk Info	rmation Service	S	Order No: 2018	0824203

	Records	Distance (m)	(m)	Unit of the second seco	
Depth To: Hole Depth U Hole Diamete	OM: r UOM:	7.6 m cm			
<u>14</u>	1 of 1	SE/77.6	338.2 / -0.42	lot 6 con 8 ON	WWIS
Well ID: Construction Primary Wate Sec. Water Us Final Well Sta Water Type: Casing Materi Audit No: Tag: Construction Elevation (m): Elevation Reli Depth to Bedi Well Depth: Overburden/E Pump Rate: Static Water L Flowing (Y/N) Flow Rate:	Date: r Use: se: tus: ial: Method: iability: rock: Bedrock: sevel: :	6703602 Domestic 0 Water Supply		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 2/10/1970 Yes 2414 1 WELLINGTON PUSLINCH TOWNSHIP 006 08 CON
Bore Hole Info DP2BR: Spatial Status Code OB: Code OB Des Open Hole: Cluster Kind: Date Complet Remarks: Elevrc Desc: Location Soui Improvement Improvement Source Revisi Supplier Com	ormation :: c: ed: Location So Location M ion Commen iment:	10467737 83 r Bedrock 08-JAN-70 ource: lethod: nt:		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	337.8 17 565314.3 4818933 4 margin of error : 30 m - 100 m p4
<u>Overburden a</u> Materials Inte	nd Bedrock <u>rval</u>	<u>r</u>			
Formation ID: Layer: Color: General Color Mat1: Most Commo Mat2: Other Materia Mat3: Other Materia	r: n Material: ls: ls:	932618626 3 6 BROWN 15 LIMESTONE 83			

	Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
-	Formation ID:		932618625			
	Layer:		2			
	Color:					
	General Color	:				
	Mat1:		05			
	Most Common	n Material:	CLAY			
	Matz: Other Meterial		12 STONES			
	Mata	5.	11			
	Other Material	s:	GRAVEL			
	Formation Top	Depth:	6			
	Formation En	d Depth:	83			
	Formation End	d Depth UOM:	ft			
	Formation ID:		020649604			
	Formation ID.		1			
	Color:		I			
	General Color	:				
	Mat1:		01			
	Most Commor	n Material:	FILL			
	Mat2:					
	Other Material	s:				
	Wals: Other Material	·c •				
	Formation To	o Depth:	0			
	Formation En	d Depth:	6			
	Formation End	Depth UOM:	ft			
	<u>Method of Cor</u> <u>Use</u>	nstruction & Well				
	Mothod Const	ruction ID:	066702602			
	Method Const	ruction Code:	1			
	Method Const	ruction:	Cable Tool			
	Other Method	Construction:				
	<u>Pipe Informati</u>	<u>on</u>				
			44040007			
	Pipe ID:		11016307			
	Casing No:		í			
	Alt Name:					
	Construction	Popped Costner				
	CONSTRUCTION					
	Casing ID:		930760943			
	Layer:		1			
	Material:		1 07551			
	Open Hole or	viateriai:	SIEEL			
	Depth From: Depth To:		86			
	Casing Diame	ter:	4			
	Casing Diame	ter UOM:	inch			
	Casing Depth	UOM:	ft			
	Casing ID.		930760944			
	Laver:		2			
	Material:		4			
	Open Hole or	Material:	OPEN HOLE			
	Depth From:		404			
	Depth To:	tor:	124			
	Casing Diame	ter: ter UOM·	inch			
	Jushing Diame					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Casing Depth	h UOM:	ft				
Results of W	ell Yield Testing					
Pump Test ID	):	996703602				
Static Level:	•	23				
Final Level A	fter Pumping:	70				
Recommende	ed Pump Depth:	80 8				
Flowing Rate	e. 9:	0				
Recommende	ed Pump Rate:	8				
Levels UOM:		ft GPM				
Water State A	After Test Code:	2				
Water State A	After Test:	CLOUDY				
Pumping Tes	st Method:	2				
Pumping Dur	ration MIN:	0				
Flowing:		Ν				
Water Details	5					
Mater (D.		022056004				
Laver:		1				
Kind Code:		1				
Kind: Water Found	I Denth	FRESH 120				
Water Found	Depth UOM:	ft				
15	1 of 1	SSE/82.6	334.8 / -3.81	lot 6 con 8		
_				ON		WWIS
Well ID:	6702	590		Data Entry Status:		
Construction	Date:			Data Src:	1	
Sec. Water U	erUse: Dome Ise: 0	estic		Date Received: Selected Flag:	Yes	
Final Well Sta	atus: Wate	r Supply		Abandonment Rec:		
Water Type:	riali			Contractor:	2414	
Audit No:	nai.			Owner:	I	
Tag:				Street Name:		
Construction	Method:			County: Municipality		
Elevation (III)	). liability:			Site Info:		
Depth to Bed	lrock:			Lot:	006	
Well Depth: Overburden/	Bedrock:			Concession: Concession Name:	08 CON	
Pump Rate:	Bearbon.			Easting NAD83:	CON	
Static Water	Level:			Northing NAD83:		
Flowing (Y/N)	):			Zone: UTM Reliability <sup>.</sup>		
Clear/Cloudy	<i>r:</i>			e nii Kenabinty.		
Bore Hole Inf	formation					
Bore Hole ID:	: 10466	6733		Elevation:	335.98	
Spatial Statu	s:			Zone:	17	
Code OB:	0			East83:	565238.3	
Code OB Des Open Hole:	sc: Overb	burden		Org CS: North83:	4818775	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Cluster Kind: Date Complet Remarks: Elevrc Desc: Location Sou Improvement Improvement Source Revis Supplier Com	red: 24-OC rce Date: Location Source: Location Method: ion Comment: ment:	T-62		UTMRC: UTMRC Desc: Location Method:	5 margin of error : 100 m - 300 m p5	
<u>Overburden a</u> <u>Materials Inte</u>	nd Bedrock rval					
Formation ID. Layer: Color: General Colo. Mat1: Most Commo Mat2: Other Materia	r: n Material: Is:	932614469 1 23 PREVIOUSLY DUG				
Mat3: Other Materia Formation To Formation En Formation En	ls: p Depth: d Depth: d Depth UOM:	0 9 ft				
Formation ID. Layer: Color: General Colo. Mat1: Most Commo Mat2: Other Materia Mat3: Other Materia Formation To Formation En	r: n Material: ls: ls: p Depth: d Depth: d Depth: d Depth UOM:	932614471 3 2 GREY 14 HARDPAN 34 45 ft				
Formation ID. Layer: Color: General Color Mat1: Most Commo Mat2: Other Materia Mat3: Other Materia Formation To Formation En	r: n Material: ls: ls: p Depth: d Depth: d Depth: d Depth UOM:	932614470 2 6 BROWN 05 CLAY 11 GRAVEL 9 34 ft				
Formation ID. Layer: Color: General Colo. Mat1: Most Commo Mat2: Other Materia Mat3: Other Materia	r: n Material: ls: ls:	932614473 5 11 GRAVEL				

	Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	Formation To	n Denth:	58			
	Formation Fo	d Depth:	65			
	Formation En	d Depth UOM	ft			
	r onnution En	a Depar oom.	i.			
	Formation ID.		932614472			
	Laver:		4			
	Color:					
	General Color	•				
	Mat1:	•	08			
	Most Common	n Material:	FINE SAND			
	Mat2:		11			
	Other Materia	ls:	GRAVEL			
	Mat3:					
	Other Material	ls:				
	Formation Top	o Depth:	45			
	Formation En	d Depth:	58			
	Formation En	d Depth UOM:	ft			
	Method of Co	nstruction & Well				
	Use					
	Method Const	truction ID:	966702590			
	Method Const	truction Code:	1			
	Method Const	truction:	Cable Tool			
	Other Method	Construction:				
	Pipo Informati	ion				
	<u>Fipe informati</u>					
	Pine ID <sup>.</sup>		11015303			
	Casing No <sup>-</sup>		1			
	Comment:					
	Alt Name:					
	Construction	<u> Record - Casing</u>				
	Casing ID:		930759062			
	Layer:		2			
	Material:		1			
	Open Hole or	Material:	SIEEL			
	Depth From:		60			
	Depth 10:	1011	UO A			
	Casing Diame	ter IIOM·	4 inch			
	Casing Danth	UOM.	ft			
	Sushing Depth					
	Casing ID:		930759061			
	Layer:		1			
	Material:					
	Open Hole or	Material:				
	Depth From:					
	Depth To:		5			
	Casing Diame	ter:				
	Casing Diame	ter UOM:	INCh			
	Casing Depth	UOM:	π			
	Results of We	II Yield Testing				
	Dumm T = ( /D		000700500			
	Pump Test ID:		996702590			
	Pump Set At:		16			
	Static Level:	tor Dumping	01 20			
	Final Level Af	ter Pumping: d Pump Donth	∠∪ 30			
	Recommende	а ғитр <i>D</i> ертп:	50			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Ra	te:	10			
Flowing Rate	ə:				
Recommend	ed Pump Rate:	8			
Levels UOM		ft			
Rate UOM:		GPM			
Water State	After Test Code:	1			
Water State	After Test:	CLEAR			
Pumping Te	st Method:	1			
Pumping Du	ration HR:	2			
Pumping Du	ration MIN:	0			
Flowing:		Ν			
Water Detail	<u>S</u>				
Water ID:		933954930			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found	I Depth:	65			
Water Found	I Depth UOM:	ft			
<u>16</u>	1 of 1	SSE/88.4	334.8 / -3.81		WWIS

		eacipii en	
Well ID:	7285693	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Test Hole	Date Received:	4/27/2017
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7320
Casing Material:		Form Version:	7
Audit No:	Z250515	Owner:	
Tag:	A220008	Street Name:	190 ARKELL ST
Construction Method:		County:	WELLINGTON
Elevation (m):		Municipality:	PUSLINCH TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:		-	
•			
Bore Hole Information			

Bore Hole ID:	1006384731	Elevation:	335.68
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	565221
Code OB Desc:		Org CS:	UTM83
Open Hole:		North83:	4818783
Cluster Kind:		UTMRC:	4
Date Completed:	14-FEB-17	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date	e:		

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden Materials Inte	and Bedrock erval				
Formation IF	<b>1</b> -	400000000			
Formation IL	:	1006690235			
Layer:		1			
Color:		0			
General Cold	or:	BROWN			
Mat1:		28			
Most Commo	on Material:	SAND			
Mat2:		11			
Other Materia	als:	GRAVEL			
Mat3:	_	//			
Other Materia	als:	LOOSE			
Formation To	op Depth:	0			
Formation E	nd Depth:	3.1			
Formation E	nd Depth UOM:	m			
Formation ID	):	1006690236			
Laver:		2			
Color:		6			
General Cold	or:	BROWN			
Mat1:		28			
Most Comme	on Material:	SAND			
Mat2:	in material.	11			
Other Materia	als:	GRAVEL			
Mat3:					
Other Materia	als:				
Formation To	op Depth:	3.1			
Formation E	nd Depth:	7.6			
Formation E	nd Depth UOM:	m			
<u>Annular Spa</u> Sealing Reco	<u>ce/Abandonment</u> ord				
Plug ID:		1006690245			
Laver:		3			
Plua From:		5.7			
Plua To:		7.6			
Plug Depth L	IOM:	m			
Plug ID:		1006690244			
Layer:		2			
Plug From:		.3			
Plug To:		5.7			
Plug Depth L	IOM:	m			
Plua ID:		1006690243			
Filug ID.		1000090243			
Layer. Diva Erom:		0			
Plug Floin.		2			
Plug To: Plug Donth I		.3 m			
Plug Depth C		111			
<u>Method of Co Use</u>	onstruction & Well				
Mathad Car	struction ID.	1006600242			
Mothod Cons	suuction Code:	6			
Method Cons	struction:	0 Boring			
Other Methe	d Construction	LCA			

# Pipe Information

\_

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID: Casing No: Comment: Alt Name:		1006690234 0			
<b>Construction</b>	n Record - Casing				
Casing ID: Layer:		1006690239 1			

Material:	5
Open Hole or Material:	PLASTIC
Depth From:	7
Depth To:	6.1
Casing Diameter:	5.1
Casing Diameter UOM:	cm
Casing Depth UOM:	m

# Construction Record - Screen

Screen ID:	1006690240
Layer:	1
Slot:	10
Screen Top Depth:	6.1
Screen End Depth:	7.6
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	6.1

# Water Details

Water ID:	1006690238
Layer:	1
Kind Code:	8
Kind:	Untested
Water Found Depth:	3.1
Water Found Depth UOM:	m

## Hole Diameter

Hole ID:	1006690237
Diameter:	21
Depth From:	0
Depth To:	7.6
Hole Depth UOM:	m
Hole Diameter UOM:	cm

<u>17</u> 1 of 1	SE/97.9	337.9/-0.72	lot 6 con 8 GUELPH ON		WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability:	7211048 0 Z172130		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info:	11/8/2013 Yes 2663 7 246 ARKELL RD WELLINGTON PUSLINCH TOWNSHIP	

Map Key Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:			Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	006 08 CON	
Bore Hole Information					
Bore Hole ID:1004DP2BR:Spatial Status:Code OB:Code OB Desc:Open Hole:Cluster Kind:Date Completed:23-AlRemarks:Elevrc Desc:Location Source Date:Improvement Location Source	530819 JG-13 <i>:</i>		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC: UTMRC Desc: Location Method:	337.67 17 565360 UTM83 4818738 4 margin of error : 30 m - 100 m wwr	
Improvement Location Method Source Revision Comment: Supplier Comment:	1:				
<u>Annular Space/Abandonment</u> Sealing Record					
Plug ID:	1004889960				
Layer:	1				
Plug From: Plug To:	6				
Plug Depth UOM:	ft				
Plua ID:	1004889961				
Layer:	2				
Plug From: Plug To:	-6				
Plug Depth UOM:	ft				
<u>Method of Construction &amp; Wel</u> <u>Use</u>	L				
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	1004889959				
Pipe Information					
Pipe ID: Casing No: Comment: Alt Name:	1004889953 0				
Construction Record - Casing					
Casing ID: Layer: Material:	1004889957				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Open Hole or Depth From: Depth To: Casing Diame	r Material: eter:					
Casing Diam Casing Depth	eter UOM: n UOM:	inch ft				
Construction	Record - Scre	een				
Screen ID: Layer: Slot: Screen Top E Screen End E Screen Mater	Depth: Depth: rial:	1004889958				
Screen Depth Screen Diamo Screen Diamo	n UOM: eter UOM: eter:	ft inch				
<u>Water Details</u> Water ID:	Ì	1004889956				
Layer: Kind Code: Kind: Water Found	Depth:					
Water Found	Depth UOM:	ft				
<u>Hole Diamete</u>	<u>er</u>					
Hole ID: Diameter: Depth From:		1004889955				
Depth To: Hole Depth U Hole Diamete	IOM: er UOM:	ft inch				
<u>18</u>	1 of 1	ESE/101.3	339.9 / 1.28	GUELPH ON		WWIS
Well ID: Construction Primary Wate	71 Date:	63099		Data Entry Status: Data Src: Data Received:	5/13/2011	
Sec. Water U Final Well Sta	se: atus: Te	est Hole		Selected Flag: Abandonment Rec:	Yes	
Water Type: Casing Mater Audit No:	<b>'ial:</b> 71	129152		Contractor: Form Version: Owner:	7238 7	
Tag: Construction Elevation (m) Elevation Rel Depth to Bed Well Depth:	A1 Method: I: liability: lrock:	109401		Street Name: County: Municipality: Site Info: Lot: Concession:	246 ARKELL RD WELLINGTON GUELPH CITY	
Overburden/I Pump Rate: Static Water I Flowing (Y/N) Flow Rate: Clear/Cloudy	Bedrock: Level: ): :			Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:		

## Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Des Open Hole: Cluster Kind: Date Complet Remarks: Elevrc Desc: Location Sou Improvement Improvement Source Revisu Supplier Com	1003509 c: ed: 25-APR- rce Date: Location Source: Location Method: ion Comment: ment:	11		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	338.91 17 565336 UTM83 4818945 3 margin of error : 10 - 30 m wwr	
<u>Overburden a</u> Materials Inte	nd Bedrock rval					
Formation ID: Layer: Color: General Color Mat1: Most Common Mat2: Other Materia Formation To, Formation En Formation ID: Layer: Color: General Color Mat1: Most Common Mat2: Other Materia Mat3: Other Materia Formation To, Formation En Formation En	r: n Material: ls: ls: p Depth: d Depth: d Depth UOM: r: n Material: ls: ls: ls: p Depth: d Depth: d Depth: d Depth UOM:	1003821494 1 6 BROWN 13 BOULDERS 11 GRAVEL 73 HARD 0 3.05 m 1003821495 2 6 BROWN 05 CLAY 11 GRAVEL 73 HARD 3.05 6.1 m				
<u>Annular Spac</u> Sealing Recol	e/Abandonment_ rd					
Plug ID: Layer: Plug From: Plug To: Plug Depth U	ОМ:	1003821502 1 0 2.44 m				
<u>Method of Co. Use</u>	nstruction & Well					
Method Const Method Const Method Const	truction ID: truction Code: truction:	1003821500 E Auger				

Other Method Construction:

### Pipe Information

Pipe ID:	1003821493
Casing No:	0
Comment:	
Alt Name:	

### Construction Record - Casing

Casing ID:	1003821498
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	3.05
Casing Diameter:	5.1
Casing Diameter UOM:	cm
Casing Depth UOM:	m

## **Construction Record - Screen**

Screen ID:	1003821499
Layer:	1
Slot:	10
Screen Top Depth:	3.05
Screen End Depth:	6.1
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	6.4

#### Water Details

Water ID:	1003821497
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	m

#### Hole Diameter

Hole ID:	1003821496		
Diameter:	21		
Depth From:	0		
Depth To:	6.1		
Hole Depth UOM:	m		
Hole Diameter UOM:	cm		

NNE/118.5	334.8 / -3.77	lot 5 con 8 ON		WWIS
6702582		Data Entry Status:		
		Data Src:	1	
Livestock		Date Received:	10/21/1966	
Domestic		Selected Flag:	Yes	
Water Supply		Abandonment Rec:		
		Contractor:	2414	
		Form Version:	1	
	<i>NNE/118.5</i> 6702582 Livestock Domestic Water Supply	NNE/118.5 334.8 / -3.77 6702582 Livestock Domestic Water Supply	NNE/118.5334.8 / -3.77lot 5 con 8 ON6702582Data Entry Status: Data Src: Data Src:LivestockDate Received: Selected Flag: Water SupplyWater SupplyAbandonment Rec: Contractor: Form Version:	NNE/118.5 334.8 / -3.77 lot 5 con 8 ON   6702582 Data Entry Status: Data Src: 1   Livestock Date Received: 10/21/1966   Domestic Selected Flag: Yes   Water Supply Abandonment Rec: Contractor: 2414   Form Version: 1

Map Key Nu Re	mber of cords	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Audit No: Tag: Construction Meth Elevation (m): Elevation Reliabilit Depth to Bedrock: Well Depth: Overburden/Bedro Pump Rate: Static Water Level Flowing (Y/N): Flow Rate: Clear/Cloudy:	nod: ty: pck: :			Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	WELLINGTON PUSLINCH TOWNSHIP 005 08 CON	
Bore Hole Informa	<u>tion</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source D Improvement Loca Source Revision C	10466725 57 r Bedrock 07-OCT-66 Date: ation Source: ation Method: Comment:	1		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	335.15 17 565198.3 4819368 5 margin of error : 100 m - 300 m p5	
<u>Overburden and B</u> Materials Interval	edrock					
Formation ID: Layer: Color: General Color: Mat1: Most Common Mat Mat2: Other Materials: Mat3:	9 2 6 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0	32614431 SROWN 55 CLAY 1 GRAVEL				
Other Materials: Formation Top De Formation End De Formation End De	pth: 3 pth: 5 pth UOM: ft	36 57				
Formation ID: Layer: Color: General Color: Mat1: Most Common Mat Mat2: Other Materials: Mat3: Other Materials: Formation Top De Formation End De Formation End De	9 5 2 6 1 terial: L pth: 1 pth: 1 pth: 1 pth: 1	32614434 GREY 5 IMESTONE 35 50				
Formation ID:	9	32614433				

Direction/ Distance (m)	Elev/Diff (m)	Site	DB
4 8 BLACK 15 LIMESTONE 98 135 ft			
932614430 1 23 PREVIOUSLY DUG 0 36			
ft 932614432 3 6 BROWN 15 LIMESTONE 57 98 ft			
966702582 1 Cable Tool 11015295			
930759046 2 1 STEEL			
	Direction/ Distance (m)       4       8       BLACK       15       JIMESTONE       98       135       ft       932614430       1       23       PREVIOUSLY DUG       0       36       ft       932614432       3       6       BROWN       15       LIMESTONE       57       98       ft       966702582       1       21015295       1       930759046       2       1	Direction/ Distance (m)     Elev/Diff (m)       4 8 BLACK 15 LIMESTONE	Direction/ Distance (m)     Elev/Diff (m)     Site       4 8 BLACK 15 LIMESTONE

Map Key	Numbe Record	r of 's	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Depth To: Casing Diam Casing Diam Casing Depth	eter: eter UOM: h UOM:		65 5 inch ft				
Casing ID: Layer: Material: Open Hole or	· Material:		930759045 1				
Depth From: Depth To: Casing Diam	eter:		6 inch				
Casing Depth	n UOM:		ft				
Casing ID: Layer: Material: Open Hole or Depth From: Depth To: Casing Diamo Casing Diamo Casing Depth	r Material: eter: eter UOM: า UOM:		930759047 3 4 OPEN HOLE 150 5 inch ft				
<u>Results of We</u>	ell Yield Te	esting					
Pump Test ID Pump Set At: Static Level: Final Level A Recommende Pumping Rate Recommende Levels UOM: Rate UOM: Water State A Pumping Tes Pumping Dur Pumping Dur Flowing:	fter Pumpi ed Pump D e: ded Pump R After Test ( After Test: Method: ation HR: ation MIN:	ing: )epth: Rate: Code:	996702582 32 70 50 15 15 ft GPM 1 CLEAR 1 1 30 N				
Water ID: Layer: Kind Code: Kind: Water Found Water Found	Depth: Depth UO	М:	933954922 1 1 FRESH 145 ft				
<u>20</u>	1 of 2		ESE/138.8	342.6 / 3.99	14 AMOS DR, GUELP ON	н	PINC
Incident ID: Incident No: Type: Status Code: Fuel Occurre Fuel Type: Tank Status:	nce Tp:	1602706 FS-Pipel Pipeline RC Esta	ine Incident Damage Reason Est blished		Health Impact: Environment Impact: Property Damage: Service Interupt: Enforce Policy: Public Relation: Pipeline System:	No Yes	

Map Key	Numbe Record	r of s	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Task No: Spills Action Method Deta Fuel Catego Date of Occu Occurrence Date:	n Centre: ails: ry: urrence: Start	5415812 E-mail Natural Ga 2015/03/25	s 5		Depth: Pipe Material: PSIG: Attribute Category: Regualtor Location:	FS-Perform P-line Inc Invest	
Operation Ty Pipeline Typ Regulator Ty Summary: Reported By Affiliation: Occurrence Damage Rea	ype: pe: ype: /: Desc: ason:	E	14 AMOS DR, GUE leremy Miller - UNI Excavation practice	LPH - PIPELINE ON GAS s not sufficient	HIT - 1/2"		
Notes:							
<u>20</u>	2 of 2		ESE/138.8	342.6 / 3.99	Union Gas Limited 14 Amos Dr Guelph ON		SPL
Ref No: Site No: Incident Dt: Year:		2642-9UVF NA 3/23/2015	PW3		Discharger Report: Material Group: Client Type: Sector Type:		
Incident Cau Incident Eve	ise: ent: + Codo:	Leak/Break	κ.		Source Type: Nearest Watercourse:		
Contaminan Contaminan Contaminan Contam Lim	t Code: t Name: t Limit 1: it Freq 1:	NATURAL	GAS (METHANE)		Site Name: Site Address: Site District Office: Site County/District:	14 Amos Dr	
Contaminan Contaminan Environmen Nature of Im Receiving M	t UN No 1: t Qty: t Impact: pact: ledium:	0 other - se Air	ee incident descript	ion	Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc:	Guelph	
Receiving E Health/Env ( MOE Respondent Dt MOE Arvi	nv: Conseq: nse: I on Scn:	N			Northing: Easting: Site Geo Ref Accu: Site Geo Ref Meth:		
MOE Report Dt Documen Agency Invo SAC Action	ed Dt: ht Closed: blved: Class:	3/23/2015	rssa - Fuel Safety	Branch - Hydroca	Site Map Datum: arbon Fuel Release/Spill		
Incident Reason: Incident Summary:		<b>(</b> ר	Dperator/Human Er FSSA: Line Stike- 1	14:00			
<u>21</u>	1 of 1		SSE/143.3	334.8 / -3.75	lot 6 con 8 ON		wwis
Well ID:		6703579			Data Entry Status:		

Data Src:

Date Received: Selected Flag:

Contractor:

Form Version: Owner: Street Name: County:

Municipality: Site Info:

Abandonment Rec:

1

Yes

2414

1

10/22/1969

WELLINGTON PUSLINCH TOWNSHIP

Wen ID.	0100010
Construction Date:	
Primary Water Use:	Domestic
Sec. Water Use:	0
Final Well Status:	Water Supply
Water Type:	
Casing Material:	
Audit No:	
Tag:	
Construction Method:	
Elevation (m):	
Elevation Reliability:	

61

Order No: 20180824203

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Depth to Bedro Well Depth: Overburden/B Pump Rate: Static Water L Flowing (Y/N): Flow Rate: Clear/Cloudy:	ock: edrock: evel:			Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	006 08 CON	
Bore Hole Info	<u>rmation</u>					
Bore Hole ID: DP2BR: Spatial Status. Code OB: Code OB Desc Open Hole: Cluster Kind: Date Complete Remarks: Elevrc Desc: Location Sour Improvement I	1046771 70 : : Bedrock ed: 27-SEP- ce Date: Location Source: Location Method:	4 69		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	335.74 17 565194.3 4818733 4 margin of error : 30 m - 100 m p4	
Source Revision Supplier Comi	on Comment: ment:					
<u>Overburden al</u> Materials Inter	<u>nd Bedrock</u> <u>val</u>					
Formation ID: Layer: Color: General Color. Mat1: Most Common Mat2: Other Material Mat3: Other Material Formation Tot	: n Material: s: s: Depth:	932618536 6 BROWN 26 ROCK				
Formation End Formation End	l Depth: l Depth UOM:	93 ft				
Formation ID: Layer: Color: General Color. Mat1: Most Common Mat2: Other Material Mat3: Other Material Formation Top Formation End Formation End	: n Material: s: o Depth: d Depth: d Depth UOM:	932618535 5 6 BROWN 05 CLAY 11 GRAVEL 55 70 ft				
Formation ID: Layer: Color: General Color. Mat1: Most Common	: n Material:	932618531 1 23 PREVIOUSLY DUG				

	Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DE
-	Mat2: Other Materia Mat3:	ls:				
	Other Materia	ls:				
	Formation To	p Depth:	0			
	Formation En	d Depth:	9			
	Formation En	d Depth UOM:	ft			
	Formation ID:	,	932618533			
	Layer:		3			
	Color:		6			
	General Colo	r:	BROWN			
	Mat1:					
	Most Commo	n Material:	MEDIUM SAND			
	Matz: Other Meteria					
	Mat3:	15.				
	Other Materia	ls:				
	Formation To	p Depth:	15			
	Formation En	d Depth:	25			
	Formation En	d Depth UOM:	ft			
	Formation ID:		932618532			
	Layer:		2			
	Color:		6			
	General Colo	r:	BROWN			
	Mat1:		05			
	Most Commo	n Material:				
	Matz: Other Materia	le ·	STONES			
	Mat3	13.	OTONEO			
	Other Materia	ls:				
	Formation To	p Depth:	9			
	Formation En	d Depth:	15			
	Formation En	d Depth UOM:	ft			
	Formation ID:	•	932618534			
	Layer:		4			
	Color:		6			
	General Colo	r:	BROWN			
	Mat1:		05			
	Most Commo	n Material:	CLAY			
	Nauz. Other Materia	le.	MEDILIM SAND			
	Mat3:		11			
	Other Materia	ls:	GRAVEL			
	Formation To	p Depth:	25			
	Formation En	d Depth:	55			
	Formation En	d Depth UOM:	ft			
	Method of Co	nstruction & Well				
	<u>Use</u>					
	Method Cons	truction ID:	966703579			
	Method Cons	truction Code:	1			
	Method Cons	truction:	Cable Tool			
	Other Method	Construction:				
	Pipe Informat	ion				
	<u></u>					
	Pipe ID:		11016284			
	Casing No:		1			
	Comment:					
	Alt Name:					

## Construction Record - Casing

Casing ID <sup>.</sup>	930760898
Lavor:	1
Layer. Material:	1
Open Hole or Material:	STEEL
Depth From:	01222
Depth To:	72
Casing Diameter:	4
Casing Diameter UOM:	inch
Casing Depth UOM:	ft
Casing ID:	930760899
Casing ID: Laver:	930760899 2
Casing ID: Layer: Material:	930760899 2 4
Casing ID: Layer: Material: Open Hole or Material:	930760899 2 4 OPEN HOLE
Casing ID: Layer: Material: Open Hole or Material: Depth From:	930760899 2 4 OPEN HOLE
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To:	930760899 2 4 OPEN HOLE 93
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter:	930760899 2 4 OPEN HOLE 93
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM:	930760899 2 4 OPEN HOLE 93 inch

## Results of Well Yield Testing

Pump Set At:Static Level:6Final Level After Pumping:15Recommended Pump Depth:30Pumping Rate:10Flowing Rate:10Recommended Pump Rate:10Levels UOM:ftRate UOM:GPMWater State After Test Code:1Water State After Test:CLEARPumping Test Method:2Pumping Duration HR:1Pumping Duration MIN:0	Pump Test ID:	996703579
Static Level:6Final Level After Pumping:15Recommended Pump Depth:30Pumping Rate:10Flowing Rate:10Recommended Pump Rate:10Levels UOM:ftRate UOM:GPMWater State After Test Code:1Water State After Test:CLEARPumping Test Method:2Pumping Duration HR:1Pumping Duration MIN:0	Pump Set At:	
Final Level After Pumping:15Recommended Pump Depth:30Pumping Rate:10Flowing Rate:10Recommended Pump Rate:10Levels UOM:ftRate UOM:GPMWater State After Test Code:1Water State After Test:CLEARPumping Test Method:2Pumping Duration HR:1Pumping Duration MIN:0	Static Level:	6
Recommended Pump Depth:30Pumping Rate:10Flowing Rate:10Recommended Pump Rate:10Levels UOM:ftRate UOM:GPMWater State After Test Code:1Water State After Test:CLEARPumping Test Method:2Pumping Duration HR:1Pumping Duration MIN:0	Final Level After Pumping:	15
Pumping Rate:10Flowing Rate:10Flowing Rate:10Recommended Pump Rate:10Levels UOM:ftRate UOM:GPMWater State After Test Code:1Water State After Test:CLEARPumping Test Method:2Pumping Duration HR:1Pumping Duration MIN:0	Recommended Pump Depth:	30
Flowing Rate:Recommended Pump Rate:10Levels UOM:ftRate UOM:GPMWater State After Test Code:1Water State After Test:CLEARPumping Test Method:2Pumping Duration HR:1Pumping Duration MIN:0	Pumping Rate:	10
Recommended Pump Rate:10Levels UOM:ftRate UOM:GPMWater State After Test Code:1Water State After Test:CLEARPumping Test Method:2Pumping Duration HR:1Pumping Duration MIN:0	Flowing Rate:	
Levels UOM:ftRate UOM:GPMWater State After Test Code:1Water State After Test:CLEARPumping Test Method:2Pumping Duration HR:1Pumping Duration MIN:0	Recommended Pump Rate:	10
Rate UOM:GPMWater State After Test Code:1Water State After Test:CLEARPumping Test Method:2Pumping Duration HR:1Pumping Duration MIN:0	Levels UOM:	ft
Water State After Test Code:1Water State After Test:CLEARPumping Test Method:2Pumping Duration HR:1Pumping Duration MIN:0	Rate UOM:	GPM
Water State After Test:CLEARPumping Test Method:2Pumping Duration HR:1Pumping Duration MIN:0	Water State After Test Code:	1
Pumping Test Method:2Pumping Duration HR:1Pumping Duration MIN:0	Water State After Test:	CLEAR
Pumping Duration HR: 1 Pumping Duration MIN: 0	Pumping Test Method:	2
Pumping Duration MIN: 0	Pumping Duration HR:	1
	Pumping Duration MIN:	0
Flowing: N	Flowing:	N

## Draw Down & Recovery

Pump Test Detail ID:	934604748				
Test Type:	Recovery				
Test Duration:	30				
Test Level:	6				
Test Level UOM:	ft				
Pump Test Detail ID:	934345758				
Test Type:	Recovery				
Test Duration:	15				
Test Level:	6				
Test Level UOM:	ft				
Pump Test Detail ID:	934858518				
Test Type:	Recovery				
Test Duration:	45				
Test Level:	6				
Test Level UOM:	ft				
Pump Test Detail ID:	935123311				
Map Key Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
--	-------------------------------------	------------------	---	---	------
Test Type: Test Duration: Test Level: Test Level UOM:	Recovery 60 6 ft				
Water Details					
Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM:	933956070 1 FRESH 93 ft				
22 1 of 1	ESE/145.9	342.6 / 3.99	GUELPH ON		WWIS
Well ID:71631Construction Date:Primary Water Use:Test HSec. Water Use:Final Well Status:Test HFinal Well Status:Test HWater Type:Casing Material:Audit No:Z1236Tag:A1094Construction Method:Elevation (m):Elevation Reliability:Depth to Bedrock:Well Depth:Overburden/Bedrock:Pump Rate:Static Water Level:Flowing (Y/N):Flow Rate:Clear/Cloudy:Clear/Cloudy:	00 Hole Hole H02		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	5/13/2011 Yes 7238 7 246 ARKELL RD WELLINGTON GUELPH CITY	
Bore Hole InformationBore Hole ID:10035DP2BR:10035Spatial Status:10035Code OB:10035Code OB Desc:10035Open Hole:10035Cluster Kind:10035Date Completed:25-AFRemarks:10035Elevrc Desc:10035Location Source Date:10035Improvement Location Source.10035Improvement Location Method10035Supplier Comment:10035	09264 R-11		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	342.11 17 565385 UTM83 4818960 3 margin of error : 10 - 30 m wwr	
<u>Overburden and Bedrock</u> <u>Materials Interval</u> Formation ID: Layer: Color:	1003821505 2 6				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Colo Mat1: Most Commo Mat2: Other Materia Mat3: Other Materia Formation To Formation En Formation En	r: n Material: Ils: Ils: p Depth: Id Depth: Id Depth: Id Depth UOM:	BROWN 05 CLAY 11 GRAVEL 73 HARD 2.44 5.18 m			
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Other Materia Mat3: Other Materia Formation To Formation En	r: n Material: Is: Is: p Depth: Id Depth: Id Depth UOM:	1003821504 1 6 BROWN 13 BOULDERS 11 GRAVEL 73 HARD 0 2.44 m			
<u>Annular Space</u> <u>Sealing Reco</u> Plug ID: Layer: Plug From: Plug To: Plug Depth U	e/Abandonment rd OM:	1003821513 1 0 1.22 m			
<u>Method of Co</u> <u>Use</u> Method Cons Method Cons Method Cons Other Method	nstruction & Well truction ID: truction Code: truction: I Construction:	1003821511 E Auger			
<u>Pipe Informa</u> Pipe ID: Casing No: Comment: Alt Name:	<u>ion</u>	1003821503 0			
Construction Casing ID: Layer: Material: Open Hole or Depth From: Depth To: Casing Diam Casing Diam Casing Dept	<u>Record - Casing</u> Material: eter: eter UOM: UOM:	1003821508 1 5 PLASTIC 0 1.52 5.1 cm m			

## Construction Record - Screen

Map Key Nui Rec	nber of cords	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Screen ID: Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM Screen Diameter U Screen Diameter:	і: ОМ:	1003821509 1 1.52 4.57 5 m cm 6.4				
Water Details						
Water ID: Layer: Kind Code: Kind: Water Found Depth	,.	1003821507				
Water Found Depth	UOM:	m				
Hole Diameter						
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM	1:	1003821506 21 0 5.18 m cm				
23 1 of a	1	ESE/148.0	345.3 / 6.70	lot 6 con 8 GUELPH ON		wwis
Well ID: Construction Date: Primary Water Use. Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Methe Elevation (m): Elevation Reliabilit, Depth to Bedrock: Well Depth: Overburden/Bedroc Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	7211047 : 0 Z172129 od: y: ck:	7		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	11/8/2013 Yes 2663 7 246 ARKELL RD WELLINGTON PUSLINCH TOWNSHIP 006 08 CON	
Bore Hole Informat Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:	<u>ion</u> 1004630	0816		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC:	344.08 17 565398 UTM83 4818983 5	

erisinfo.com | Environmental Risk Information Services

Order No: 20180824203

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Date Complet Remarks: Elevrc Desc: Location Sou Improvement Improvement Source Revis Supplier Com	ted: 23-AUG rce Date: Location Source: Location Method: ion Comment: iment:	i-13		UTMRC Desc: Location Method:	margin of error : 100 m - 300 m gis	
<u>Annular Spac</u> Sealing Reco	e/Abandonment rd					
Plug ID: Layer: Plug From: Plug To:	o.u	1004889951 1 0 6				
Plug Depth U Plug ID: Layer: Plug From: Plug To: Plug Depth U	ом:	m 1004889952 2 -6 12 m				
<u>Method of Co</u> <u>Use</u>	nstruction & Well					
Method Cons Method Cons Method Cons Other Method	truction ID: truction Code: truction: I Construction:	1004889950				
<u>Pipe Informat</u>	ion					
Pipe ID: Casing No: Comment: Alt Name:		1004889944 0				
<u>Construction</u>	Record - Casing					
Casing ID: Layer: Material: Open Hole or Depth From: Depth To:	Material:	1004889948				
Casing Diame Casing Diame Casing Depth	eter: eter UOM: 0 UOM:	cm m				
<u>Construction</u>	Record - Screen					
Screen ID: Layer: Slot: Screen Top D Screen End D Screen Mater	Pepth: Depth: ial:	1004889949				
Screen Depth Screen Diame Screen Diame	UOM: eter UOM: eter:	m cm				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u> Water ID: Layer: Kind Code: Kind: Water Found Water Found	Depth: Depth UOM:	1004889947 m			
<u>Hole Diamete</u> Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	<u>r</u> OM: r UOM:	1004889946 m cm			
<u>24</u>	1 of 1	SE/148.4	338.8 / 0.24	GUELPH ON	WWIS
Well ID: Construction Primary Wate Sec. Water Us Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction Elevation (m) Elevation Rel Depth to Bed Well Depth: Overburden/E Pump Rate: Static Water I Flowing (Y/N) Flow Rate: Clear/Cloudy.	6604: Date: r Use: se: otus: Obse ial: Z382: A034 Method: : iability: rock: Bedrock: Level: : :	906 rvation Wells 09 610		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	10/24/2005 Yes 6607 3 VICTORIA GARDENS PHASE 2, N & S OF BARD BLVD WELLINGTON GUELPH CITY BLOCK 108 & 107 PLAN 61M-108
Bore Hole Inf Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Des Open Hole: Cluster Kind: Date Complet Remarks: Elevrc Desc: Location Sou Improvement	ormation 11320 s: oc: Overl ted: 12-00 rce Date: Location Source Location Method	6989 ourden CT-05 :: <b>:</b> :		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	338.5 17 565453 UTM83 4818775 4 margin of error : 30 m - 100 m wwr
Source Revis Supplier Com	ion Comment: ment:				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	1	DB
Overburden a Materials Inte	nd Bedrock rval					
Formation ID: Layer: Color:		933034562 1 6				
General Colol Mat1:	· ·	BROWN				
Most Commo	n Material:	SILT				
Mat2: Other Materia	ls:	65 DARK-COLOURED				
Mat3:						
Other Materia Formation To	ls: n Denth:	0				
Formation En	d Depth:	.15				
Formation En	d Depth UOM:	m				
Formation ID:		933034564				
Layer: Color:		3				
General Color	r:	20				
Most Commo	n Material:	28 SAND				
Mat2:		11				
Other Materia Mat3:	ls:	GRAVEL				
Other Materia	ls:	_				
Formation To	p Depth: d Depth:	.7 59				
Formation En	d Depth UOM:	m				
Formation ID:		933034563				
Layer:		2				
General Color	r:					
Mat1:		06				
Most Commo Mat2·	n Material:	SILI 28				
Other Materia	ls:	SAND				
Mat3: Other Materia	ls:					
Formation To	p Depth:	.15				
Formation En	d Depth: d Depth UOM:	.7				
Formation En	а Берит ООм.	111				
<u>Annular Spac</u> <u>Sealing Reco</u>	<u>e/Abandonment</u> r <u>d</u>					
Plug ID:		933279474				
Layer: Plug From:		1 0				
Plug To:		.7				
Plug Depth U	ОМ:	m				
Plug ID:		933279475				
Layer: Plug From:		2				
Plug To:		4				
Plug Depth U	ОМ:	m				
<u>Method of Co</u> <u>Use</u>	nstruction & Well					
Method Cons	truction ID:	966604906				

Map Key Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Method Construction Code: Method Construction: Other Method Construction:	6 Boring				
Pipe Information					
Pipe ID: Casing No: Comment: Alt Name:	11341844 1				
Construction Record - Casing	1				
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	930871697 1 5 PLASTIC 76 4.4 5.1 cm m				
Construction Record - Screen	1				
Screen ID: Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: Screen Diameter UOM: Screen Diameter:	933415192 1 10 4.4 5.9 5 m cm 6.4				
Water Details					
Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM:	934066558 1 4 m				
Hole Diameter					
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:	11547831 21 0 5.9 m cm				
25 1 of 1	SSE/152.2	337.6 / -1.03	lot 7 con 8 GUELPH ON		WWIS
Well ID:6715Construction Date:9715Primary Water Use:9715Sec. Water Use:9715Final Well Status:Abar	5351 ndoned-Other		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec:	6/14/2005 Yes Yes	

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Water Type: Casing Mater Audit No: Tag: Construction Elevation (m) Elevation Rel Depth to Bed Well Depth: Overburden/E Pump Rate: Static Water I Flowing (Y/N) Flow Rate: Clear/Cloudy.	ial: Z28958 Method: : iability: rock: Sedrock: Level: :			Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	2663 3 171 ARKEL ROAD WELLINGTON GUELPH CITY 007 08	
<u>Bore Hole Inf</u>	ormation 11327137			Flevation	336 59	
bore Hole ID. DP2BR: Spatial Status Code OB: Code OB Dess Open Hole: Cluster Kind: Date Complet Remarks: Elevrc Desc: Location Sou Improvement Source Revis Supplier Com <u>Annular Spac</u> Sealing Reco Plug ID: Layer: Plug From: Plug Depth U	rce Date: Location Source: Location Method: ion Comment: ment: ce/Abandonment rd	933270548 1 -6 75 m		Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	17 565336 UTM83 4818672 4 margin of error : 30 m - 100 m wwr	
<u>Method of Co</u> <u>Use</u>	nstruction & Well					
Method Cons Method Cons Method Cons Other Method	truction ID: truction Code: truction: I Construction:	966715351				
<u>Pipe Informat</u>	tion					
Pipe ID: Casing No: Comment: Alt Name:		11341992 1				
<u>26</u>	1 of 1	SSE/154.6	337.9/-0.72	lot 7 con 8 ON		wwis
Well ID:	6714128			Data Entry Status:		
72	erisinfo.com   Enviro	nmental Risk Info	ormation Service	es	Order No: 201808	324203

Мар Кеу	Numbe Record	r of s	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Construction Primary Wate Sec. Water Us Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction Elevation (m) Elevation Rel Depth to Bed Well Depth: Overburden/E Pump Rate: Static Water I Flowing (Y/N) Flow Rate: Clear/Cloudy:	Date: or Use: se: atus: ial: Method: : iability: rock: Bedrock: Level: :	Not Used Abandoned 235169	I-Other		Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 7/3/2002 Yes 2663 1 WELLINGTON PUSLINCH TOWNSHIP 007 08 CON	
Bore Hole Inf	ormation	40500000			<b>-</b>	222.22	
Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Des Open Hole: Cluster Kind:	s: c:	10536336  No formatio	on data		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC:	336.82 17 565360.6 4818676 5	
Date Complete Remarks: Elevrc Desc: Location Sou Improvement Improvement Source Revis Supplier Com	ted: rce Date: Location Location ion Comm iment:	26-JUN-02 Source: Method: ent:			UTMRC Desc: Location Method:	margin of error : 100 m - 300 m gis	
<u>Method of Co</u> <u>Use</u>	nstruction	a & Well					
Method Cons Method Cons Method Cons Other Method	truction ID truction C truction: I Construc	o: 9 ode: 0 htion:	66714128 Jot Known				
<u>Pipe Informat</u>	tion						
Pipe ID: Casing No: Comment: Alt Name:		1	1084906				
27	1 of 1		E/163.5	345.6 / 6.97	lot 6 con 8 ON		WWIS
Well ID: Construction Primary Wate Sec. Water Us Final Well Sta Water Type:	Date: er Use: se: atus:	6702589 Livestock Domestic Water Sup	bly		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor:	1 11/16/1965 Yes 2414	

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		Di
Casing Materi Audit No: Tag: Construction Elevation (m): Elevation Reli Depth to Bedi Well Depth: Overburden/E Pump Rate: Static Water L Flowing (Y/N) Flow Rate: Clear/Cloudy:	ial: Method: iability: rock: Bedrock: .evel: :			Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 WELLINGTON GUELPH CITY (PUSLINCH TWP) 006 08 CON	
Bore Hole Infe	ormation					
Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Des Open Hole: Cluster Kind: Date Complet Remarks: Elevrc Desc: Location Sou Improvement Improvement Source Revise Supplier Com	10466732 90 c: r c: Bedrock ed: 03-NOV-6 rce Date: Location Source: Location Method: ion Comment: ment:	2 65		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	346.16 17 565445.3 4819012 5 margin of error : 100 m - 300 m p5	
<u>Overburden a</u> <u>Materials Inte</u>	<u>nd Bedrock</u> rval					
Formation ID: Layer: Color: General Color Mat1: Most Common Mat2: Other Materia Mat3: Other Materia Formation To Formation En Formation En	r: n Material: ls: ls: p Depth: d Depth: d Depth: d Depth UOM:	932614463 1 02 TOPSOIL 0 1 ft				
Formation ID: Layer: Color: General Color Mat1: Most Common Mat2: Other Materia Mat3: Other Materia Formation To Formation En Formation En	r: n Material: ls: ls: p Depth: d Depth: d Depth: d Depth UOM:	932614464 2 6 BROWN 05 CLAY 12 STONES 1 35 ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932614465			
Layer:		3			
Color:		2			
General Colol Mat1:	r:	GREY 05			
Most Commo	n Material:	CLAY			
Mat2:		12			
Other Materia	ls:	STONES			
Mat3:					
Formation To	n Denth:	35			
Formation En	d Depth:	75			
Formation En	d Depth UOM:	ft			
Formation ID:		932614466			
Color:		4			
General Color	r:				
Mat1:		09			
Most Commo	n Material:	MEDIUM SAND			
Matz: Other Materia	le.				
Mat3:	10.				
Other Materia	ls:				
Formation To	p Depth:	75			
Formation En	d Depth:	80 ft			
	a Deptil OOM.				
Formation ID:		932614468			
Layer: Color:		6			
General Color	r:	BROWN			
Mat1:		15			
Most Commo Mat2:	n Material:	LIMESTONE			
Other Materia	ls:				
Mat3:					
Other Materia	ls: n Donthi	00			
Formation To	p Depth: d Depth:	90 120			
Formation En	d Depth UOM:	ft			
Formation (D		000644467			
Formation ID:		932014407 5			
Color:		2			
General Color	r:	GREY			
Mat1:		05			
Most Commo	n Material:	CLAY			
Other Materia	ls:				
Mat3:					
Other Materia	ls:				
Formation To	p Depth:	80			
Formation En	d Depth: d Depth UOM	90 ft			
i onnation En	a Dopar Com				
<u>Method of Co</u> <u>Use</u>	nstruction & Well				
Method Cons	truction ID.	966702589			
Method Cons	truction Code:	1			
Method Cons	truction:	Cable Tool			
Other Method	Construction:				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DE
Pipe Informa	<u>tion</u>				
Pipe ID:		11015302			
Casing No: Comment:		1			
Alt Name:					

Construction Record - Casing

Casing ID:	930759060
Layer:	2
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	
Depth To:	120
Casing Diameter:	4
Casing Diameter UOM:	inch
Casing Depth UOM:	ft
Casing ID:	930759059
Casing ID: Layer:	930759059 1
Casing ID: Layer: Material:	930759059 1 1
Casing ID: Layer: Material: Open Hole or Material:	930759059 1 1 STEEL
Casing ID: Layer: Material: Open Hole or Material: Depth From:	930759059 1 1 STEEL
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To:	930759059 1 1 STEEL 95
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter:	930759059 1 STEEL 95 4
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM:	930759059 1 STEEL 95 4 inch

# Results of Well Yield Testing

Pump Test ID:	996702589
Pump Set At:	
Static Level:	45
Final Level After Pumping:	75
Recommended Pump Depth:	80
Pumping Rate:	8
Flowing Rate:	
Recommended Pump Rate:	6
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	
Pumping Duration HR:	0
Pumping Duration MIN:	30
Flowing:	N

## Water Details

Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM	933954929 1 1 FRESH 120 tt				
28 1 of 1	SSE/167.4	336.8 / -1.75	lot 7 con 8 ON		WWIS
Well ID: Construction Date:	6711291		Data Entry Status: Data Src:	1	

Map Key	Number o Records	of	Direction/ Distance (m)	Elev/Diff (m)	Site		DE
Primary Water Sec. Water Us Final Well Sta Water Type: Casing Materi Audit No: Tag: Construction Elevation (m): Elevation Reli Depth to Bedr Well Depth: Overburden/B Pump Rate: Static Water L Flowing (Y/N): Flow Rate: Clear/Cloudy:	r Use: E se: 0 tus: V ial: 1 Method: jability: rock: Bedrock: .evel: :	Domestic ) Vater Supp 24315	зly		Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	10/7/1993 Yes 2663 1 WELLINGTON PUSLINCH TOWNSHIP 007 08 CON	
Bore Hole Info	ormation						
Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Desc Open Hole: Cluster Kind: Date Complete Remarks: Elevrc Desc: Location Sour Improvement Improvement Source Revisi Supplier Com	c: 0 c: 0 ed: 2 rce Date: Location Sou Location Me ion Commen ment:	0475125 Dverburder 22-SEP-93 urce: thod: t:	1		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	336.33 17 565322.3 4818655 5 margin of error : 100 m - 300 m gps	
<u>Overburden a</u>	nd Bedrock						
Formation ID: Layer: Color: General Color Mat1: Most Common Mat2: Other Material Mat3: Other Material Formation Top Formation Entry Formation Entry	r: n Material: ls: ls: p Depth: d Depth: d Depth UON	9. 3 2 0 0 0 2 2 5 1 6 2 4 7 7 7	32651879 REY 5 LAY 8 AND 1 RAVEL 0 5				
Formation ID: Layer: Color: General Color Mat1: Most Common Mat2: Other Material Mat3: Other Material	r: n Material: Is: Is:	9 4 3 C	1 OARSE GRAVEL				
77	erisinfo.com	Enviror	mental Risk Info	rmation Servic	ces	Order No: 2018	0824203

Map Key Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:	65			
Formation End Depth:	75			
Formation End Depth UOM:	ft			
Formation ID:	932651878			
Layer:	2			
Color:				
General Color:				
Mat1:	10			
Most Common Material:	COARSE SAND			
Mat2:	31			
Other Materials:	COARSE GRAVEL			
Mat3:				
Other Materials:				
Formation Top Depth:	3			
Formation End Depth:	20			
Formation End Depth UOW:	п			
Formation ID:	032651877			
l aver:	1			
Color				
General Color:				
Mat1:	01			
Most Common Material:	FILL			
Mat2:				
Other Materials:				
Mat3:				
Other Materials:				
Formation Top Depth:	0			
Formation End Depth:	3			
Formation End Depth UOM:	ft			
<u>Annular Space/Abandonment</u> Sealing Record				
Seamy Necora				
Plua ID:	933210343			
Laver:	1			
Plug From:	0			
Plug To:	20			
Plug Depth UOM:	ft			
Method of Construction & Well Use				
Method Construction ID:	966711291			
Method Construction Code:	4			
Method Construction:	Rotary (Air)			
Other Method Construction:				
Pipe Information				
Pipe ID:	11023695			
Casing No:	1			
Comment:				
Alt Name:				
Construction Booord Cosing				
<u>Construction Record - Casing</u>				
Casing ID:	930773855			
Layer:	1			
Material:	1			
Open Hole or Material:	STEEL			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		63			
Casing Diame	eter:	inch			
Casing Diame		ft			
Casing Depth		n			
Casing ID:		930773856			
Layer:		2			
Material:		4			
Open Hole or Depth From:	wateriai:	OPEN HOLE			
Depth To:		75			
Casing Diame	eter:				
Casing Diame	eter UOM:	inch			
Casing Depth	UOM:	ft			
Results of We	ell Yield Testing				
Bump Toot ID		006711201			
Pump Test ID	•	990711291			
Static Level:		18			
Final Level A	fter Pumping:	18			
Recommende	ed Pump Depth:	50			
Pumping Rate	9:	20			
Flowing Rate	d Rump Potor	20			
l evels UOM	u Fump Rate.	ft			
Rate UOM:		GPM			
Water State A	fter Test Code:	1			
Water State A	fter Test:	CLEAR			
Pumping Tes	t Method:	1			
Pumping Dur	ation MIN <sup>.</sup>	0			
Flowing:		Ň			
-					
<u>Draw Down &amp;</u>	Recovery				
Pump Test De	etail ID:	934874504			
Test Type:		Recovery			
Test Duration	:	45			
Test Level:	<i>\</i>	18 #			
lest Level oc	////.	n			
Pump Test De	etail ID:	934348742			
Test Type:		Recovery			
Test Duration	2	15			
Test Level: Test Level IIC	ом-	lo ft			
		i.			
Pump Test De	etail ID:	935135034			
Test Type:	_	Recovery			
Test Duration	2	60 18			
Test Level UC	DM:	ft			
	-	-			
Pump Test De	etail ID:	934613477			
Test Type:	_	Recovery			
Test Duration	-	3∪ 18			
Test Level IIC	DM:	ft			
		4 <b>6</b>			

## Water Details

Мар Кеу	Numbei Record	r of s	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Water ID: Layer: Kind Code: Kind: Water Found Water Found Water ID: Layer: Kind Code:	l Depth: l Depth UOI	М:	933965204 2 1 FRESH 75 ft 933965203 1				
Kind:			FRESH				
Water Found Water Found	l Depth: I Depth UOI	M:	ft				
<u>29</u>	1 of 1		S/176.9	335.2 / -3.39	Guelph ON		WWIS
Well ID: Construction Primary Wate Sec. Water U Final Well St Water Type: Casing Mate Audit No: Tag: Construction Elevation (m Elevation Re Depth to Beo Well Depth: Overburden/ Pump Rate: Static Water Flowing (Y/N Flow Rate: Clear/Cloudy	n Date: er Use: Ise: satus: rial: n Method: ): liability: drock: //Bedrock: /Bedrock: Level: 1):	7188310 Monitoring Observatio Z147899 A134137	) on Wells		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	9/27/2012 Yes 6607 7 176 ARKELL RD WELLINGTON PUSLINCH TOWNSHIP	
<u>Bore Hole In</u> Bore Hole ID DP2BR: Spatial Statu	formation ): IS:	10041688	11		Elevation: Elevrc: Zone:	335.28 17	
Code OB: Code OB De Open Hole: Cluster Kind	sc: :		2		East83: Org CS: North83: UTMRC:	565173 UTM83 4818707 4	
Remarks: Elevrc Desc: Location Sou Improvemen Improvemen Source Revis Supplier Cor	urce Date: t Location S t Location I sion Comm nment:	Source: Method: ent:	-		Location Method:	WWF	
<u>Overburden</u> Materials Inte	<u>and Bedroo erval</u>	<u>ck</u>					
Formation IL Layer: Color: General Colo	): or:		1004465655 2				
80	erisinfo.co	om   Enviro	nmental Risk Info	ormation Service	es	Order No: 2018	0824203

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1: Most Commo Mat2: Other Materia Mat3:	n Material: Is:	28 SAND 11 GRAVEL			
Other Materia Formation To Formation En Formation En	ls: p Depth: d Depth: d Depth UOM:	2 10 ft			
Formation ID: Layer: Color:		1004465656 3			
General Color Mat1: Most Commol Mat2: Other Materia Mat3:	: n Material: ls:	28 SAND			
Other Materia Formation To Formation En Formation En	ls: p Depth: d Depth: d Depth UOM:	10 17.5 ft			
Formation ID: Layer: Color: General Color Mat1: Most Commo Mat2: Other Materia Mat3: Other Materia	: n Material: Is: Is:	1004465654 1 6 BROWN 06 SILT 01 FILL			
Formation To Formation En Formation En	p Depth: d Depth: d Depth UOM:	0 2 ft			
<u>Annular Spac</u> Sealing Recol	<u>e/Abandonment</u> r <u>d</u>				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	ОМ:	1004465663 1 0 6.5 ft			
Plug ID: Layer: Plug From: Plug To: Plug Depth U	ОМ:	1004465664 2 6.5 17.5 ft			
<u>Method of Co</u> <u>Use</u>	nstruction & Well				
Method Const Method Const Method Const	truction ID: truction Code: truction:	1004465662 6 Boring			

#### Method Construction: Other Method Construction:

## Pipe Information

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Pipe ID: Casing No: Comment: Alt Name:		1004465653 0				
<b>Construction</b>	n Record - Casi	ng				
Casing ID: Layer: Material: Open Hole o Depth From: Depth To: Casing Diam Casing Dept	r Material: neter: neter UOM: h UOM:	1004465659 1 5 PLASTIC 0 7.5 5.1 inch ft				
<u>Construction</u>	n Record - Scre	<u>en</u>				
Screen ID: Layer: Slot: Screen Top Screen End Screen Mate Screen Dept Screen Diam Screen Diam	Depth: Depth: rial: h UOM: neter UOM: neter:	1004465660 1 10 7.8 17.5 5 ft inch 6.4				
Water Detail	<u>s</u>					
Water ID: Layer: Kind Code: Kind: Water Found Water Found	l Depth: l Depth UOM:	1004465658 1 10 ft				
Hole Diamet	<u>er</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamet	JOM: er UOM:	1004465657 8 0 17.5 ft inch				
<u>30</u>	1 of 1	NNE/182.6	334.0 / -4.57	lot 5 con 8 Guelph ON		WWIS
Well ID: Construction Primary Wat Sec. Water L Final Well St	72 n Date: er Use: Ise: fatus: Ab	75559 pandoned-Other		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec:	11/24/2016 Yes Yes	

Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability:

82

erisinfo.com | Environmental Risk Information Services

Z243726

A031808

Order No: 20180824203

7556

1159 VICTORIA RD S

PUSLINCH TOWNSHIP

WELLINGTON

7

Contractor: Form Version:

Street Name:

Municipality:

Owner:

County:

Site Info:

Map Key Number o Records	f Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:			Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	005 08 CON	
Bore Hole Information					
Bore Hole ID: 1 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:	006295687		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC:	334.46 17 565202 UTM83 4819433 4	
Date Completed: 1 Remarks: Elevrc Desc: Location Source Date: Improvement Location So Improvement Location Me Source Revision Commen Supplier Comment: Overburden and Bedrock	1-OCT-16 urce: thod: t:		UTMRC Desc: Location Method:	margin of error : 30 m - 100 m wwr	
Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials:	1006442800				
Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM	<b>//:</b> ft				
<u>Annular Space/Abandonm</u> <u>Sealing Record</u>	lent_				
Plug ID: Layer: Plug From: Plug To: Blue Dooth UOM:	1006442807 2				
Plug ID: Layer: Plug From: Plug To:	1006442806 1				
Plug Depth UOM:	ft				

Method of Construction & Well Use

Мар Кеу	Number Records	of S	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Method Cons Method Cons Method Cons Other Metho	struction ID struction Co struction: d Construct	: ode: tion:	1006442805				
<u>Pipe Informa</u>	<u>tion</u>						
Pipe ID: Casing No: Comment: Alt Name:			1006442799 0				
<b>Construction</b>	n Record - C	asing					
Casing ID: Layer: Material: Open Hole o Depth From:	r Material:		1006442803				
Depth To: Casing Diam Casing Diam Casing Dept	eter: eter UOM: h UOM:	i	inch ft				
<u>Constructior</u>	n Record - S	<u>creen</u>					
Screen ID: Layer: Slot: Screen Top I Screen End I	Depth: Depth:		1006442804				
Screen Mate Screen Dept Screen Diam Screen Diam	rial: h UOM: eter UOM: eter:		ft inch				
<u>Water Detail:</u> Water ID: Layer: Kind Code:	5		1006442802				
Water Found Water Found Water Found	l Depth: l Depth UOI	<b>/</b> :	ft				
Hole Diamete	<u>er</u>						
Hole ID: Diameter: Depth From: Depth To:			1006442801				
Hole Depth L Hole Diamete	IOM: er UOM:		ft inch				
<u>31</u>	1 of 1		WNW/183.6	333.6 / -5.03	Guelph ON		WWIS
Well ID: Construction Primary Wate Sec. Water U	n Date: er Use: lse:	7236307 Monitoring	I		Data Entry Status: Data Src: Date Received: Selected Flag:	1/26/2015 Yes	

\_

Order No: 20180824203

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	
Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction Elevation (m) Elevation Rel Depth to Bed Well Depth: Overburden/E Pump Rate: Static Water I Flowing (Y/N) Flow Rate: Clear/Cloudy.	atus: Observat ial: Z198665 A174318 Method: : iability: rock: Bedrock: Level: ):	tion Wells		Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	7238 7 1159 VICTORIA RD SOUTH WELLINGTON GUELPH CITY
Bore Hole Inf	ormation				
Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Dess Open Hole: Cluster Kind: Date Complet Remarks: Elevrc Desc: Location Sou Improvement Improvement Source Revis Supplier Com	1005293 s: sc: ted: Location Source: Location Method: ion Comment: ment: and Bedrock erval	638		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC: UTMRC Desc: Location Method:	333.37 17 564798 UTM83 4819136 4 margin of error : 30 m - 100 m wwr
Formation ID: Laver	:	1005509928 1			
Color: General Colo	r:	6 BROWN			
Mat1: Most Commo	on Material:	28 SAND			
Mat2: Other Materia Mat3: Other Materia Formation To Formation En Formation En	als: als: p Depth: ad Depth: ad Depth UOM:	0 18 ft			
<u>Annular Spac</u> Sealing Reco	<u>:e/Abandonment</u> rd				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	ОМ:	1005509935 1 0 1 ft			
Plug ID: Layer:		1005509936 2			

DB

Map Key Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From: Plug To: Plug Depth UOM:	1 8 ft			
<u>Method of Construction &amp; Well</u> <u>Use</u>				
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	1005509934 2 Rotary (Convent.)			
Pipe Information Pipe ID:	1005509927			
Casing No: Comment: Alt Name:	0			
Construction Record - Casing				
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	1005509931 1 5 PLASTIC 0 8 2 inch ft			
Construction Record - Screen				
Screen ID: Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: Screen Diameter UOM: Screen Diameter:	1005509932 1 10 8 18 5 ft inch 2			
Water Details				
Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM:	1005509930 ft			
<u>Hole Diameter</u>				
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:	1005509929 8 0 18 ft inch			

Map Key	Number Records	of	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
<u>32</u>	1 of 1		ESE/183.9	346.0 / 7.40	The Corporation of th 264 Arkell Rd Part of I 1 and 2 of Reference I Guelph ON N1H 3A1	e City of Guelph Lot 6, Concession 8, Parts Plan 61R-11714	ECA
Approval No: Approval Date Status: Record Type: Link Source: Approval Type Project Type: Address: Full Address: Full PDF Link:	e: :	8749-985 2013-05- Approved ECA IDS	5RGD 31 ECA-MUNICIPAL A MUNICIPAL AND F 264 Arkell Rd Part o https://www.access	ND PRIVATE SE PRIVATE SEWAG of Lot 6, Concession environment.ene.	SWP Area Name: MOE District: City: Longitude: Latitude: WAGE WORKS E WORKS E WORKS on 8, Parts 1 and 2 of Refere gov.on.ca/instruments/3563-	Guelph ence Plan 61R-11714 985R4G-14.pdf	
<u>33</u>	1 of 6		ESE/184.2	346.0 / 7.40	The Corporation of th 246 Arkell Rd Part of I 1 and 2 of Reference I Guelph ON N1H 3A1	e City of Guelph Lot 6, Concession 8, Parts Plan 61R-11714	ECA
Approval No: Approval Date Status: Record Type: Link Source: Approval Type Project Type: Address: Full Address: Full PDF Link:	e: :	1049-9Al 2013-08- Approved ECA IDS	DGKC 20 d ECA-MUNICIPAL A MUNICIPAL AND F 246 Arkell Rd Part o https://www.access	ND PRIVATE SE RIVATE SEWAG of Lot 6, Concession environment.ene.	SWP Area Name: MOE District: City: Longitude: Latitude: WAGE WORKS E WORKS E WORKS on 8, Parts 1 and 2 of Refere gov.on.ca/instruments/2398-	Guelph ence Plan 61R-11714 97GK9H-14.pdf	
<u>33</u>	2 of 6		ESE/184.2	346.0 / 7.40	246 Arkell Rd Guelph ON N1L 1E6		EHS
Order ID: Order No: Customer ID: Company ID: Status: Report Code: Report Type: Report Date: Report Reque Nearest Inters Previous Site Additional Info	sted by: section: Name: o Ordered:	238146 2013030 75327 131 C 23CAN RSC Rep 18-MAR-	5004 port (Rural) 13 Peto MacCallum Lte Fire Insur. Maps an	d. d/or Site Plans	Date Received: Lot/Building Size: Municipality: Client Prov/State: Search Radius (km): Large Radius: X: Y:	05-MAR-13 2.1 acres ON .01 2 0 0	
<u>33</u>	3 of 6		ESE/184.2	346.0 / 7.40	246 Arkell Rd Guelph ON N1L 1E6		EHS
Order ID: Order No: Customer ID: Company ID: Status: Report Code: Report Type: Report Date: Report Reque	sted by:	238147 2013030 75327 131 C 23CAN RSC Rep 13-MAR-	5005 port (Rural) 13 Peto MacCallum Lte	d.	Date Received: Lot/Building Size: Municipality: Client Prov/State: Search Radius (km): Large Radius: X: Y:	05-MAR-13 0.2 acres ON .3 2 0 0	

erisinfo.com | Environmental Risk Information Services

Мар Кеу	Number Records	of S	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Nearest Inter Previous Site Additional Int	section: Name: fo Ordered:		Fire Insur. Maps an	d/or Site Plans			
<u>33</u>	4 of 6		ESE/184.2	346.0 / 7.40	246 Arkell Road Guelph ON N1L 1E6		EHS
Order ID: Order No: Customer ID: Company ID: Status: Report Code: Report Type: Report Date: Report Reque Nearest Inter Previous Site Additional Int	ested by: section: Name: fo Ordered:	181457 2010122 75327 131 C 3CAN Standard 12/29/20	1035 I Report 10 Peto MacCallum Lto Fire Insur. Maps an	d. d/or Site Plans	Date Received: Lot/Building Size: Municipality: Client Prov/State: Search Radius (km): Large Radius: X: Y:	12/21/2010 5:02:32 PM ON 0.25 2 -80.191334 43.520305	
<u>33</u>	5 of 6		ESE/184.2	346.0 / 7.40	246 ARKELL ROAD, G 1E6 Guelph ON	GUELPH, ONTARIO N1L	RSC
Reg No: RA No: RSC Type: Curr Property District Office Date Submitt Date Ack: Date Returne Restoration T Soil Type: Criteria: CPU Issued S	/ Use: e: ed: d: Fype: Sect	209507 Phase 1 Agricultu Guelph E 2013/08/	and 2 RSC ral/Other District Office 07		Cert Date: Cert Prop Use No: Intended Prop Use: Nm of Qual. Person: Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Accuracy Estimate: Telephone: Fax: Email:	Residential Marian Molodecki	
1686: Asmt Roll No Prop. ID No: Property Mur Mailing Addre Latitude & La UTM Coordin Consultanti	: nicipal Addı ess: atitude: ates:	ress:	23 08 010 011 0104 71505 0684 LT 246 ARKELL ROAE	40 0000 D, GUELPH, ONT/	ARIO N1L 1E6		
Filing Owner: Legal Desc: Measurement Applicable St RSC PDF:	t Method: tandards:		Victoria Wood (Arke https://www.lrcsde.l DS-E-FILE.pdf	əll) Ltd. rc.gov.on.ca/BFIS	WebPublic/pub/viewDocume	ent?attachmentId=24362&fileName	∋=BROWNFIEL
<u>Details</u> Document He Document Ty Document Na Document Liu	eading: rpe: ame: nk:		Supporting Docume Phase 2 Conceptua Phase Two Concep https://www.lrcsde.l Conceptual+Site+M	ents al Site Model otual Site Model.pc rc.gov.on.ca/BFIS lodel.pdf	df WebPublic/pub/viewDocume	ent?attachmentId=24355&fileName	e=Phase+Two+
Document He Document Ty Document Na	eading: vpe: ame:		Supporting Docume Area(s) of Potential Areas of Potential E	ents Environmental Co Environmental Con	oncern ncern Pt 1.pdf		

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Document L	ink:	https://www.lrcsde. tential+Environmer	lrc.gov.on.ca/BFIS tal+Concern+Pt+	SWebPublic/pub/viewDocumo 1.pdf	ent?attachmentId=24360&fileNar	ne=Areas+of+Po
Document H Document T Document N Document L	leading: ype: ame: ink:	Supporting Docume Table of Current an Table of Current an https://www.lrcsde. rrent+and+Past+Us	ents Id Past Property L Id Past Uses.pdf Irc.gov.on.ca/BFIS ses.pdf	Jse SWebPublic/pub/viewDocum	ent?attachmentId=24357&fileNar	ne=Table+of+Cu
Document H Document T Document N Document L	leading: ype: ame: ink:	Supporting Docum Lawyer's letter com Legal Description L https://www.lrcsde. ption+Letter.pdf	ents sisting of a legal d etter.pdf lrc.gov.on.ca/BFIS	lescription of the property SWebPublic/pub/viewDocum	ent?attachmentId=24358&fileNar	ne=Legal+Descri
Document H Document T Document N Document L	eading: ype: ame: ink:	Supporting Docume Copy of any deed(s Transfer Deed.pdf https://www.lrcsde. ed.pdf	ents s), transfer(s) or of lrc.gov.on.ca/BFIS	ther document(s) SWebPublic/pub/viewDocume	ent?attachmentId=24359&fileNar	ne=Transfer+De
Document H Document T Document N Document L	leading: ype: ame: ink:	Supporting Docume Certificate of Status administratorsmithy https://www.lrcsde. smithyaleriote+corr	ents 3 valeriote com_201 Irc.gov.on.ca/BFIS 1_20130719_0929	30719_092937.pdf SWebPublic/pub/viewDocum 337.pdf	ent?attachmentId=24354&fileNar	ne=administrator
Document H Document T Document N Document L	eading: ype: ame: ink:	Supporting Docume A Current plan of S 61R11714.pdf https://www.lrcsde. df	ents urvey Irc.gov.on.ca/BFIS	SWebPublic/pub/viewDocum	ent?attachmentId=24353&fileNar	ne=61R11714.p
Document H Document T Document N Document L	leading: ype: ame: ink:	Supporting Docume Proof of the owner' Agent Authorizatior https://www.lrcsde. rization+Letter+Par	ents s authorization h Letter Part 1 DS Irc.gov.on.ca/BFIS t+1+DS.pdf	.pdf SWebPublic/pub/viewDocum	ent?attachmentId=24352&fileNar	ne=Agent+Autho
33	6 of 6	ESE/184.2	346.0 / 7.40	246 ARKELL ROAD, ( 1E6 Guelph ON	GUELPH, ONTARIO N1L	RSC
Reg No: RA No: RSC Type: Curr Propert District Offic Date Submit Date Ack: Date Returne Restoration Soil Type: Criteria: CPU Issued	209 Pha Pha Agri ce: Gue ted: 201 ed: Type: Sect	546 se 1 RSC cultural/Other lph District Office 3/08/07		Cert Date: Cert Prop Use No: Intended Prop Use: Nm of Qual. Person: Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Accuracy Estimate: Telephone: Fax: Email:	Parkland Marian Molodecki	
1686: Asmt Roll No Prop. ID No: Property Mu Mailing Addu Latitude & L UTM Coordiu	o: nicipal Address: ress: atitude: nates:	23 08 010 011 010 71505 0684 LT 246 ARKELL ROAI	40 0000 D, GUELPH, ONT	ARIO N1L 1E6		
Consultant: Filing Owner	<u>.</u>	Victoria Wood (Ark	ell) Ltd.			

Map Key	Number o Records	of Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Legal Desc: Measuremen Applicable S RSC PDF:	nt Method: Standards:	https://www.lrcsde. DS-E-FILE.pdf	lrc.gov.on.ca/BFIS	WebPublic/pub/viewDocum	ent?attachmentId=24444&fileName=BROWNFIEL
<u>Details</u> Document H Document T Document N Document L	leading: ype: lame: ink:	Supporting Docum Table of Current ar Table of Current ar https://www.lrcsde. rrent+and+Past+Us	ents Id Past Property L Id Past Uses.pdf Irc.gov.on.ca/BFIS ses.pdf	lse WebPublic/pub/viewDocum	ent?attachmentId=24441&fileName=Table+of+Cu
Document H Document T Document N Document L	leading: ype: lame: ink:	Supporting Docume Proof of the owner' Agent Authorization https://www.Ircsde. rization+Letter.pdf	ents s authorization h Letter.pdf Irc.gov.on.ca/BFIS	WebPublic/pub/viewDocum	ent?attachmentId=24446&fileName=Agent+Autho
Document H Document T Document N Document L	leading: ype: lame: ink:	Supporting Docum Lawyer's letter con Legal Description L https://www.Ircsde. ption+Letterr.pdf	ents sisting of a legal d .etterr.pdf Irc.gov.on.ca/BFIS	escription of the property WebPublic/pub/viewDocum	ent?attachmentId=24447&fileName=Legal+Descri
Document H Document T Document N Document L	leading: ype: lame: ink:	Supporting Docume Copy of any deed(s Transfer Deed.pdf https://www.lrcsde. ed.pdf	ents s), transfer(s) or of lrc.gov.on.ca/BFIS	her document(s) WebPublic/pub/viewDocum	ent?attachmentId=24445&fileName=Transfer+De
Document H Document T Document N Document L	leading: ype: lame: ink:	Supporting Docum Phase 1 Conceptua Phase One CSM.p https://www.lrcsde. CSM.pdf	ents al Site Model df Irc.gov.on.ca/BFIS	WebPublic/pub/viewDocum	ent?attachmentId=24440&fileName=Phase+One+
Document H Document T Document N Document L	leading: ype: lame: ink:	Supporting Docume Certificate of Status Certificate of Status https://www.lrcsde. +Status.pdf	ents s s.pdf Irc.gov.on.ca/BFIS	WebPublic/pub/viewDocum	ent?attachmentId=24439&fileName=Certificate+of
Document H Document T Document N Document L	leading: ype: lame: ink:	Supporting Docum A Current plan of S Current Plan of Sun https://www.lrcsde. +of+Survey.pdf	ents urvey vey.pdf Irc.gov.on.ca/BFIS	WebPublic/pub/viewDocum	ent?attachmentId=24443&fileName=Current+Plan
34	1 of 1	S/186.0	334.9 / -3.72	164 And 174 Arkell R Guelph ON	d EHS
Order ID: Order No: Customer ID Company ID Status: Report Code Report Type Report Date.	); ; ; ;	219047 20120821014 39567 50665 C 2CAN Standard Select Report 24-AUG-12		Date Received: Lot/Building Size: Municipality: Client Prov/State: Search Radius (km): Large Radius: X: Y:	21-AUG-12 ON .25 2 -80.193745 43.518442

Report Date: Report Requested by: Nearest Intersection: Previous Site Name: Additional Info Ordered:

LVM Inc.

Well ID: Construction Date: Primary Water Use: Sec. Water Use:	6713994	Data Entry Status: Data Src: Date Received: Selected Flag:	1 2/11/2002 Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	0000
Water Type:		Contractor:	2663
Casing Material:		Form Version:	1
Audit No:	235121	Owner:	
Tag:		Street Name:	
Construction Method:		County:	WELLINGTON
Elevation (m):		Municipality:	PUSLINCH TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	005
Well Depth:		Concession:	08
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:		,	

## Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc:	1052852 Improved No forma 08-NOV-	9 d ation data 01	Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	334.57 17 565175 N83 4819440 3 margin of error : 10 - 30 m	
Location Source Date: Improvement Location Improvement Location Source Revision Comm Supplier Comment:	Source: Method: ent:	1999-2004 MOE Water Well Data Impro GIS10000 Northing and/or Easting field has been features).approx using RD names Accuracy was not specified from source scale of 1:10000.	-2004 MOE Water Well Data Improvement Project 0000 ning and/or Easting field has been changed. Reasonably sure well location matches sketch map ires).approx using RD names iracy was not specified from source. Within 20m horizontal accuracy assumed as worst case usi a of 1:10000.		
Method of Construction	& Well				
Method Construction IE Method Construction C Method Construction: Other Method Construct	): ode: tion:	966713994 0 Not Known			
Pipe Information					
Pipe ID: Casing No: Comment: Alt Name:		11077099 1			

Map Key Numbe Record		r of Direction/ s Distance (m)	Elev/Diff (m)	Site		DB
<u>36</u> 1 of 2		S/196.8	334.9 / -3.72	The Corporation of th 164 Arkell Rd Guelph ON N1H 3A1	ne City of Guelph	ECA
Approval No. Approval Dat Status: Record Type Link Source: Approval Typ Project Type Address: Full Address Full PDF Linl	: : : : k:	7075-5VVHYU 2004-02-05 Approved ECA IDS ECA-Municipal Drin Municipal Drinking 164 Arkell Rd	nking Water System Water Systems	SWP Area Name: MOE District: City: Longitude: Latitude:		
<u>36</u>	2 of 2	S/196.8	334.9 / -3.72	City of Guelph 164 Arkell Road Guelph ON		SPL
Ref No: Site No: Incident Dt: Year: Incident Cau Incident Even Contaminant Con	se: nt: code: lame: limit 1: t Freq 1: d UN No 1: d Qty: d UN No 1: d Qty: t Impact: pact: pact: pact: sonseq: nse: on Scn: ed Dt: t Closed: lved: Class: son: nmary:	0325-ANCMS4 6/14/2017 Leak/Break 15 OIL (PETROLEUM BASED, 1 n/a 0 other - see incident descrip Land 2 - Minor Environment 6/15/2017 Unknown / N/A C of Guelph: engin	NOT SPECIFIED) tion	Discharger Report: Material Group: Client Type: Sector Type: Source Type: Nearest Watercourse: Site Address: Site Address: Site District Office: Site County/District: Site Postal Code: Site Region: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Geo Ref Meth: Site Map Datum:	Municipal Government Miscellaneous Industrial Other Burke Well - Spill Site <unofficials 164 Arkell Road Guelph County of Wellington West Central Guelph</unofficials 	
37	1 of 16	N/198.1	334.8 / -3.81	1159 Victoria Road So Guelph ON N1L 1B3	outh	EHS
Order ID: Order No: Customer ID: Company ID: Status: Report Code. Report Type: Report Date: Report Requ Nearest Inter	ested by: rsection:	187508 20110530019 25686 383 C 4CAN Custom Report 6/7/2011 AME Materials Eng Victoria Road Sout	jineering h and Arkell Road	Date Received: Lot/Building Size: Municipality: Client Prov/State: Search Radius (km): Large Radius: X: Y:	5/30/2011 11:37:20 AM County of Wellington ON 0.25 0.25 -80.195388 43.531231	

Fire Insur. Maps and/or Site Plans; Aerial Photos

Previous Site Name: Additional Info Ordered:

Map Key	Number Records	of Direction/ Distance (m)	Elev/Diff (m)	Site		DB
<u>37</u>	2 of 16	N/198.1	334.8 / -3.81	1159 Victoria Road S Puslinch, Guelph ON		EHS
Order ID: Order No: Customer ID Company ID Status: Report Code Report Date: Report Date: Report Requ Nearest Intel Previous Site Additional In	e: : : : : : : : : : : : : : : : : : :	190922 20110809013 63887 50665 C 4CAN Custom Report 8/17/2011 LVM Inc.		Date Received: Lot/Building Size: Municipality: Client Prov/State: Search Radius (km): Large Radius: X: Y:	8/9/2011 10:55:36 AM ON 0.25 0.25 -80.195501 43.531231	
<u>37</u>	3 of 16	N/198.1	334.8 / -3.81	VICTORIA PARK GOL 1159 VICTORIA RD S GUELPH ON N1L 1B3	F CLUB WEST	FST
Instance No: Cont Name: Instance Typ Fuel Type: Status: Capacity: Tank Materia Corrosion Pl Tank Type: Install Year: Parent Facili Facility Type	al: rotection: ity Type: ::	11642795 FS Liquid Fuel Tan Gasoline Active 2200 Steel Painted Single Wall Horizor NULL Fuels Safety Privat FS Liquid Fuel Tan	k ntal AST e Fuel Outlet - Sel k	f Serve		
<u>37</u>	4 of 16	N/198.1	334.8 / -3.81	VICTORIA PARK GOL 1159 VICTORIA RD S GUELPH ON N1L 1B3	F CLUB WEST	FST
Instance No: Cont Name: Instance Typ Fuel Type: Status: Capacity: Tank Materia Corrosion Pl Tank Type: Install Year: Parent Facili Facility Type	al: rotection: ity Type: 2:	11642816 FS Liquid Fuel Tan Diesel Active 1360 Steel Painted Single Wall Horizor NULL Fuels Safety Privat FS Liquid Fuel Tan	k ntal AST e Fuel Outlet - Sel k	f Serve		
<u>37</u>	5 of 16	N/198.1	334.8 / -3.81	VICTORIA PARK GOL 1159 VICTORIA RD S GUELPH ON N1L 1B3	F CLUB WEST	FSTH
License Issu Tank Status: Tank Status Operation Ty Facility Type	e Date: As Of: /pe: :	8/3/2001 Licensed August 2007 Private Fuel Outlet Gasoline Station - S	Self Serve			

erisinfo.com | Environmental Risk Information Services

Order No: 20180824203

Map Key	Number Records	of	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Details</u> Status: Year of Insta Corrosion Pl	nllation: rotection:		Active			
Capacity: Tank Fuel Ty	/pe:		2200 Liquid Fuel Single V	Vall AST - Gasoline		
Status: Year of Insta Corresion Pi	allation:		Active			
Capacity: Tank Fuel Ty	/pe:		1360 Liquid Fuel Single V	Vall AST - Diesel		
<u>37</u>	6 of 16		N/198.1	334.8 / -3.81	VICTORIA PARK GOLF CLUB WEST 1159 VICTORIA RD S GUELPH ON N1L 1B3	FSTH
License Issu Tank Status: Tank Status Operation Ty Facility Type	le Date: As Of: ype: e:		8/3/2001 Licensed December 2008 Private Fuel Outlet Gasoline Station - S	elf Serve		
<u>Details</u> Status: Year of Insta Corrosion Pl	allation: rotection:		Active			
Capacity: Tank Fuel Ty	/pe:		2200 Liquid Fuel Single V	Vall AST - Gasoline		
Status: Year of Insta Corrosion Pl	ullation: rotection:		Active			
Capacity: Tank Fuel Ty	/pe:		1360 Liquid Fuel Single V	Vall AST - Diesel		
<u>37</u>	7 of 16		N/198.1	334.8 / -3.81	VICTORIA PARK GOLF CLUB WEST DIODORO INVESTMENTS 1159 Victoria Road South GUELPH ON N1L 1B3	GEN
Generator No Status:	o. <i>:</i>	ON09092	201		PO Box No.: Country:	
Approval Ye Contam. Fac	ars: :ility:	06,07,08			Choice of Contact: Co Admin:	
SIC Code: SIC Descript	tion:	713910	Golf Courses and C	ountry Clubs	Phone No. Admin:	
<u>Details</u> Waste Code: Waste Descr	: ription:		213 PETROLEUM DIST	ILLATES		
Waste Code: Waste Descr	: ription:		252 WASTE OILS & LUI	BRICANTS		
<u>37</u>	8 of 16		N/198.1	334.8 / -3.81	VICTORIA PARK GOLF CLUB WEST DIODORO INVESTMENTS 1159 Victoria Road	GEN

Order No: 20180824203

Мар Кеу	Number Records	r of s	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
					South GUELPH ON N1L 1B3	
Generator No.: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON09092 2009	201		PO Box No.: Country: Choice of Contact:	
		713910	Golf Courses and C	Country Clubs	Co Admin: Phone No. Admin:	
<u>Details</u> Waste Code: Waste Descri	ption:		213 PETROLEUM DIST	TILLATES		
Waste Code: Waste Descri	ption:		252 WASTE OILS & LU	BRICANTS		
<u>37</u>	9 of 16		N/198.1	334.8 / -3.81	VICTORIA PARK GOLF CLUB WEST DIODORO INVESTMENTS 1159 Victoria Road South GUELPH ON N1L 1B3	GEN
Generator No.: Status:		ON09092	201		PO Box No.: Country:	
Approval Years: Contam. Facility: MHSW Facility:	2010			Choice of Contact: Co Admin:		
MHSW Facility: SIC Code: 7 SIC Description:		713910	Golf Courses and C	Country Clubs	Phone No. Admin:	
<u>Details</u> Waste Code: Waste Descri	ption:		213 PETROLEUM DIST	ILLATES		
Waste Code: Waste Descri	ption:		252 WASTE OILS & LU	BRICANTS		
<u>37</u>	10 of 16		N/198.1	334.8 / -3.81	VICTORIA PARK GOLF CLUB WEST DIODORO INVESTMENTS 1159 Victoria Road South GUELPH ON N1L 1B3	GEN
Generator No Status:	.:	ON09092	201		PO Box No.: Country:	
Approval Yea Contam. Faci	nrs: lity:	2012			Choice of Contact: Co Admin:	
MHSW Facilit SIC Code: SIC Description	y: on:	713910	Golf Courses and C	Country Clubs	Phone No. Admin:	
<u>Details</u> Waste Code: Waste Descri	ption:		213 PETROLEUM DIST	TILLATES		
Waste Code: Waste Descri	ption:		252 WASTE OILS & LU	BRICANTS		

Мар Кеу	Numbe Record	r of s	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
37	11 of 16		N/198.1	334.8 / -3.81	VICTORIA PARK GOLF CLUB WEST DIODORO INVESTMENTS 1159 Victoria Road South GUELPH ON N1L 1B3	GEN
Generator N	o. <i>:</i>	ON0909	201		PO Box No.:	
Status: Approval Ye	ars:	2011			Country: Choice of Contact:	
Contam. Fac MHSW Facili	ility: itv:				Co Admin: Phone No. Admin:	
SIC Code:		713910		Country Olytha		
SIC Descript	1011.		Goli Courses and C			
<u>Details</u> Waste Code: Waste Descr	ription:		213 PETROLEUM DIS	TILLATES		
Waste Code: Waste Descr	ription:		252 WASTE OILS & LU	JBRICANTS		
<u>37</u>	12 of 16		N/198.1	334.8 / -3.81	VICTORIA PARK GOLF CLUB WEST DIODORO INVESTMENTS R.R. #21159 Victoria Road South GUELPH ON N1L 1B3	GEN
Generator No.: ON0909		ON0909	201		PO Box No.:	
Status: Approval Yea Contam. Fac MHSW Facili SIC Code: SIC Descript	ars: :ility: ity: tion:	02,03,04			Country: Choice of Contact: Co Admin: Phone No. Admin:	
<u>Details</u> Waste Code: Waste Descr	: ription:		213 PETROLEUM DIS	TILLATES		
Waste Code: Waste Descr	ription:		252 WASTE OILS & LU	JBRICANTS		
<u>37</u>	13 of 16		N/198.1	334.8 / -3.81	VICTORIA PARK GOLF CLUB WEST DIODORO INVESTMENTS R.R. #2 1159 Victoria Road South GUELPH ON N1L 1B3	GEN
Generator N	o.:	ON0909	201		PO Box No.:	
Status: Approval Ye	ars:	05			Country: Choice of Contact:	
Contam. Fac MHSW Facili	ility: itv:				Co Admin: Phone No. Admin:	
SIC Code: SIC Descript	tion:	713910	Golf Courses and (	Country Clubs		
<u>Details</u> Waste Code: Waste Descr	ription:		213 PETROLEUM DIS	TILLATES		
Waste Code: Waste Descr	ription:		252 WASTE OILS & LU	JBRICANTS		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>37</u>	14 of 16	N/198.1	334.8 / -3.81	Victoria Park Village Inc. Property of Victoria Park Village Inc. 1159 Victoria Road South, Lot: 5, Concession: 8, Geographic Township of Puslinch, City of Guelph, County of Wellington CITY OF GUELPH ON	PTTW
EBR Registr	ry No.:	012-7633			
Ministry Ref	. NO.:	3060-A9EHZG			
Notice Type		October 13, 2016	I		
Proposal Da	ite:	May 13, 2016			
Year:		2016			
Proponent A	Address:	410 Industrial Drive	, Milton Ontario, C	anada L9T 5A6	
Instrument Type:		(OWRA s. 34) - Per	mit to Take Water		
Location Ot	her:				

#### Location:

Property of Victoria Park Village Inc. 1159 Victoria Road South, Lot: 5, Concession: 8, Geographic Township of Puslinch, City of Guelph, County of Wellington CITY OF GUELPH

<u>37</u>	15 of 16	N/198.1	334.8 / -3.81	Victoria Park Village Inc. 1159 Victoria Road South Lot 5, Concession 8 City of Guelph, County of Wellington CITY OF GUELPH ON	PTTW
EBR Registi Ministry Ref Notice Type Notice Date Proposal Da Year: Proponent A Instrument Location Ot	ry No.: . No.:	013-1122 4843-APDPLJ Instrument Decisio October 13, 2017 July 26, 2017 2017 410 Industrial Driv (OWRA s. 34) - Pe	on e, Milton Ontario, Ca ermit to Take Water	anada L9T 5A6	
Location:					

1159 Victoria Road South Lot 5, Concession 8 City of Guelph, County of Wellington CITY OF GUELPH

<u>37</u> 1	6 of 16	N/198.1	334.8 / -3.81	Victoria Park Village Inc. Property of Victoria Park Village Inc. 1159 Victoria Road South, Lot: 5, Concession: 8, Geographic Township of Puslinch, City of Guelph, County of Wellington CITY OF GUELPH ON	РТТЖ			
EBR Registry N	lo.:	012-7633						
Ministry Ref. No.	D. <i>:</i>							
Notice Type:		Instrument Propo	sal					
Notice Date:		May 13, 2016						
Proposal Date:		May 13, 2016						
Year: 2016								
Proponent Address:		410 Industrial Drive, Milton Ontario, Canada L9T 5A6						
Instrument Type: Location Other:		Victoria Park Village Inc. (OWRA s. 34) - Permit to Take Water						

Map Key	Number of	Direction/	Elev/Diff	Site
	Records	Distance (m)	(m)	

## Location:

Property of Victoria Park Village Inc. 1159 Victoria Road South, Lot: 5, Concession: 8, Geographic Township of Puslinch, City of Guelph, County of Wellington CITY OF GUELPH

<u>38</u>	1 of 1	E/201.2	344.9 / 6.28	lot 6 con 8 ON		wwis
Well ID: Construction Primary Wate Sec. Water U Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction Elevation (m) Elevation Rel Depth to Bed Well Depth: Overburden! Pump Rate: Static Water I Flowing (Y/N) Flow Rate: Clear/Cloudy	Date: er Use: se: atus: rial: Method: liability: liability: lrock: Bedrock: Level: ):	6704984 Test Hole		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 2/25/1974 Yes 2336 1 WELLINGTON PUSLINCH TOWNSHIP 006 08 CON	
Bore Hole Int DP2BR: Spatial Statu: Code OB: Code OB: Cluster Kind: Date Comple Remarks: Elevrc Desc: Location Sou Improvement Source Revis Supplier Con	Formation S: S: ted: Location S Location N Sion Comme Inment:	10469086 o Overburden 21-JAN-74 Pource: Method: ent:		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	345.42 17 565495.3 4819023 4 margin of error : 30 m - 100 m p4	
Overburden a Materials Inte Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Other Materia Mat3: Other Materia Formation To	and Bedroci erval : on Material: als: als: op Depth:	k 932624409 5 6 BROWN 05 CLAY 12 STONES 19				

	Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
-	Formation End Formation End	l Depth: l Depth UOM:	20 ft			
	Formation ID:		932624407			
	Layer:		3			
	Color:		6			
	General Color:		BROWN			
	Most Common	Material	GRAVEI			
	Mat2:	material	13			
	Other Material	s:	BOULDERS			
	Mat3:					
	Other Material	S: Domthi	0			
	Formation For	Depth: Depth:	9 13			
	Formation End	Depth UOM:	ft			
		-				
	Formation ID:		932624406			
	Color:		2			
	General Color:		BROWN			
	Mat1:		28			
	Most Common	Material:	SAND			
	Mat2: Other Material	c.	11 GRAVEI			
	Mat3:	5.	05			
	Other Material	s:	CLAY			
	Formation Top	Depth:	1			
	Formation End	I Depth: I Depth LIOM:	9 ft			
	I of mation End	Depair 00m.	it in			
	Formation ID:		932624408			
	Layer:		4			
	Color: General Color					
	Mat1:		28			
	Most Common	Material:	SAND			
	Mat2:		11			
	Other Material	s:	GRAVEL			
	Other Material	s:	CLAY			
	Formation Top	Depth:	13			
	Formation End	Depth:	19			
	Formation End	I Depth UOM:	ft			
	Formation ID:		932624405			
	Layer:		1			
	Color:		6			
	General Color:		BROWN			
	Most Common	Material:	TOPSOIL			
	Mat2:					
	Other Material	s:				
	Mat3:					
	Formation Tor	s. Depth:	0			
	Formation End	Depth:	1			
	Formation End	Depth UOM:	ft			
	Method of Con	struction & Well				
	<u>USe</u>					
	Method Const	ruction ID:	966704984			
	Method Const	ruction Code:	1			
	Method Const	ruction:	Cable Tool			

Мар Кеу	Number of Records	f Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Other Metho	d Constructior	1:				
<u>Pipe Informa</u>	<u>tion</u>					
Pipe ID: Casing No: Comment: Alt Name:		11017656 1				
<u>Construction</u>	Record - Cas	ing				
Casing ID: Layer: Material: Open Hole of Depth From: Depth To: Casing Diam Casing Diam Casing Depth	r Material: eter: eter UOM: h UOM:	930763330 1 1 STEEL 20 5 inch ft				
<u>Results of W</u>	ell Yield Testir	ng				
Pump Test IL Pump Set At Static Level: Final Level A Recommend Pumping Rate Recommend Levels UOM: Rate UOM: Water State J Water State J Pumping Du Pumping Du Flowing: Draw Down & Pump Test D Test Type: Test Duration Test Level: Test Level U	D: ifter Pumping: led Pump Dept te: led Pump Rate defter Test Code After Test: st Method: ration HR: ration HR: ration MIN: <u>&amp; Recovery</u> Detail ID: n: OM:	996704984 8 h: c ft GPM 2 CLOUDY 2 0 5 5 N 935135868 Recovery 60 8 ft				
<u>39</u>	1 of 1	S/201.8	334.9 / -3.72	lot 6 con 8 ON		WWIS
Well ID: Construction Primary Wate Sec. Water U Final Well St Water Type: Casing Mate Audit No: Tag: Construction Elevation (m)	67 n Date: er Use: Ise: atus: To rial: n Method: ):	704985 est Hole		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality:	1 2/25/1974 Yes 2336 1 WELLINGTON PUSLINCH TOWNSHIP	
Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
--	---	---	------------------	---	--	----
Elevation Rel Depth to Bed Well Depth: Overburden/E Pump Rate: Static Water I Flowing (Y/N) Flow Rate: Clear/Cloudy.	iability: rock: Bedrock: Level: ::			Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	006 08 CON	
Bore Hole Inf	ormation					
Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Des Open Hole: Cluster Kind: Date Complet Remarks: Elevrc Desc: Location Sou	ted: 24-JAN-74	n		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	334.99 17 565140.3 4818689 4 margin of error : 30 m - 100 m p4	
Improvement Improvement Source Revis Supplier Com	Location Source: Location Method: ion Comment: iment:					
<u>Overburden a</u> <u>Materials Inte</u>	and Bedrock erval					
Formation ID. Layer: Color: General Color Mat1: Most Commo Mat2: Other Materia Mat3: Other Materia Formation To Formation En	r: 9 r: 6 r: 6 n Material: 0 nls: 6 p Depth: 0 nd Depth: 4 nd Depth UOM: fr	932624410 S BROWN 1 GRAVEL 91 FILL				
Formation ID. Layer: Color: General Colo. Mat1: Most Commo Mat2: Other Materia Mat3: Other Materia Formation To Formation En Formation ID. Layer:	: 9 4 6 7: E 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1	932624413 93ROWN 95 52LAY 92 5TONES 8 20 t 932624412				
Color: Color: General Colo Mat1:	r: E 1	BROWN				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Mat2: Other Materia Mat3: Other Materia Formation To Formation En Formation En	n Material: ls: o Depth: d Depth: d Depth UOM:	GRAVEL 28 SAND 05 CLAY 6 18 ft			
Formation ID: Layer: Color: General Color Mat1: Most Common Mat2: Other Materia Mat3: Other Materia Formation To, Formation En	: n Material: ls: ls: o Depth: d Depth: d Depth: d Depth UOM:	932624411 2 6 BROWN 02 TOPSOIL 4 6			
<u>Method of Co. Use</u>	nstruction & Well				
Method Const Method Const Method Const Other Method	truction ID: truction Code: truction: Construction:	966704985 1 Cable Tool			
<u>Pipe Informat</u>	ion				
Pipe ID: Casing No: Comment: Alt Name:		11017657 1			
Construction	Record - Casing				
Casing ID: Layer: Material: Open Hole or Depth From: Depth To: Casing Diame Casing Diame Casing Depth	Material: ter: ter UOM: UOM:	930763331 1 STEEL 20 5 inch ft			
<u>Results of We</u>	II Yield Testing				
Pump Test ID. Pump Set At: Static Level: Final Level Af Recommende Pumping Rate: Flowing Rate: Recommende	ter Pumping: d Pump Depth: s: d Pump Rate:	996704985 12			
Levels UOM: Rate UOM:		ft GPM			

Мар Кеу	Number Records	of	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Water State A Water State A Pumping Test Pumping Dura Pumping Dura Flowing:	fter Test C fter Test: t Method: ation HR: ation MIN:	ode:	2 CLOUDY 2 0 5 N				
<u>Draw Down &amp;</u>	Recovery						
Pump Test De Test Type: Test Duration Test Level: Test Level UC	etail ID: : DM:		935135869 Recovery 60 12 ft				
<u>40</u>	1 of 1		WNW/215.2	334.9/-3.72	The Corporation of the	e City of Guelph	ECA
					Guelph ON N1H 3A1		
Approval No: Approval Date Status: Record Type: Link Source: Approval Typ Project Type: Address: Full Address: Full PDF Link	e: :	2573-AK3 2017-03- Approved ECA IDS	BPCF B ECA-MUNICIPAL A MUNICIPAL AND F https://www.access	ND PRIVATE SEV RIVATE SEWAGE environment.ene.g	SWP Area Name: MOE District: City: Longitude: Latitude: NAGE WORKS WORKS	Grand River Guelph Guelph -80.198 43.5229 AG5MJL-14.pdf	
<u>41</u>	1 of 1		SE/225.1	337.9/-0.72	The Corporation of the Corner of Coutts Could Guelph ON	e City of Guelph rt and Bard Blvd.	SPL
Ref No:		1073-734	L78		Discharger Report:		
Site No: Incident Dt:					Material Group: Client Type:	Oil	
Year: Incident Caus Incident Even Contaminant Contaminant Contaminant Contam Limit	e: t: Code: Name: Limit 1: Freg 1:	Other Dis 13 DIESEL F	charges FUEL		Sector Type: Source Type: Nearest Watercourse: Site Name: Site Address: Site District Office: Site County/District:	Other Motor Vehicle Garbage Truck <unofficial></unofficial>	
Contaminant Contaminant Environment Nature of Imp Receiving Me Receiving Em Health/Env Co MOE Respons Dt MOE Arvl of MOE Reported Dt Document	UN No 1: Qty: Impact: act: dium: v: onseq: se: on Scn: d Dt: Closed:	400 L Confirme Soil Cont Land No Field 5/11/2007 7/6/2007	d amination Response 7		Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Geo Ref Meth: Site Map Datum:	Guelph	
Agency Involu SAC Action C Incident Reas Incident Sumi	ved: lass: on: mary:		Unknown - Reason Guelph: Garbage T	not determined ruck Rollover, Dies	sel to road		

r of Direction/ s Distance (m)	Elev/Diff (m)	Site	DB
S/227.4	334.9 / -3.72	lot 6 con 8 ON	wwis
6702585 Livestock Domestic Water Supply		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 1/9/1952 Yes 2414 1 WELLINGTON GUELPH CITY (PUSLINCH TWP) 006 08 CON
10466728 102 r Bedrock 17-SEP-51 Source: Method: ent:		Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	334.3 17 565065.3 4818651 9 unknown UTM p9
<u>k</u>			
932614447 4 14 HARDPAN 79 89 ft 932614445 2 11			
	r of S/227.4 6702585 Livestock Domestic Water Supply 10466728 10466728 102 r Bedrock 17-SEP-51 Source: ent: 932614447 4 P32614447 4 P32614445 2 11	r of Direction/ Distance (m) Elev/Diff SZ27.4 334.9 / - 3.72 6702585 Livestock Domestic Water Supply 10466728 102 r Bedrock 17-SEP-51 Source: wethod: art 932614447 4 HARDPAN 7 932614445 2 11	rof s Direction/ Distance (m) Elev/Diff (m) Site   \$227.4 334.9/-3.72 lot 6 con 8 ON   6702585 Data Entry Status: Data Src: Livestock Data Entry Status: Data Src: Data Src: Oncession: Contractor: Form Version: Owmer: Street Mame: County: Municipality: Site info: Lot Concession Name: Easting NADB3: Zone: UTM Reliability:   10466728 Elevation: Elevrc: Zone: UTM Reliability:   102 Elevation: Elevrc: Zone: UTM Reliability:   103 Source: Method: ent:   932614447   4   HARDPAN   79 932614445   11

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DE
Most Commo	n Material:	GRAVEL			
Mat2:					
Other Materia	ls:				
Mat3: Othor Motoric					
Formation To	n Denth	50			
Formation En	d Depth:	65			
Formation En	d Depth UOM:	ft			
Formation ID		932614446			
Layer:		3			
Color:					
General Colo Mat1.	r:	05			
Most Commo	n Material:	CLAY			
Mat2:		09			
Other Materia	ls:	MEDIUM SAND			
Mat3:					
Other Materia	ls: n Doméha	05			
Formation Fo	p Depth: d Depth:	00 70			
Formation En	d Depth UOM:	ft			
Formation ID	•	932614444			
Layer:		1			
Color:		3 BLUE			
Mat1		05			
Most Commo	n Material:	CLAY			
Mat2:		13			
Other Materia	ls:	BOULDERS			
Mat3:					
Other Materia	IS: n Donthi	0			
Formation Fr	p Depin. d Depth:	50			
Formation En	d Depth UOM:	ft			
Formation ID		932614449			
Layer:		6			
Color:		6			
General Colo	r:	BROWN			
Matt: Most Commo	n Mətorial·	LIMESTONE			
Mat2:	n material.	LIMEOTONE			
Other Materia	ls:				
Mat3:					
Other Materia	ls:	100			
Formation To	p Depth:	102			
Formation En	d Depth UOM:	ft			
Formation ID		932614448			
Laver:		5			
Color:		-			
General Colo	r:				
Mat1:		09			
Most Commo	n Material:	MEDIUM SAND			
Matz: Other Materia	le ·				
Mat?	13.				
Other Materia	ls:				
Formation To	p Depth:	89			
Formation En	d Depth:	102			
Formation En	d Depth UOM:	ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DE
<u>Method of Con</u> <u>Use</u>	struction & Well				
Method Constr Method Constr Method Constr Other Method (	uction ID: uction Code: uction: Construction:	966702585 1 Cable Tool			
Pipe Informatio	<u>on</u>				
Pipe ID: Casing No: Comment: Alt Name:		11015298 1			
Construction R	Record - Casing				
Casing ID: Layer: Material: Open Hole or M Depth From: Depth To: Casing Diamet	faterial: er:	930759051 1 1 STEEL 102 7			
Casing Diamete Casing Depth L	er UOM: JOM:	inch ft			
Casing ID: Layer: Material: Open Hole or M Depth From: Depth To: Casing Diamete Casing Diamete Casing Depth U	laterial: er: er UOM: JOM:	930759052 2 4 OPEN HOLE 113 7 inch ft			
<u>Results of Well</u>	l Yield Testing				
Pump Test ID: Pump Set At: Static Level: Final Level Afte Recommended Pumping Rate: Flowing Rate: Recommended Levels UOM: Rate UOM: Water State Aft Water State Aft Pumping Test I Pumping Durat Flowing:	er Pumping: I Pump Depth: I Pump Rate: ter Test Code: ter Test: Method: tion HR: tion MIN:	996702585 29 39 6 ft GPM 1 CLEAR 1 2 0 N			
<u>Water Details</u>					
Water ID: Layer: Kind Code: Kind:		933954925 1 1 FRESH			

Map Key	Numbei Record	r of s	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Water Found Water Found	d Depth: d Depth UOI	M:	105 ft				
<u>43</u>	1 of 1		NNW/235.6	334.9 / -3.69	GUELPH ON		wwis
Well ID <sup>.</sup>		6715740			Data Entry Status:		
Construction	n Date:	0110110			Data Src:		
Primary Wat	ter Use:	Not Usec	I		Date Received:	5/30/2006	
Sec. Water L	Jse:	<b>T</b>			Selected Flag:	Yes	
Final Well St	tatus:	l est Hole	<u>;</u>		Abandonment Rec:	7238	
Casing Mate	erial:				Form Version:	3	
Audit No:		Z39737			Owner:	-	
Tag:		A031808			Street Name:	1159 VICTORIA RD S	
Construction	n Method:				County:	WELLINGTON	
Elevation (m	1): Niahilituu				Municipality:	GUELPH CITY	
Depth to Re	drock:				Site info:		
Well Depth:	uiock.				Concession:		
Overburden/	/Bedrock:				Concession Name:		
Pump Rate:					Easting NAD83:		
Static Water	Level:				Northing NAD83:		
Flowing (Y/N	V):				Zone:		
Clear/Cloudy	y:				UTM Reliability:		
<u>Bore Hole In</u>	nformation						
Bore Hole ID	D:	1155826	1		Elevation:	334.6	
Spatial Statu	IS'				Zone:	17	
Code OB:		0			East83:	565009	
Code OB De	SC:	Overburc	len		Org CS:	UTM83	
Open Hole:					North83:	4819430	
Cluster Kind	l:				UTMRC:	3	
Date Comple	eted:	27-APR-(	06		UTMRC Desc:	margin of error : 10 - 30 m	
Flevre Desc	-				Location method:	wwi	
Location So	urce Date:						
Improvemen	t Location	Source:					
Improvemen	nt Location I	Method:					
Source Revi	ision Comm mment <sup>.</sup>	ent:					
Cuppilol Co.							
<u>Overburden</u> <u>Materials Int</u>	<u>and Bedroo terval</u>	<u>ck</u>					
Formation IL	D:		933048658				
Layer:			3				
General Col	or:						
Mat1:	<i>.</i>		28				
Most Comm	on Material:	ŗ	SAND				
Mat2:			11				
Other Materi	ials:		GRAVEL				
Mat3:	iala		06 SH T				
Conter Materi	iais: 'on Donth'		01L1 1.5				
Formation F	nd Denth		3.05				
Formation E	ind Depth U	ОМ:	m				
Formation IL	); D:		933048659				

Map Key Nu Rec	mber of cords	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer: Color: General Color: Mat1: Most Common Mat Mat2: Other Materials: Mat3: Other Materials: Formation Top Dep Formation End Dep Formation End Dep	terial:	4 2 GREY 34 TILL 06 SILT 3.05 4.57 m			
Formation ID: Layer: Color: General Color: Mat1: Most Common Mat Mat2: Other Materials: Mat3: Other Materials:	terial:	933048656 1 6 BROWN 02 TOPSOIL 65 DARK-COLOURED			
Formation Top Dep Formation End Dep Formation End Dep	oth: oth: oth UOM:	0 .3 m			
Formation ID: Layer: Color: General Color: Mat1: Most Common Mat Mat2: Other Materials: Mat3: Other Materials: Formation Top Dep Formation End Dep Formation End Dep	terial:	933048657 2 6 BROWN 06 SILT 11 GRAVEL .3 1.5 m			
<u>Annular Space/Aba</u> <u>Sealing Record</u>	andonment_				
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:		933289612 1 0 1.2 m			
<u>Method of Constru</u> <u>Use</u>	ction & Well				
Method Constructi Method Constructi Method Constructi Other Method Cons	on ID: 5 on Code: 6 on: 5 struction:	966715740 6 Boring			
Pipe Information					
Pipe ID: Casing No: Comment:		11567868 1			

Alt Name:

#### Construction Record - Casing

Casing ID:	930876887
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	1.57
Casing Diameter:	3
Casing Diameter UOM:	cm
Casing Depth UOM:	m

#### **Construction Record - Screen**

Screen ID:	933417712
Layer:	1
Slot:	10
Screen Top Depth:	1.57
Screen End Depth:	4.57
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	

#### Results of Well Yield Testing

Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate:	996715740
Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method:	ft GPM
Pumping Duration HR: Pumping Duration MIN: Flowing:	9 N

#### Hole Diameter

Hole ID:	11690360
Diameter:	15
Depth From:	0
Depth To:	4.57
Hole Depth UOM:	m
Hole Diameter UOM:	cm

44 1 of 1	NNW/246.6	334.2 / -4.33	lot 5 con 8 ON		WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status:	6709380 Irrigation 0 Water Supply		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec:	1 9/7/1988 Yes	

109

erisinfo.com | Environmental Risk Information Services

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Water Type: Casing Materia Audit No: Tag: Construction M Elevation (m): Elevation Relia Depth to Bedro Well Depth: Overburden/Be Pump Rate: Static Water Le Flowing (Y/N): Flow Rate: Clear/Cloudy:	al: 31892 Method: ability: ock: edrock: evel:			Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	2336 1 WELLINGTON PUSLINCH TOWNSHIP 005 08 CON	
Bore Hole Info	<u>rmation</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc Open Hole: Cluster Kind: Date Complete Remarks: Elevrc Desc: Location Sourd Improvement L Source Revisio Supplier Comm	10473233 64 r Bedrock ad: 30-JUL-88 ce Date: Location Source: Location Method: on Comment: ment:			Elevation: Elevrc: Zone: East83: Org CS: North83: UTMRC: UTMRC Desc: Location Method:	334.6 17 565013.3 4819448 5 margin of error : 100 m - 300 m gps	
<u>Overburden an</u> Materials Inter	<u>nd Bedrock</u> val					
Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Other Materials Mat3: Other Materials Formation Top Formation End Formation End	9   2     1   2     1   1     1	932643286 2 3 3 5 5 5 5 5 5 4 t				
Formation ID:	ç	32643285				

Formation ID:	93264328
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	28
Other Materials:	SAND
Mat3:	11
Other Materials:	GRAVEL
Formation Top Depth:	0
Formation End Depth:	15
Formation End Depth UOM:	ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932643288			
Layer:		4			
Color:		6			
General Color	?	BROWN			
Mat1: Maat Commo	n Matariali	26 ROCK			
Most Commo	n wateriai:	RUCK			
Malz. Othor Matoria	le•				
Mat3	13.				
Other Materia	ls:				
Formation To	p Depth:	75			
Formation En	d Depth:	105			
Formation En	d Depth UOM:	ft			
Formation ID:		932643287			
Layer:		3			
Color:		6			
General Color	?	BROWN			
Matt: Most Commo	n Matorial:				
Mat2.	n watenar.	NOON			
Other Materia	ls:				
Mat3:					
Other Materia	ls:				
Formation To	p Depth:	64			
Formation En	d Depth:	75			
Formation En	d Depth UOM:	ft			
Formation ID:		932643289			
Layer:		5			
Color:		6			
General Color	?	BROWN			
Mat1: Most Commo	n Matariali				
Most Commo Mat2:	n waterial:	RUCK			
Other Materia	ls:				
Mat3:					
Other Materia	ls:				
Formation To	p Depth:	105			
Formation En	d Depth:	135			
Formation En	d Depth UOM:	ft			
Formation ID:		932643290			
Layer:		6			
Color:					
General Color Mot1:	:				
Most Commo	n Material·	ROCK			
Mat2:	n material.	ROOK			
Other Materia	ls:				
Mat3:					
Other Materia	ls:				
Formation To	p Depth:	135			
Formation En	d Depth:	178			
Formation En	d Depth UOM:	ft			
Method of Co	nstruction & Well				
Use					
Method Cons	truction ID:	966709380			
Method Cons	truction Code	4			
Method Cons	truction:	Rotary (Air)			
Other Method	Construction:	,			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Informa</u>	<u>tion</u>				
Pipe ID:		11021803			
Casing No:		1			
Comment:					
Alt Name:					
Construction	n Record - Casing				
Casing ID:		930770383			
.ayer:		2			
laterial:		4			
open Hole of	r Material:	OPEN HOLE			
epth From:		178			
asing Diam	eter:	6			
asing Diam	eter UOM:	inch			
asing Deptl	h UOM:	ft			
asing ID:		930770382			
ayer:		1			
laterial:					
open Hole of	r Materiai:	SIEEL			
epth From:		65			
asing Diam	eter:	6			
asing Diam	eter UOM:	inch			
asing Deptl	h UOM:	ft			
esults of W	ell Yield Testing				
Pump Test IL	D:	996709380			
Pump Set At.	:				
tatic Level:	(	24			
inal Level A	tter Pumping:	42			
ecominenta umpina Pot	ed Pump Deptn:	300			
lowing Rate	.e.	500			
ecommend	ed Pump Rate:	300			
evels UOM:		ft			
ate UOM:		GPM			
/ater State /	After Test Code:	1			
ater State	After Test:	CLEAR			
umping Tes	st Method:	1			
umping Dui	ration HR:	24			
owing:		N			
)raw Down &	& Recovery				
Pump Test D	etail ID:	934342640			
est Type:		Recovery			
est Duration	n:	15			
est Level:		31			
est Level U	OM:	ft			
ump Test D	etail ID:	934869977			
est Type:		Recovery			
est Duration	n:	45			
est Level:	~~	30			
est Level U	OM:	ft			
112	erisinfo.com   Er	vironmental Risk Info	rmation Service	es	Order No: 20180824203

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test L	Detail ID:	934617253			
Test Type:		Recovery			
Test Duratio	n:	30			
Test Level:		31			
Test Level U	OM:	ft			
Pump Test L	Detail ID:	935138224			
Test Type:		Recovery			
Test Duratio	n:	60			
Test Level:		30			
Test Level U	ОМ:	ft			
<u>Water Detail</u>	<u>s</u>				
Water ID:		933962765			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found	l Depth:	150			
Water Found	I Depth UOM:	ft			
Water ID:		933962766			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found	l Depth:	175			
Water Found	I Depth UOM:	ft			

# Unplottable Summary

## Total: 16 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
AAGR		Lot 5-8 Con 5	Guelph ON	
СА	DIRK WYNEN, O/A DIRK WYNEN SERVICES	PT.LOT 6/CONC.6, RP# 61R-4245	GUELPH TWP. ON	
СА	Elora Rail Trail Sewer	Part of Lot 6, Lot 7 & Lot 8, RPlan 246	Centre Wellington ON	
СА	The Corporation of the City of Guelph	Arkell Rd (from Gordon Street to Victoria Road)	Guelph ON	
СА	TWP.	ARKELL RD. (RD.37)	PUSLINCH ON	
СА	The Corporation of the City of Guelph	Arkell Rd (from Gordon Street to Victoria Road)	Guelph ON	
NPCB	MENAGEMENT BOARD SECRETARIAT	ARKELL ROAD ARKELL RESEARCH STATION	ARKELL ON	
OPCB	MANAGEMENT BOARD SECRETARIAT	ARKELL RESEARCH STATION ARKELL ROAD	ARKELL ON	
PES	DUTCH MILL NURSERY LTD.	R.R. #2, ARKELL ROAD	GUELPH ON	
PTTW	Diodoro Investments Ltd. c/o Victoria Park Golf Club West	Lot 5, Concession 8, City of Guelph, Wellington County CITY OF GUELPH	ON	
SPL	ONTARIO HYDRO	LOT 5, MOTOR VEHICLE (OPERATING FLUID)	ERIN TOWN ON	
WWIS		lot 5	ON	
wwis		lot 5	ON	
WWIS		lot 5 con 8	ON	
WWIS		lot 5	ON	
WWIS		lot 5	ON	

# Unplottable Report

Site: Lot 5-8 Con 5 Gue	elph ON	Database: AAGR
Type: Region/County: Township: Concession:: Lot:: Size (ha):: Landuse:: Comments::	Wellington Guelph 5 5-8	
<u>Site:</u> DIRK WYNEN, O/A PT.LOT 6/CONC.6,	DIRK WYNEN SERVICES RP# 61R-4245 GUELPH TWP. ON	Database: CA
Certificate #:	8-2362-95-006	
Application Year:	95	
Issue Date:	10/23/95	
Approval Type:	Industrial air	
Status:	Approved	
Application Type:		
Client Name::		
Client Address::		
Client City::		
Client Postal Code::		
Project Description::	WASTE OIL FURNACE MODEL CB-2000	
Emission Control::	Vinyiluene Chionae (Also: 1, 1-Dichioroethene, Acetylene, Dicapi yi Phinalate	
<u>Site:</u> Elora Rail Trail Sev Part of Lot 6, Lot 7	wer 7 & Lot 8, RPlan 246 Centre Wellington ON	Database: CA
Certificate #:	2501-4N7PRA	
Application Year:	00	
Issue Date:	8/14/00	
Approval Type:	Municipal & Private sewage	
Status:	Approved	
Application Type:	New Certificate of Approval	
Client Name::	James Keating Construction Limited	
Client Address::	70 Mathieson St.	
Client City::	Centre Wellington	
Client Postal Code::	NOB 1SO	
Project Description::	installation of an underground sanitary sewer and apurtenances to service a commercial site	being 0.966 hectare
Contaminants:	111 5125.	
Emission Control::		
Site: The Corporation o	f the City of Gueloh	Database:
Arkell Rd (from Go	ordon Street to Victoria Road) Guelph ON	CA

Certificate #: Application Year: Issue Date: Approval Type: Status:

115

3084-7CAQT3 2008 3/7/2008 Municipal and Private Sewage Works Approved

Application Type: Client Name:: Client Address:: Client City:: Client Postal Code:: Project Description:: Contaminants:: Emission Control::

#### <u>Site:</u> TWP. ARKELL RD. (RD.37) PUSLINCH ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name:: Client Address:: Client City:: Client Postal Code:: Project Description:: Contaminants:: Emission Control:: 3-0361-85-006 85 7/10/85 Municipal sewage Approved

#### <u>Site:</u> The Corporation of the City of Guelph Arkell Rd (from Gordon Street to Victoria Road) Guelph ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name:: Client Address:: Client City:: Client Postal Code:: Project Description:: Contaminants:: Emission Control:: 9839-7CDS44 2008 3/7/2008 Municipal and Private Sewage Works Approved

#### <u>Site:</u> MENAGEMENT BOARD SECRETARIAT ARKELL ROAD ARKELL RESEARCH STATION ARKELL ON

Company Code: Industry: Site Status: Transaction Date: Inspection Date: F0453 UNDEFINED

#### <u>Site:</u> MANAGEMENT BOARD SECRETARIAT ARKELL RESEARCH STATION ARKELL ROAD ARKELL ON

Year: Site Number: Name Owner: Additional Site Information: 2004 20292A033

#### Site: DUTCH MILL NURSERY LTD.

116

erisinfo.com | Environmental Risk Information Services

Database: CA

Database: CA

Database: NPCB

Database:

Database:

OPCB

#### R.R. #2, ARKELL ROAD GUELPH ON

Vendor

Licence No: Detail Licence No: Licence Type Code: Licence Type: Licence Class: Licence Control: Trade Name: Post Office Box: Lot: Concession: Region: District: County: Operator Box: Operator Class: Operator No: Operator Type: Operator Lot: Oper Concession: Operator Region: Operator Region: Operator District: Operator County: Oper Phone Area Cd: Ext: Oper Phone No: Proponent Ext:

#### <u>Site:</u> Diodoro Investments Ltd. c/o Victoria Park Golf Club West Lot 5, Concession 8, City of Guelph, Wellington County CITY OF GUELPH ON

EBR Registry No.: Ministry Ref. No.: Notice Type: Notice Date: Proposal Date: Year: Proponent Address: Instrument Type: Location Other: IA03E0575 23024722 Instrument Decision July 13, 2004 April 29, 2003 2003 1159 Victoria Road South, Guelph Ontario, N1L 1B3 (OWRA s. 34) - Permit to Take Water

#### Location:

Lot 5, Concession 8, City of Guelph, Wellington County CITY OF GUELPH

#### <u>Site:</u> ONTARIO HYDRO LOT 5, MOTOR VEHICLE (OPERATING FLUID) ERIN TOWN ON

Ref No:	77068	Discharger Report:	
Incident Dt:	10/2/1992	Client Type:	
Year:		Sector Type:	
Incident Cause:	PIPE/HOSE LEAK	Source Type:	
Incident Event:		Nearest Watercourse:	
Contaminant Code:		Site Name:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site County/District:	
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:		Site Region:	
Environment Impact:	CONFIRMED	Site Municipality:	75405
Nature of Impact:	Soil contamination	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
Health/Env Conseq:		Easting:	
MOE Response:		Site Geo Ref Accu:	
Dt MOE Arvl on Scn:		Site Geo Ref Meth:	
MOE Reported Dt:	10/2/1992	Site Map Datum:	
Dt Document Closed:			
Agency Involved:			
SAC Action Class:			
Incident Reason:			
Incident Summary:	ONTARIO HYDRO: 4 L HYDRAULIC	OIL TO GRND DUETO BRO	DKEN HOSE ON TRUCK.



Site:

117

Database: WWIS

Database:

PTTW

#### lot 5 ON

6712643

Domestic

192865

10476476

Bedrock

46

Water Supply

Well ID: **Construction Date:** Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

#### Bore Hole Information

Bore Hole ID:

Spatial Status:

Code OB Desc:

DP2BR:

Code OB:

Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

1 9/14/1998 Yes 2663 1

WELLINGTON GUELPH TOWNSHIP

005

DIV B

Elevation:Elevrc:Zone:17East83:Org CS:North83:UTMRC:9UTMRC Desc:unknown UTMLocation Method:na

Open Hole: Cluster Kind: Date Completed: 01-SEP-98 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

#### <u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID:	932658195
Layer:	6
Color:	6
General Color:	BROWN
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	65
Other Materials:	DARK-COLOURED
Mat3:	
Other Materials:	
Formation Top Depth:	105
Formation End Depth:	121
Formation End Depth UOM:	ft
Formation ID:	932658194
Layer:	5
Color:	6
General Color:	BROWN
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Other Materials:	
Mat3:	

Other Materials:	
Formation Top Depth:	95
Formation End Depth:	105
Formation End Depth UOM:	ft
Formation ID:	932658192
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	11
Other Materials:	GRAVEL
Mat3:	
Other Materials:	
Formation Top Depth:	40
Formation End Depth:	46
Formation End Depth.	ft
ronnation End Depth Com.	it.
Formation ID:	032658101
	2
Layer.	2
Color:	
General Color:	BROWN
Mati:	28
Most Common Material:	SAND
Mat2:	11
Other Materials:	GRAVEL
Mat3:	
Other Materials:	
Formation Top Depth:	3
Formation End Depth:	40
Formation End Depth UOM:	ft
Formation ID:	932658190
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	12
Other Materials:	STONES
Mat3:	
Other Materials	
Formation Top Depth:	0
Formation End Depth:	3
Formation End Depth UOM:	ft
ronnation End Depth Com.	it.
Formation ID:	932658193
l aver:	4
Color:	6
General Color:	BROWN
Mat1:	15
Macr. Most Common Material:	LIMESTONE
Most Common Material.	
Malz.	
Other Materials.	LIGHT-COLOURED
Mats: Other Meteriale:	
Other Materials:	10
Formation 1 op Depth:	46
Formation End Depth:	95
Formation End Depth UOM:	π
Annular Space/Abandonment	
Annulai Space/AbanuOninient	
Sealing Record	
Plug ID:	022210004
riug ID.	300210031
Laver	1
Layer:	1
Layer: Plug From:	1

Plug Depth UOM:	ft
Method of Construction & Well Use	
Method Construction ID: Method Construction Code:	966712643 4
Method Construction:	Rotary (Air)

Pine	Information	

Other Method Construction:

Pipe ID:	11025046
Casing No:	1
Comment:	
Alt Name:	

Rotary (Air)

#### Construction Record - Casing

Casing ID:	930776264
Layer:	1
Material:	1
Open Hole or Material:	STEEL
Depth From:	
Depth To:	46
Casing Diameter:	6
Casing Diameter UOM:	inch
Casing Depth UOM:	ft
Casing ID:	930776265
Layer:	2
Material:	4
• · · · · · · · ·	
Open Hole or Material:	OPEN HOLE
Open Hole or Material: Depth From:	OPEN HOLE
Open Hole or Material: Depth From: Depth To:	OPEN HOLE
Open Hole or Material: Depth From: Depth To: Casing Diameter:	OPEN HOLE 121 6
Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM:	OPEN HOLE 121 6 inch

#### Results of Well Yield Testing

Pump Test ID:	996712643
Pump Set At:	
Static Level:	53
Final Level After Pumping:	93
Recommended Pump Depth:	100
Pumping Rate:	15
Flowing Rate:	
Recommended Pump Rate:	15
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	Ν

#### Draw Down & Recovery

Pump Test Detail ID:	934352796
Test Type:	Draw Down
Test Duration:	15
Test Level:	73
Test Level UOM:	ft

Pump Test Detail ID:	934869633
Test Type:	Draw Down
Test Duration:	45
Test Level:	93
Test Level UOM:	ft
Pump Test Detail ID:	934617381
Test Type:	Draw Down
Test Duration:	30
Test Level:	93
Test Level UOM:	ft
Pump Test Detail ID:	935130681
Test Type:	Draw Down
Test Duration:	60
Test Level:	93
Test Level UOM:	ft

#### Water Details

Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM:	933967102 1 FRESH 115 ft
Water ID:	933967103
Layer:	2
Kind Code:	1
Kind:	FRESH
Water Found Depth:	121
Water Found Depth UOM:	ft

## <u>Site:</u>

lot 5 ON

Database: WWIS

Well ID: Construction Date: Primary Water Use: Sec. Water Use:	6712410 Domestic	Data Entry Status: Data Src: Date Received: Selected Flag:	1 1/9/1998 Yes
Final Well Status: Water Type: Casing Material:	Water Supply	Abandonment Rec: Contractor: Form Version:	2336 1
Audit No: Tag: Construction Method: Elevation (m): Elevation Peliability:	186158	Owner: Street Name: County: Municipality: Site Info:	WELLINGTON PUSLINCH TOWNSHIP
Depth to Bedrock: Well Depth: Overburden/Bedrock:		Lot: Concession: Concession Name:	005 CON
Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
Bore Hole Information			

Bore Hole ID:	10476243	Elevation:	
DP2BR:	34	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	
Code OB Desc:	Bedrock	Org CS:	

Open Hole: Cluster Kind: Date Completed: 27-NOV-97 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

#### Overburden and Bedrock Materials Interval

Formation ID:	932657034
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	26
Most Common Material:	ROCK
Mat2:	65
Other Materials:	DARK-COLOURED
Mat3:	
Other Materials:	
Formation Top Depth:	34
Formation End Depth:	55
Formation End Depth UOM:	ft
•	
Formation ID:	932657032
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	12
Other Materials:	STONES
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	15
Formation End Depth UOM:	ft
	000053005
Formation ID:	932657035
Formation ID: Layer:	932657035 4
Formation ID: Layer: Color:	932657035 4 2
Formation ID: Layer: Color: General Color:	932657035 4 2 GREY
Formation ID: Layer: Color: General Color: Mat1:	932657035 4 2 GREY 26
Formation ID: Layer: Color: General Color: Mat1: Most Common Material:	932657035 4 2 GREY 26 ROCK
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2:	932657035 4 2 GREY 26 ROCK
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials:	932657035 4 2 GREY 26 ROCK
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3:	932657035 4 2 GREY 26 ROCK
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials:	932657035 4 2 GREY 26 ROCK
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth:	932657035 4 2 GREY 26 ROCK
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth:	932657035 4 2 GREY 26 ROCK 55 80
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	932657035 4 2 GREY 26 ROCK 55 80 ft
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	932657035 4 2 GREY 26 ROCK 55 80 ft
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM: Formation ID: Layer:	932657035 4 2 GREY 26 ROCK 55 80 ft 932657033 2
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM: Formation ID: Layer: Color:	932657035 4 2 GREY 26 ROCK 55 80 ft 932657033 2 6
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM: Formation ID: Layer: Color: General Color:	932657035 4 2 GREY 26 ROCK 55 80 ft 932657033 2 6 BROWN
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM: Formation ID: Layer: Color: General Color: Mat1:	932657035 4 2 GREY 26 ROCK 55 80 ft 932657033 2 6 BROWN 28
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM: Formation ID: Layer: Color: General Color: Mat1: Most Common Material:	932657035 4 2 GREY 26 ROCK 55 80 ft 932657033 2 6 BROWN 28 SAND
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM: Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2:	932657035 4 2 GREY 26 ROCK 55 80 ft 932657033 2 6 BROWN 28 SAND 11
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM: Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials:	932657035 4 2 GREY 26 ROCK 55 80 ft 932657033 2 6 BROWN 28 SAND 11 GRAVEL
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM: Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3:	932657035 4 2 GREY 26 ROCK 55 80 ft 932657033 2 6 BROWN 28 SAND 11 GRAVEL
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM: Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials:	932657035 4 2 GREY 26 ROCK 55 80 ft 932657033 2 6 BROWN 28 SAND 11 GRAVEL
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM: Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth:	932657035 4 2 GREY 26 ROCK 55 80 ft 932657033 2 6 BROWN 28 SAND 11 GRAVEL 15
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth UOM: Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation Top Depth: Formation End Denth:	932657035 4 2 GREY 26 ROCK 55 80 ft 932657033 2 6 BROWN 28 SAND 11 GRAVEL 15 34

North83: UTMRC: UTMRC Desc: Location Method:

9 unknown UTM na

Formation End Depth UOM:	ft
Annular Space/Abandonment Sealing Record	
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	933210764 1 0 25 ft
Method of Construction & Well Use	
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	966712410 4 Rotary (Air)
Pipe Information	
Pipe ID: Casing No: Comment: Alt Name:	11024813 1
Construction Record - Casing	
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	930775860 1 1 STEEL 35 6 inch ft
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	930775861 2 4 OPEN HOLE 80 6 inch ft
Results of Well Yield Testing	
Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Weter State After Test Code	996712410 10 50 70 12 0 ft GPM
Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:	1 CLEAR 1 0

#### Flowing:

Ν

#### Draw Down & Recovery

Pump Test Detail ID:	934351766
Test Type:	Draw Down
Test Duration:	15
Test Level:	28
Test Level UOM:	ft
Pump Test Detail ID:	934616771
Test Type:	Draw Down
Test Duration:	30
Test Level:	45
Test Level UOM:	ft
Pump Test Detail ID:	935138833
Test Type:	Draw Down
Test Duration:	60
Test Level:	50
Test Level UOM:	ft
Pump Test Detail ID:	934869024
Test Type:	Draw Down
Test Duration:	45
Test Level:	50
Test Level UOM:	ft

#### Water Details

Water ID:	933966759
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	75
Water Found Depth UOM:	ft

<u>Site:</u>			Database:
lot 5 con 8	ON		wwis
Well ID:	6714390	Data Entry Status:	
Construction Date:		Data Src: 1	
Primary Water Use:	Domestic	Date Received: 2/28/2003	
Sec. Water Use:		Selected Flag: Yes	
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor: 2663	
Casing Material:		Form Version: 1	
Audit No:	247547	Owner:	
Tag:		Street Name:	
<b>Construction Method</b>	:	County: WELLINGTON	
Elevation (m):		Municipality: PUSLINCH TOWNSHIP	
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot: 005	
Well Depth:		Concession: 08	
Overburden/Bedrock	:	Concession Name: CON	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	

#### Bore Hole Information

Bore Hole ID:	10542235	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17

124

Clear/Cloudy:

Code OB: 0 Code OB Desc: Overburden **Open Hole:** Cluster Kind: Date Completed: 22-JAN-03 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Overburden and Bedrock Materials Interval 932921787 Formation ID: Layer: 2 Color: General Color: Mat1: 11 GRAVEL Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: 98 Formation End Depth: 100 Formation End Depth UOM: ft Formation ID: 932921786 Layer: 1 Color: 6 General Color: BROWN Mat1: 05 Most Common Material: CLAY Mat2: Other Materials: Mat3: Other Materials: 0 Formation Top Depth: 98 Formation End Depth: Formation End Depth UOM: ft Annular Space/Abandonment Sealing Record Plug ID: 933240147 Layer: 1 0 Plug From: Plug To: 20 Plug Depth UOM: ft Method of Construction & Well <u>Use</u> 966714390 Method Construction ID: Method Construction Code: 4 Method Construction: Rotary (Air) Other Method Construction: Pipe Information Pipe ID: 11090805 Casing No: 1

East83: Org CS: North83: UTMRC: 9 UTMRC Desc: unknown UTM Location Method: na

#### Comment: Alt Name:

#### Construction Record - Casing

Casing ID:	930779047
Layer:	1
Material:	1
Open Hole or Material:	STEEL
Depth From:	
Depth To:	100
Casing Diameter:	6
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

#### Results of Well Yield Testing

996714390
49
68
80
20
20
ft
GPM
1
CLEAR
1
1
0
Ν

#### Draw Down & Recovery

Pump Test Detail ID:	934614157
Test Type:	Draw Down
Test Duration:	30
Test Level:	68
Test Level UOM:	ft
Pump Test Detail ID:	934350711
Test Type:	Draw Down
Test Duration:	15
Test Level:	67
Test Level UOM:	ft
Pump Test Detail ID:	935136232
Test Type:	Draw Down
Test Duration:	60
Test Level:	68
Test Level UOM:	ft
Pump Test Detail ID:	934875173
Test Type:	Draw Down
Test Duration:	45
Test Level:	68
Test Level UOM:	ft
Water Details	
Water ID:	934036011
Layer:	1

FRESH 100 ft

<u>Site:</u> lot 5 ON				Database: WWIS
lot 5 ON Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Otage(Dewthy)	6714208 Domestic Water Supply 247560	Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 9/9/2002 Yes 2663 1 WELLINGTON PUSLINCH TOWNSHIP 005	WWIS
Bore Hole Information Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:	10536416 0 r Bedrock	<i>Elevation: Elevrc: Zone: East83: Org CS: North83:</i>	17	

UTMRC:

UTMRC Desc:

Location Method:

9

na

unknown UTM

Cluster Kind: 20-AUG-02 Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

#### Overburden and Bedrock Materials Interval

Formation ID:	932902045
Layer:	1
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	265
Formation End Depth UOM:	ft

Method of Construction & Well <u>Use</u>

Method Construction ID:	966714208
Method Construction Code:	4
Method Construction:	Rotary (Air)
Other Method Construction:	

#### Pipe Information

Pipe ID:	11084986
Casing No:	1
Comment:	
Alt Name:	

#### Results of Well Yield Testing

Pump Test ID:	996714208
Pump Set At:	
Static Level:	72
Final Level After Pumping:	75
Recommended Pump Depth:	150
Pumping Rate:	25
Flowing Rate:	
Recommended Pump Rate:	25
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	Ν

#### Draw Down & Recovery

Pump Test Detail ID:	934357835
Test Type:	Draw Down
Test Duration:	15
Test Level:	75
Test Level UOM:	ft
Pump Test Detail ID:	935135704
Test Type:	Draw Down
Test Duration:	60
Test Level:	75
Test Level UOM:	ft
Pump Test Detail ID:	934613630
Test Type:	Draw Down
Test Duration:	30
Test Level:	75
Test Level UOM:	ft
Pump Test Detail ID:	934874649
Test Type:	Draw Down
Test Duration:	45
Test Level:	75
Test Level UOM:	ft

#### Water Details

Water ID:	934029900
Laver:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	265
Water Found Depth UOM:	ft

#### Site:

Tag:

Well ID:

lot 5 ON

6713453 **Construction Date:** Primary Water Use: Domestic Sec. Water Use: Final Well Status: Water Supply Water Type: Casing Material: Audit No: 220622

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: . Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

#### Bore Hole Information

Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

1 9/18/2000 Yes 2663

WELLINGTON **GUELPH TOWNSHIP**  Database: WWIS

005

1

Bore Hole ID: DP2BR: Spatial Status:	10477286 71	Elevation: Elevrc: Zone:	17
Code OB:	r	East83:	
Code OB Desc:	Bedrock	Org CS:	
Open Hole:		North83:	
Cluster Kind:		UTMRC:	9
Date Completed:	24-AUG-00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			

#### Overburden and Bedrock Materials Interval

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Formation ID:	932662249
Layer:	4
Color:	6
General Color:	BROWN
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	100
Formation End Depth:	162
Formation End Depth UOM:	ft
Formation ID:	932662246
Layer:	1
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	12

	STONES
Mat3:	
Other Materials:	0
Formation Top Depth:	0
Formation End Depth:	/ I ff
Formation End Depth COM.	n
Formation ID:	932662248
Layer:	3
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Matz: Other Meteriole	
Mat3	
Other Materials:	
Formation Top Depth:	72
Formation End Depth:	100
Formation End Depth UOM:	ft
	000000047
Formation ID:	932002247
Color:	6
General Color:	BROWN
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Other Materials:	
Mat3: Other Meteriale	
Formation Ton Denth	71
Formation End Depth:	72
Formation End Depth UOM:	ft
Annular Space/Abandonment	
Sealing Record	
Plug ID:	033211/25
Laver:	1
	0
Plug From:	0
Plug From: Plug To:	20
Plug From: Plug To: Plug Depth UOM:	20 ft
Plug From: Plug To: Plug Depth UOM:	20 ft
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u>	0 20 ft
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u> <u>Use</u>	0 20 ft
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u> <u>Use</u> Method Construction ID:	0 20 ft 966713453
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u> <u>Use</u> Method Construction ID: Method Construction Code:	966713453 4
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u> <u>Use</u> Method Construction ID: Method Construction Code: Method Construction:	0 20 ft 966713453 4 Rotary (Air)
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u> <u>Use</u> Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	966713453 4 Rotary (Air)
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u> <u>Use</u> Method Construction ID: Method Construction Code: Method Construction: Other Method Construction: Pipe Information	966713453 4 Rotary (Air)
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u> <u>Use</u> Method Construction ID: Method Construction Code: Method Construction: Other Method Construction: <u>Pipe Information</u>	0 20 ft 966713453 4 Rotary (Air)
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u> <u>Use</u> Method Construction ID: Method Construction Code: Method Construction: Other Method Construction: <u>Pipe Information</u> Pipe ID:	0 20 ft 966713453 4 Rotary (Air) 11025856
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u> <u>Use</u> Method Construction ID: Method Construction Code: Method Construction: Other Method Construction: <u>Pipe Information</u> Pipe ID: Casing No: Comment:	0 20 ft 966713453 4 Rotary (Air) 11025856 1
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u> <u>Use</u> Method Construction ID: Method Construction Code: Method Construction: Other Method Construction: <u>Pipe Information</u> Pipe ID: Casing No: Comment: Alt Name:	0 20 ft 966713453 4 Rotary (Air) 11025856 1
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u> <u>Use</u> Method Construction ID: Method Construction Code: Method Construction: Other Method Construction: <u>Pipe Information</u> Pipe ID: Casing No: Comment: Alt Name:	0 20 ft 966713453 4 Rotary (Air) 11025856 1
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u> <u>Use</u> Method Construction ID: Method Construction Code: Method Construction: Other Method Construction: <u>Pipe Information</u> Pipe ID: Casing No: Comment: Alt Name: <u>Construction Record - Casing</u>	0 20 ft 966713453 4 Rotary (Air) 11025856 1
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u> <u>Use</u> Method Construction ID: Method Construction: Other Method Construction: <u>Pipe Information</u> Pipe ID: Casing No: Comment: Alt Name: <u>Construction Record - Casing</u> Casing ID:	0 20 ft 966713453 4 Rotary (Air) 11025856 1
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u> <u>Use</u> Method Construction ID: Method Construction: Other Method Construction: <u>Pipe Information</u> Pipe ID: Casing No: Comment: Alt Name: <u>Construction Record - Casing</u> Casing ID: Laver:	0 20 ft 966713453 4 Rotary (Air) 11025856 1 930777668 1
Plug From: Plug To: Plug Depth UOM: <u>Method of Construction &amp; Well</u> <u>Use</u> Method Construction ID: Method Construction Code: Method Construction: Other Method Construction: <u>Pipe Information</u> Pipe ID: Casing No: Comment: Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material:	0 20 ft 966713453 4 Rotary (Air) 11025856 1 930777668 1 1

Depth From:	
Depth To: Casing Diamotor:	6
Casing Diameter UOM:	inch
Casing Depth UOM:	ft
Casing ID:	930777669
Laver:	2
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	
Casing Diameter	6
Casing Diameter UOM:	inch
Casing Depth UOM:	ft
Results of Well Yield Testing	
Pump Test ID:	996713453
Pump Set At:	000110400
Static Level:	90
Final Level After Pumping:	115
Recommended Pump Depth:	140
Flowing Rate:	0
Recommended Pump Rate:	8
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code: Water State After Test	
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	
Flowing:	N
Flowing:	N
Flowing: <u>Draw Down &amp; Recovery</u>	N
Plowing: <u>Draw Down &amp; Recovery</u> Pump Test Detail ID:	N 934872407
Flowing: <u>Draw Down &amp; Recovery</u> Pump Test Detail ID: Test Type: Test Duration:	N 934872407 Draw Down
Flowing: <u>Draw Down &amp; Recovery</u> Pump Test Detail ID: Test Type: Test Duration: Test Level:	N 934872407 Draw Down 45 100
<i>Prowing:</i> <u>Draw Down &amp; Recovery</u> Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM:	N 934872407 Draw Down 45 100 ft
<i>Prowing:</i> <u>Draw Down &amp; Recovery</u> Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Pump Test Dotail ID:	N 934872407 Draw Down 45 100 ft 934620144
Prowing: <u>Draw Down &amp; Recovery</u> Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Pump Test Detail ID: Test Type:	N 934872407 Draw Down 45 100 ft 934620144 Draw Down
Prowing: <u>Draw Down &amp; Recovery</u> Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Pump Test Detail ID: Test Type: Test Duration:	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30
Prowing: <u>Draw Down &amp; Recovery</u> Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level: Test Level:	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100
Prowing: <u>Draw Down &amp; Recovery</u> Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM:	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft
Prowing: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Pump Test Detail ID:	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578
Flowing:Draw Down & RecoveryPump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM:Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level: Test Level UOM:Pump Test Detail ID: Test Level: Test Detail ID: Test Type:	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down
Prowing: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Pump Test Detail ID: Test Duration: Test Level: Test Level UOM: Pump Test Detail ID: Test Type: Test Duration: Test Type: Test Duration: Test Type: Test Duration: Test Duration: Test Duration: Test Duration: Test Duration: Test Duration: Test Duration:	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15
Prowing:     Draw Down & Recovery     Pump Test Detail ID:     Test Type:     Test Duration:     Test Level:     Test Level UOM:     Pump Test Detail ID:     Test Duration:     Test Level:     Test Duration:     Test Duration:     Test Level:     Test Level:     Test Level:     Test Type:     Test Level:     Test Type:     Test Level:     Test Duration:     Test Level:     Test Level:     Test Duration:     Test Duration:     Test Level:	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15 95 ft
Prowing: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Pump Test Detail ID: Test Duration: Test Level: Test Level UOM: Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Test Level: Test	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15 95 ft
Prowing:     Draw Down & Recovery     Pump Test Detail ID:     Test Type:     Test Duration:     Test Level:     Test Level UOM:     Pump Test Detail ID:     Test Duration:     Test Level UOM:     Pump Test Detail ID:     Test Level:     Test Level:     Test Level:     Test Level:     Test Duration:     Test Duration:     Test Duration:     Test Level:     Test Duration:     Test Level:     Test Level: <th>N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15 95 ft 935133462 Draw Down</th>	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15 95 ft 935133462 Draw Down
Flowing:Draw Down & RecoveryPump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM:Pump Test Detail ID: Test Duration: Test Level: Test Level UOM:Pump Test Detail ID: Test Level: Test Detail ID: Test Type: Test Detail D: Test Type: Test Detail ID: Test Detail ID: <br< th=""><th>N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15 95 ft 935133462 Draw Down 60</th></br<>	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15 95 ft 935133462 Draw Down 60
Flowing:Draw Down & RecoveryPump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM:Pump Test Detail ID: Test Duration: Test Level: Test Level: Test Level UOM:Pump Test Detail ID: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Duration: Test Level: Test Duration: Test Level: Test Duration: Test Type: Test Duration: Test Duration: Test Level: Test Duration: Test Level:	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15 95 ft 935133462 Draw Down 60 115
Flowing:Draw Down & RecoveryPump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM:Pump Test Detail ID: Test Duration: Test Level: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Level UOM:Pump Test Detail ID: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Duration: Test Type: Test Duration: Test Level: Test Level: <th>N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15 95 ft 935133462 Draw Down 60 115 ft</th>	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15 95 ft 935133462 Draw Down 60 115 ft
Flowing:Draw Down & RecoveryPump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM:Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM:Pump Test Detail ID: Test Level: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Duration: Test Level: Test Level: Test Duration: Test Level: Test Duration: Test Level: Test Duration: Test Level: Test Level: <br< th=""><th>N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15 95 ft 935133462 Draw Down 60 115 ft</th></br<>	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15 95 ft 935133462 Draw Down 60 115 ft
Flowing:Draw Down & RecoveryPump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM:Pump Test Detail ID: Test Duration: Test Level: Test L	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15 95 ft 935133462 Draw Down 60 115 ft
Prowing: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Pump Test Detail ID: Test Duration: Test Level: Test Level UOM: Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Leve	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15 95 ft 935133462 Draw Down 60 115 ft
Flowing:Draw Down & RecoveryPump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM:Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM:Pump Test Detail ID: Test Level: Test Level: Test Duration: Test Level: Test Duration: Test Level: Test Duration: Test Level: Test Duration: Test Level: Test Level: Test Duration: Test Level: Test Level: <br< th=""><th>N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15 95 ft 935133462 Draw Down 60 115 ft 933968231 1</th></br<>	N 934872407 Draw Down 45 100 ft 934620144 Draw Down 30 100 ft 934355578 Draw Down 15 95 ft 935133462 Draw Down 60 115 ft 933968231 1

Kind:	FRESH
Water Found Depth:	140
Water Found Depth UOM:	ft
Water ID:	933968232
Layer:	2
Kind Code:	1
Kind:	FRESH
Water Found Depth:	162
Water Found Depth:	#

Abandoned Aggregate Inventory:

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\* Government Publication Date: Sept 2002\*

AGR The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. Note: Databases denoted with "\*" indicates that the database will no longer be updated. See the individual database description for more information.

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Nov 2016

#### Anderson's Waste Disposal Sites:

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

#### Automobile Wrecking & Supplies:

supplies industry. Information is provided on the company name, location and business type.

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

CA This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011\*

Government Publication Date: 1875-Jul 2014

erisinfo.com | Environmental Risk Information Services

Aggregate Inventory:

Government Publication Date: Up to Sep 2017

## Abandoned Mine Information System: Provincial AMIS

Private

# Government Publication Date: 1860s-Present

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts &

Government Publication Date: 1999-Jan 31, 2018

# Borehole:

## Certificates of Approval:

#### Provincial

Provincial

Provincial

Provincial

ANDR

AUWR

BORE

AAGR

Private

Commercial Fuel Oil Tanks:

record date provided here.

Chemical Register:

# Government Publication Date: 1999-Jan 31, 2018 **Compressed Natural Gas Stations:**

Government Publication Date: Feb 28, 2017

#### Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Ontario Regulation 213/01 of the Technical Standards and Safety Act (2000) requires that all underground tanks be registered with the TSSA. Note: the Fuels Safety Division does not register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of commercial fuel tanks in the province. The TSSA updates information in its system on an ongoing basis; this listing is a copy of the data captured at one moment in time and is hence limited by the

distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes

Government Publication Date: Dec 2012 - Apr 2018

(i.e. fractionation, solvent extraction, crystallization, etc.).

#### Inventory of Coal Gasification Plants and Coal Tar Sites: This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing

or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\* Government Publication Date: Apr 1987 and Nov 1988\*

#### Compliance and Convictions:

Certificates of Property Use:

# have been found guilty of environmental offenses in Ontario courts of law. Government Publication Date: 1989-Apr 2018

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) -Certificate of Property Use. Government Publication Date: 1994-Jul 31, 2018

Drill Hole Database: DRI The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886-Nov 30, 2017

Dry Cleaning Facilities: List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2016

#### Environmental Activity and Sector Registry:

134

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database. Government Publication Date: Oct 2011-Jul 31, 2018

erisinfo.com | Environmental Risk Information Services

Provincial

Private This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or

Private

Provincial

Provincial

Provincial

Provincial

Federal

Provincial

List of commercial underground fuel oil tanks made available by the Fuels Safety Program of the Technical Standards & Safety Authority (TSSA).

CHEM

CNG

CFOT

COAL

CONV This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here

CPU

DRYCLEANERS

EASR

Environmental Registry:

## Environmental Compliance Approval:

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD)

Government Publication Date: Oct 2011-Jul 31, 2018

Orders please refer to those individual databases. Government Publication Date: 1994-Jul 31, 2018

## Environmental Effects Monitoring:

#### database provides information on the mill name, geographical location and sub-lethal toxicity data. Government Publication Date: 1992-2007\*

ERIS Historical Searches: EHS ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Feb 28, 2018

## Environmental Issues Inventory System:

#### The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed. Government Publication Date: 1992-2001\*

Emergency Management Historical Event: **FMHE** List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017. Government Publication Date: Dec 31, 2016

List of TSSA Expired Facilities: FXP List of facilities and tanks - for which there was once a registration - no longer registered with the Fuels Safety Program of the Technical Standards and Safety Authority (TSSA). Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc. Tanks which have been removed from the ground are included in the expired facilities inventory held by the TSSA. Notes: the Fuels Safety Division did not register private fuel underground/aboveground storage tanks prior to January of 1990, or furnace oil tanks prior to May 1, 2002; nor does the Division register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here. Government Publication Date: Feb 28, 2017

Federal Convictions: FCON Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty. Government Publication Date: 1988-Jun 2007\*

135

erisinfo.com | Environmental Risk Information Services

Provincial

Provincial

## Provincial

EBR

**ECA** 

EEM

Provincial

Federal

Private

Federal

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of

FIIS

Federal

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

#### dioxide equivalents (kt CO2 eq). Government Publication Date: 2013-Dec 2016

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here. Government Publication Date: 2006-June 2009\*

IAFT The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003\*

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

Government Publication Date: Jun 2000-May 2018

Contaminated Sites on Federal Land:

#### Fisheries & Oceans Fuel Tanks: FOFT Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation. Government Publication Date: 1964-Sep 2017

Fuel Storage Tank: FST List of registered private and retail fuel storage tanks made available by the Fuels Safety Program of the Technical Standards & Safety Authority (TSSA). Ontario Regulation 213/01 of the Technical Standards and Safety Act (2000) requires that all underground tanks be registered with the TSSA. Notes: the Fuels Safety Division did not register private fuel underground/aboveground storage tanks prior to January of 1990, or furnace oil tanks prior to May 1, 2002; nor does the Division register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of fuel storage tanks/tank facilities in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here. Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic: **FSTH** The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010\*

#### Ontario Regulation 347 Waste Generators Summary:

Government Publication Date: 1986-December 31, 2017

#### Greenhouse Gas Emissions from Large Facilities:

**TSSA Historic Incidents:** 

## Indian & Northern Affairs Fuel Tanks:

#### Federal

FCS

Federal

Provincial

Provincial

GEN

GHG

HINC

Provincial

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon

Federal

Provincial

Federal
# Order No: 20180824203

# TSSA Incidents:

List of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC) and made available by the Technical Standards and Safety Authority (TSSA). Under the Technical Standards & Safety Act (2000), the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors, and equipment or appliances that use fuels. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

# Landfill Inventory Management Ontario:

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status. Government Publication Date: Dec 31, 2013

**Canadian Mine Locations:** MINE This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database. Government Publication Date: 1998-2009\*

# Environmental Penalty Annual Report:

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2017

# Mineral Occurrences:

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994.

Government Publication Date: 1846-Jan 2018

# National Analysis of Trends in Emergencies System (NATES):

### Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released. Government Publication Date: 1974-1994\*

## Non-Compliance Reports:

137

### Sectoral Regulation or specific regulation/act. Government Publication Date: Dec 31, 2016

National Defense & Canadian Forces Fuel Tanks:

NDFT The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval,

Government Publication Date: Up to May 2001\*

Provincial **MISA PENALTY** 

**MNR** 

NATE

NCPL

Provincial

Federal In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of

Provincial The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable

Federal

INC

LIMO

# Provincial

Provincial

Private

National Defense & Canadian Forces Spills:

under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered. Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites: Federal NDWD The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status. Government Publication Date: 2001-Apr 2007\*

National Energy Board Pipeline Incidents:

Locations of pipeline incidents from 2008 to present, made available by the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction. Government Publication Date: 2008-Mar 31, 2018

National Energy Board Wells: **NEBW** The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003\*

# National Environmental Emergencies System (NEES):

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003\*

National PCB Inventory: NPCB Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008\*

Government Publication Date: 1993-May 2017

National Pollutant Release Inventory: Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect

Oil and Gas Wells: Private OGW The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Provincial Ontario Oil and Gas Wells: OOGW In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-May 2018

Government Publication Date: 1988-April 30, 2018

erisinfo.com | Environmental Risk Information Services

Federal

NDSP

Federal

Federal

Federal

Federal

Federal

# The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified

NFFS

**NPRI** 

**NEBI** 

comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

138

erisinfo.com | Environmental Risk Information Services

# Inventory of PCB Storage Sites:

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

# Canadian Pulp and Paper: This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills

Government Publication Date: 1994-Jul 31, 2018

and the products that they produce. Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste

remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for

quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

# Parks Canada Fuel Storage Tanks:

Government Publication Date: 1920-Jan 2005\*

Government Publication Date: 1988-Mar 2018

# Pesticide Register:

TSSA Pipeline Incidents:

Orders:

List of pipeline incidents (strikes, leaks, spills) made available by the Technical Standards and Safety Authority (TSSA). Under the Technical Standards & Safety Act (2000), the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors, and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of pipeline incidents in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here. Government Publication Date: Feb 28, 2017

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996\*

Permit to Take Water:

139

Private and Retail Fuel Storage Tanks:

# This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water. Government Publication Date: 1994-Jul 31, 2018

Ontario Regulation 347 Waste Receivers Summary: RFC Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data. Government Publication Date: 1986-2016

# Provincial

Provincial This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for

Private

PCFT Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites.

OPCB

ORD

PAP

PES

PINC

PRT

PTTW

Provincial

Federal

Provincial

Provincial

Provincial

Provincial

### Record of Site Condition:

# Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up. RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site

Government Publication Date: 1997-Sept 2001, Oct 2004-Apr 2018

# Retail Fuel Storage Tanks:

Scott's Manufacturing Directory:

**Ontario Spills:** 

### This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks. Government Publication Date: 1999-Jan 31, 2018

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011\*

## This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. Government Publication Date: 1988-May 2018

Wastewater Discharger Registration Database:

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2016

# The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953\*

Anderson's Storage Tanks:

## Transport Canada Fuel Storage Tanks:

# on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type. Government Publication Date: 1970-Aug 2017

TSSA Variances for Abandonment of Underground Storage Tanks: List of variances granted for abandoned tanks. Under the Technical Standards and Safety Authority (TSSA) Liquid Fuels Handling Code and Fuel Oil Code, all underground storage tanks must be removed within two years of disuse. If removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties

Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of tank variances in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

140

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental

RSC

RST

SPL

Private

Private

Provincial

Provincial SRDS

Federal

Provincial

# Provincial

SCT

TANK

TCFT

Private

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands,

VAR

### Waste Disposal Sites - MOE CA Inventory:

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Jul 31, 2018

### Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990\*

### Water Well Information System:

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Dec 31, 2017

Provincial

**WWIS** 

**WDSH** 

141

Provincial

WDS

Provincial

# Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report**. This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

*Elevation:* The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

*Executive Summary:* This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

142