

**Ministry of the Environment,  
Conservation and Parks**

Client Services and  
Permissions Branch  
135 St. Clair Avenue West  
1<sup>st</sup> Floor  
Toronto ON M4V 1P5  
Tel.: 416 314-8001  
Fax: 416 314-8452

**Ministère de l'Environnement,  
de la Protection de la nature et  
des Parcs**

Direction des services à la  
clientèle et des permissions  
135, avenue St. Clair Ouest  
Rez-de-chaussée  
Toronto ON M4V 1P5  
Tél : 416 314-8001  
Télééc. : 416 314-8452

*Via Email*

May 25, 2020

LEE PICCOLI  
2572584 ONTARIO INC.  
500 HANLON CREEK BOULEVARD  
GUELPH ON N1C 0A1


Dear LEE PICCOLI:

**Re: Notice of Receipt of Record of Site Condition (Confirmation Number 44516832)  
58 Wellington Street, 41, 43, 45 Wyndham Street South, 53 Surrey Street, Guelph**

Pursuant to clause 168.4(3)(a) of the *Environmental Protection Act*, the Director is satisfied that everything required by subsection 168.4(2) has been submitted for filing. By July 7, 2020, the Director will give a notice or acknowledgement under subsection 168.4(3.1).

If you have any questions or require additional information, please contact Colin Lacey, Brownfields Filing and Review, at 647-241-3749.

Regards,



Colin Lacey  
Director  
Subsection 168.4(3), *Environmental Protection Act*

c: Kristian D Peter, XCG Consulting Limited  
District Manager, Guelph District Office, MECP

File No.: 20-387

Ministry of the Environment,  
Conservation and Parks

Ministère de l'Environnement,  
de la Protection de la nature et  
des Parcs

Environmental Permissions  
Branch

Direction des permissions  
environnementales

135 St. Clair Avenue West  
1<sup>st</sup> Floor  
Toronto ON M4V 1P5  
Tel.: 416 314-8001  
Fax: 416 314-8452

135, avenue St. Clair Ouest  
Rez-de-chaussée  
Toronto ON M4V 1P5  
Tél : 416 314-8001  
Télééc. : 416 314-8452

*Via Email*

March 24, 2021

LEE PICCOLI  
2572584 ONTARIO INC.  
500 HANLON CREEK BOULEVARD  
GUELPH ON N1C 0A1

Dear LEE PICCOLI:

**Record of Site Condition Number 227674 Has Been Filed in the Environmental Site  
Registry for 58 WELLINGTON STREET, 41, 43, 45 WYNDHAM STREET SOUTH, 53  
SURREY STREET, GUELPH**

Pursuant to paragraph 3 of subsection 168.4(3.1) of the *Environmental Protection Act*, this is a written acknowledgment that Record of Site Condition (RSC) number 227674 has been filed in the Environmental Site Registry on March 24, 2021.

An electronic copy of this RSC can be viewed and downloaded from the Environmental Site Registry located here:

[https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/searchFiledRsc\\_search?request\\_locale=en](https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/searchFiledRsc_search?request_locale=en)

If you have any questions or require additional information, please contact Thomas Cruttwell, Brownfields Unit, Environmental Permissions Branch, at 416-710-7582.

Regards,



Thomas Cruttwell  
Director  
Subsection 168.4(3), *Environmental Protection Act*

Attachment

c: KRISTIAN D PETER, XCG CONSULTING LIMITED  
District Manager, Guelph District Office, MECP

File No.: 20-387



**Record of Site Condition  
Under Part XV.1 of the Environmental Protection Act**

**Summary**

Record of Site Condition Number	227674
Date Filed to Environmental Site Registry	2021/03/24
Certification Date	2020/08/07
Current Property Use	Commercial
Intended Property Use	Residential
Certificate of Property Use Number	No CPU
Applicable Site Condition Standards	Full Depth Generic Site Conditions Standard, with Potable Ground Water, Coarse Textured Soil, for Residential property use
Property Municipal Address	45 WYNDHAM STREET SOUTH, GUELPH, ON, N1H 4E1, 41 WYNDHAM STREET SOUTH, GUELPH, ON, N1H 4E1, 58 WELLINGTON STREET, GUELPH, ON, N1H 3R8, 43 WYNDHAM STREET SOUTH, GUELPH, ON, N1H 4E1, 53 SURREY STREET, GUELPH, ON, N1H 3P6

**Notice to Readers Concerning Due Diligence**

This record of site condition (RSC) has been filed in the Environmental Site Registry to which the public has access and which contains a notice advising users of the Environmental Site Registry who have dealings with any property to consider conducting their own due diligence with respect to the environmental condition of the property, in addition to reviewing information in the Environmental Site Registry.

**Contents of this Record of Site Condition**

This RSC consists of this document which is available to be printed directly from the Environmental Site Registry as well as all supporting documentation indicated in this RSC to have been submitted in electronic format to the Ministry of the Environment, Conservation and Parks.

**Contents of this record of site condition**

This record of site condition (RSC) consists of this document which is available to be printed directly from the Environmental Site Registry as well as all supporting documentation indicated in this record of site condition to have been submitted in electronic format to the Ministry of the Environment, Conservation and Parks.

**Part 1: Property Ownership, Property Information and Owner's Certifications**

**Information about the owner who is submitting or authorizing the submission of the record of site condition**

Owner name	2572584 ONTARIO INC.
Owner type	Firm, corporation or partnership
Authorized person	LEE PICCOLI
Mailing address	500 HANLON CREEK BOULEVARD, GUELPH Ontario, Canada
Postal Code	N1C 0A1
Phone	(519) 826-6700
Fax	
Email address	bjones@fusionhomes.com

**Record of site condition property location information**

Municipal address(es)	58 WELLINGTON STREET, GUELPH, ON N1H 3R8 41 WYNDHAM STREET SOUTH, GUELPH, ON N1H 4E1 43 WYNDHAM STREET SOUTH, GUELPH, ON N1H 4E1 45 WYNDHAM STREET SOUTH, GUELPH, ON N1H 4E1 53 SURREY STREET, GUELPH, ON N1H 3P6
Municipality	Guelph
Legal description	<b>See attached Lawyer's letter</b>
Assessment roll number(s)	010002097000000 010002105000000 010002117000000 010002118000000 010002119000000
Property identifier number(s)	71284-0082 (LT)

**Record of site condition property geographical references**

Coordinate system	<b>UTM</b>
Datum	<b>NAD 83</b>
Zone	17
Easting	561,060.00
Northing	4,821,365.00

**Record of site condition property use information**

The following types of property uses are defined by the Regulation: Agricultural or other use, Commercial use, Community use, Industrial use, Institutional use, Parkland use, and Residential use.

Current property use	Commercial
Intended property use	Residential
Certificate of property use has been issued under section 168.6 of the Environmental Protection Act	No

**Please see the signed statements of property owner, or agent,  
or receiver at the end of this record of site condition**

The rest of this page has been left intentionally blank

**Part 2: List of reports, summary of site conditions and qualified person's statements and certifications**

**Qualified person's information**

Name	KRISTIAN D PETER
Type of licence under Professional Engineers Act	Licence
Licence number	100079589
Qualified person's employer name	XCG CONSULTING LIMITED
Mailing address	820 TRILLIUM DRIVE, KITCHENER Ontario, N2R 1K4 Canada
Phone	(519) 741-5774
Fax	(519) 741-5627
Email address	kristian.peter@xcg.com

**Municipal information**

Local or single-tier municipality	Guelph
-----------------------------------	--------

**Ministry of the Environment, Conservation and Parks District Office**

District office	Guelph District Office
District office address	1 Stone Road W., Guelph ON N1G 4Y2



## Phase one environmental site assessment report

### Document used as the phase one environmental site assessment report and updates in submitting the record of site condition for filing

The date the last work on all of the records review, interviews and site reconnaissance components of the phase one environmental site assessment was done (refer to clause 28(1) (a) of O. Reg. 153/04)	(yyyy/mm/dd) 2020-07-15
--	----------------------------

Type of report	Report title	Date of report (yyyy/mm/dd)	Author of report	Name of consulting company
Phase one environmental site assessment	Phase One Environmental Site Assessment, 58 Wellington Street East, 41, 43, and 45 Wyndham Street South, and 53 Surrey Street East, Guelph, Ontario	2019-12-03	Kristian Peter	XCG CONSULTING LIMITED
Update to phase one environmental site assessment	Update to Phase One Environmental Site Assessment, 58 Wellington Street East, 41, 43, and 45 Wyndham Street South, and 53 Surrey Street East, Guelph, Ontario	2020-11-02	Kristian Peter	XCG CONSULTING LIMITED

## Reports and other documents related to the phase one environmental site assessment

### Reports and other documents relied upon in certifying the information set out in section 10 of Schedule A or otherwise used in conducting the phase one environmental site assessment

Report title	Date of report (yyyy/mm/dd)	Author of report	Name of consulting company
Remedial Excavation Monitoring, Former Petro-Canada Retail Fuel Outlet #33633, 58 Wellington Street East, Guelph, Ontario	2017-01-09	Jeff Stevenson	TERRAPEX ENVIRONMENTAL LTD.

## Phase two environmental site assessment report

### Document used as the phase two environmental site assessment report and updates in submitting the record of site condition for filing

The date the last work on all of the planning of the site investigation and conducting the site investigation components of the phase two environmental site assessment was done (refer to clause 33.5(1)(a) of O. Reg. 153/04)	(yyyy/mm/dd) 2020-08-07
---	----------------------------

Type of report	Report title	Date of report (yyyy/mm/dd)	Author of report	Name of consulting company
Phase two environmental site assessment	Phase Two Environmental Site Assessment, 58 Wellington Street East, 41, 43, and 45 Wyndham Street South, and 53 Surrey Street East, Guelph, Ontario	2019-12-03	Kristian Peter	XCG CONSULTING LIMITED
Update to phase two environmental site assessment	Update to Phase Two Environmental Site Assessment, 58 Wellington Street East, 41, 43, and 45 Wyndham Street South, and 53 Surrey Street East, Guelph, Ontario	2020-11-02	Kristian Peter	XCG CONSULTING LIMITED

### Reports and other documents related to the phase two environmental site assessment

#### Reports and other documents relied upon in making any certifications in the record of site condition for the purposes of Part IV of Schedule A or otherwise used in conducting the phase two environmental site assessment

Report title	Date of report (yyyy/mm/dd)	Author of report	Name of consulting company
Remedial Excavation Monitoring, Former Petro-Canada Retail Fuel Outlet #33633, 58 Wellington Street East, Guelph, Ontario	2017-01-09	Jeff Stevenson	TERRAPEX ENVIRONMENTAL LTD.

**Environmental condition**

Section 41 applies?	No
Section 43.1 applies?	No

**Site condition information**

Certification date (yyyy/mm/dd)	2020/08/07
Total area of record of site condition property (in hectares)	0.27720
Number of any previously filed record of site condition that applies to any part of the record of site condition property	
Number of any previously filed transition notice that applies to any part of the record of site condition property	
Soil texture	Coarse
Assessment/restoration approach	Full depth generic
Site investigation includes the investigation, sampling and analysis of ground water?	Yes
Is there soil present that is sufficient to investigate, sample and analyze soil on, in or under the property in accordance with s. 6, Schedule E of O.Reg. 153/04?	Yes
Site investigation includes the investigation, sampling and analysis of soil on, in or under the property which is used in the record of site condition?	Yes
Name of the laboratory used to analyze any samples collected of soil, ground water or sediment	MAXXAM ANALYTICS INC.
Ground water condition (potable, non-potable)	Potable
Applicable site condition standard	TABLE 2

**Table 1 – Maximum contaminant concentrations compared to applicable site condition standards**

**Measured concentration for contaminants in soil**

Contaminant name		Maximum concentration		Applicable site condition	Unit of measure
1	Benzene		<b>0.15</b>	0.21	µg/g
2	Ethylbenzene		<b>0.18</b>	1.1	µg/g
3	Toluene		<b>0.84</b>	2.3	µg/g
4	Xylene Mixture		<b>1.3</b>	3.1	µg/g
5	Petroleum Hydrocarbons F1****		<b>51</b>	55	µg/g
6	Petroleum Hydrocarbons F2		<b>62</b>	98	µg/g
7	Petroleum Hydrocarbons F3		<b>170</b>	300	µg/g
8	Petroleum Hydrocarbons F4		<b>2,200</b>	2800	µg/g
9	Bromodichloromethane	<	0.05	1.5	µg/g
10	Bromoform	<	0.05	0.27	µg/g
11	Dibromochloromethane	<	0.05	2.3	µg/g
12	Acetone	<	0.5	16	µg/g
13	Bromomethane	<	0.05	0.05	µg/g
14	Carbon Tetrachloride	<	0.05	0.05	µg/g
15	Chlorobenzene	<	0.05	2.4	µg/g
16	Chloroform	<	0.05	0.05	µg/g
17	Dichlorobenzene, 1,2-	<	0.05	1.2	µg/g
18	Dichlorobenzene, 1,3-	<	0.05	4.8	µg/g
19	Dichlorobenzene, 1,4-	<	0.05	0.083	µg/g
20	Dichlorodifluoromethane	<	0.05	16	µg/g
21	Dichloroethane, 1,1-	<	0.05	0.47	µg/g
22	Dichloroethane, 1,2-	<	0.05	0.05	µg/g
23	Dichloroethylene, 1,1-	<	0.05	0.05	µg/g
24	Dichloroethylene, 1,2-cis-	<	0.05	1.9	µg/g
25	Dichloroethylene, 1,2-trans-	<	0.05	0.084	µg/g
26	Dichloropropane, 1,2-	<	0.05	0.05	µg/g
27	Dichloropropene, 1,3-	<	0.04	0.05	µg/g
28	Ethylene dibromide	<	0.05	0.05	µg/g
29	Hexane (n)	<	0.05	2.8	µg/g
30	Methyl Ethyl Ketone	<	0.5	16	µg/g
31	Methyl Isobutyl Ketone	<	0.5	1.7	µg/g
32	Methyl tert-Butyl Ether (MTBE)	<	0.05	0.75	µg/g
33	Methylene Chloride	<	0.05	0.1	µg/g
34	Styrene	<	0.05	0.7	µg/g
35	Tetrachloroethane, 1,1,1,2-	<	0.05	0.058	µg/g

...Continued on next page

**Table 1 – Maximum contaminant concentrations compared to applicable site condition standards**

**Measured concentration for contaminants in soil**

*Continued from previous page....*

Contaminant name	Maximum concentration	Applicable site condition	Unit of measure
36 Tetrachloroethane, 1,1,2,2-	< 0.05	0.05	µg/g
37 Tetrachloroethylene	< 0.05	0.28	µg/g
38 Trichloroethane, 1,1,1-	< 0.05	0.38	µg/g
39 Trichloroethane, 1,1,2-	< 0.05	0.05	µg/g
40 Trichloroethylene	< 0.05	0.061	µg/g
41 Trichlorofluoromethane	< 0.05	4	µg/g
42 Vinyl Chloride	< 0.02	0.02	µg/g
43 Acenaphthene	<b>0.017</b>	7.9	µg/g
44 Acenaphthylene	<b>0.028</b>	0.15	µg/g
45 Anthracene	<b>0.068</b>	0.67	µg/g
46 Benz[a]anthracene	<b>0.22</b>	0.5	µg/g
47 Benzo[a]pyrene	<b>0.25</b>	0.3	µg/g
48 Benzo[b]fluoranthene	<b>0.27</b>	0.78	µg/g
49 Benzo[ghi]perylene	<b>0.2</b>	6.6	µg/g
50 Benzo[k]fluoranthene	<b>0.1</b>	0.78	µg/g
51 Chrysene	<b>0.19</b>	7	µg/g
52 Dibenz[a h]anthracene	<b>0.036</b>	0.1	µg/g
53 Fluoranthene	<b>0.41</b>	0.69	µg/g
54 Fluorene	<b>0.0065</b>	62	µg/g
55 Indeno[1 2 3-cd]pyrene	<b>0.18</b>	0.38	µg/g
56 Methylnaphthalene, 2-(1-) ***	< 0.005	0.99	µg/g
57 Naphthalene	< 0.005	0.6	µg/g
58 Phenanthrene	<b>0.14</b>	6.2	µg/g
59 Pyrene	<b>0.42</b>	78	µg/g
60 Barium	<b>41</b>	390	µg/g
61 Beryllium	<b>0.36</b>	4	µg/g
62 Boron (total)	<b>6.3</b>	120	µg/g
63 Cadmium	<b>0.34</b>	1.2	µg/g
64 Chromium Total	<b>16</b>	160	µg/g
65 Cobalt	<b>5.1</b>	22	µg/g
66 Copper	<b>11</b>	140	µg/g
67 Lead	<b>38</b>	120	µg/g
68 Molybdenum	<b>0.91</b>	6.9	µg/g
69 Nickel	<b>11</b>	100	µg/g
70 Silver	< 0.2	20	µg/g

*...Continued on next page*

**Table 1 – Maximum contaminant concentrations compared to applicable site condition standards**

**Measured concentration for contaminants in soil**

*Continued from previous page....*

Contaminant name	Maximum concentration	Applicable site condition	Unit of measure
71 Thallium	<b>0.094</b>	1	µg/g
72 Uranium	<b>0.64</b>	23	µg/g
73 Vanadium	<b>35</b>	86	µg/g
74 Zinc	<b>220</b>	340	µg/g
75 Antimony	<b>0.26</b>	7.5	µg/g
76 Arsenic	<b>3.9</b>	18	µg/g
77 Selenium	<b>0.55</b>	2.4	µg/g
78 Boron (Hot Water Soluble)*	<b>0.65</b>	1.5	µg/g
79 Chromium VI	< 0.2	8	µg/g
80 Mercury	<b>0.14</b>	0.27	µg/g

**Table 1 – Maximum contaminant concentrations compared to applicable site condition standards (Continued)**

**Ground water**

Contaminant name	Maximum concentration		Applicable site condition	Unit of measure
1 Benzene		<b>0.38</b>	5	µg/L
2 Ethylbenzene	<	0.2	2.4	µg/L
3 Toluene		<b>0.48</b>	24	µg/L
4 Xylene Mixture		<b>0.7</b>	300	µg/L
5 Petroleum Hydrocarbons F1****	<	25	750	µg/L
6 Petroleum Hydrocarbons F2	<	100	150	µg/L
7 Petroleum Hydrocarbons F3	<	200	500	µg/L
8 Petroleum Hydrocarbons F4	<	200	500	µg/L
9 Acetone	<	10	2700	µg/L
10 Bromomethane	<	0.5	0.89	µg/L
11 Carbon Tetrachloride	<	0.2	0.79	µg/L
12 Chlorobenzene	<	0.2	30	µg/L
13 Chloroform		<b>0.34</b>	2.4	µg/L
14 Dichlorobenzene, 1,2-	<	0.5	3	µg/L
15 Dichlorobenzene, 1,3-	<	0.5	59	µg/L
16 Dichlorobenzene, 1,4-	<	0.5	1	µg/L
17 Dichlorodifluoromethane	<	1	590	µg/L
18 Dichloroethane, 1,1-	<	0.2	5	µg/L
19 Dichloroethane, 1,2-	<	0.5	1.6	µg/L
20 Dichloroethylene, 1,1-	<	0.2	1.6	µg/L
21 Dichloroethylene, 1,2-cis-	<	0.5	1.6	µg/L
22 Dichloroethylene, 1,2-trans-	<	0.5	1.6	µg/L
23 Dichloropropane, 1,2-	<	0.2	5	µg/L
24 Dichloropropene, 1,3-	<	0.4	0.5	µg/L
25 Ethylene dibromide	<	0.2	0.2	µg/L
26 Hexane (n)	<	1	51	µg/L
27 Methyl Ethyl Ketone	<	5	1800	µg/L
28 Methyl Isobutyl Ketone	<	10	640	µg/L
29 Methyl tert-Butyl Ether (MTBE)	<	0.5	15	µg/L
30 Methylene Chloride	<	2	50	µg/L
31 Styrene	<	0.5	5.4	µg/L
32 Tetrachloroethane, 1,1,1,2-	<	0.5	1.1	µg/L
33 Tetrachloroethane, 1,1,1,2,2-	<	0.5	1	µg/L
34 Tetrachloroethylene	<	0.2	1.6	µg/L
35 Trichloroethane, 1,1,1-	<	0.2	200	µg/L

...Continued on next page

**Table 1 – Maximum contaminant concentrations compared to applicable site condition standards (Continued)**

**Ground water**

*Continued from previous page....*

Contaminant name		Maximum concentration		Applicable site condition	Unit of measure
36	Trichloroethane, 1,1,2-	<	0.5	4.7	µg/L
37	Trichloroethylene	<	0.2	1.6	µg/L
38	Trichlorofluoromethane	<	0.5	150	µg/L
39	Vinyl Chloride	<	0.2	0.5	µg/L
40	Bromodichloromethane	<	0.5	16	µg/L
41	Bromoform	<	1	25	µg/L
42	Dibromochloromethane	<	0.5	25	µg/L
43	Acenaphthene		<b>0.15</b>	4.1	µg/L
44	Acenaphthylene		<b>0.22</b>	1	µg/L
45	Anthracene	<	0.05	2.4	µg/L
46	Benz[a]anthracene	<	0.05	1	µg/L
47	Benzo[a]pyrene	<	0.01	0.01	µg/L
48	Benzo[b]fluoranthene	<	0.05	0.1	µg/L
49	Benzo[ghi]perylene	<	0.05	0.2	µg/L
50	Benzo[k]fluoranthene	<	0.05	0.1	µg/L
51	Chrysene	<	0.05	0.1	µg/L
52	Dibenz[a h]anthracene	<	0.05	0.2	µg/L
53	Fluoranthene	<	0.05	0.41	µg/L
54	Fluorene		<b>0.068</b>	120	µg/L
55	Indeno[1 2 3-cd]pyrene	<	0.05	0.2	µg/L
56	Methlynaphthalene, 2-(1-) ***		<b>0.182</b>	3.2	µg/L
57	Naphthalene		<b>0.18</b>	11	µg/L
58	Phenanthrene	<	0.03	1	µg/L
59	Pyrene	<	0.03	4.1	µg/L
60	Barium		<b>210</b>	1000	µg/L
61	Beryllium	<	0.5	4	µg/L
62	Boron (total)		<b>110</b>	5000	µg/L
63	Cadmium		<b>0.39</b>	2.7	µg/L
64	Chromium Total	<	5	50	µg/L
65	Cobalt		<b>0.7</b>	3.8	µg/L
66	Copper		<b>3.3</b>	87	µg/L
67	Lead	<	0.5	10	µg/L
68	Molybdenum		<b>15</b>	70	µg/L
69	Nickel		<b>3.5</b>	100	µg/L
70	Silver		<b>0.11</b>	1.5	µg/L

*...Continued on next page*



**Table 1 – Maximum contaminant concentrations compared to applicable site condition standards (Continued)**

**Ground water**

*Continued from previous page....*

Contaminant name		Maximum concentration		Applicable site condition	Unit of measure
71	Thallium		<b>0.11</b>	2	µg/L
72	Uranium		<b>3</b>	20	µg/L
73	Vanadium		<b>2.1</b>	6.2	µg/L
74	Zinc		<b>96</b>	1100	µg/L
75	Antimony		<b>0.58</b>	6	µg/L
76	Arsenic		<b>3.3</b>	25	µg/L
77	Selenium		<b>3.5</b>	10	µg/L
78	Chromium VI		<b>0.83</b>	25	µg/L
79	Mercury	<	0.1	0.29	µg/L
80	Sodium		<b>490,000</b>	490000	µg/L

## Remedial action and mitigation

### Remediated soils

Estimated quantities of the soil, if any, originating at and remaining on the record of site condition property that have been remediated, at a location either on or off the property, to reduce the concentration of contaminants in the soil. Indicate the remediation process or processes used and the estimated amount of soil remediated by each identified process.

Soil remediation process	Estimated quantity of soil (in ground-volume in cubic metres)

### Description of remediation

Description of any action taken to reduce the concentration of contaminants (including soil removals) on, in or under the record of site condition property.

### Soil or sediment removed and not returned

Estimated quantities of soil or sediment, if any, removed from and not returned to the record of site condition property.

Estimated quantity of soil (in ground-volume in cubic metres)	744.4
Estimated quantity of sediment (in ground-volume in cubic metres)	

### Soil brought to the property

Estimated quantity of the soil, if any, being brought from another property to and deposited at the record of site condition property, not including any soil that may have originated at but been remediated off the record of site condition property and that is identified in section 28 of Schedule A.

Estimated quantity of soil brought to the property (in ground-volume in cubic metres)	593.0
---	-------

**Ground water control or treatment measures**

Ground water control or treatment measures that were required for the record of site condition property prior to the certification date for the purpose of submitting the record of site condition for filing.

--

Ground water control or treatment measures that are required for the record of site condition property after the certification date.

--

Estimated volume of ground water, if any, removed from and not returned to the record of site condition property.

Estimated volume of ground water (in litres)	0.0
--	-----

**Other activities including risk management measures**

Constructed works that prior to the certification date for the purpose of submitting the record of site condition for filing, were required to control or otherwise mitigate the release or movement of known existing contaminants at the record of site condition property.

Constructed works that after the certification date, are required to control or otherwise mitigate the release or movement of known existing contaminants at the record of site condition property.

**Monitoring or Maintenance**

**Soil Management Measures**

Soil monitoring requirements or any requirements for care, maintenance or replacement or any monitoring or control works for known existing contaminants, if any, on the record of site condition property, after the certification date.

**Ground water management measures**

Ground water monitoring requirements or requirements for care, maintenance or replacement of any monitoring or control works or known existing contaminants, if any, on the record of site condition property, after the certification date.

**Remediated or removed soil, sediment or ground water from near property boundary**

Has any soil, sediment or ground water at the record of site condition property that is or was located within 3 metres of the record of site condition property boundary been remediated or removed for the purpose of remediation?

Yes

## C Qualified person's statements and certifications

As the qualified person, I certify that:

A phase one environmental site assessment of the record of site condition property, which includes the evaluation of the information gathered from a records review, site reconnaissance, interviews, a report and any updates required, has been conducted in accordance with the regulation by or under the supervision of a qualified person as required by the regulation.

A phase two environmental site assessment of the record of site condition property, which includes the evaluation of the information gathered from planning and conducting a site investigation, a report, and any updates required, has been conducted in accordance with the regulation by or under the supervision of a qualified person as required by the regulation.

The information represents the site conditions at the sampling points at the time of sampling only and the conditions between and beyond the sampling points may vary.

As of 2020/08/07, in my opinion, based on the phase one environmental site assessment and the phase two environmental site assessment, and any confirmatory sampling, there is no evidence of any  contaminants in the soil, ground water or sediment on, in or under the record of site condition property that would interfere with the type of property use to which the record of site condition property will be put, as specified in the record of site condition.

Ground water sampling has been conducted in accordance with the regulation by or under the supervision of a qualified person as required by the regulation.

As of 2020/08/07, in my opinion, based on the phase one and phase two environmental site assessments and any confirmatory sampling, the record of site condition property meets the applicable full depth  generic site condition standards prescribed by section 36 of the regulation for all contaminants prescribed by the regulation in relation to the type of property use for which this record of site condition is filed, except for those contaminants (if any) specified in this record of site condition at Table 2, Maximum contaminant concentrations compared to standards specified in a risk assessment.

As of 2020/08/07, the maximum known concentration of each contaminant in soil, sediment  and ground water at the record of site condition property for which sampling and analysis has been performed is specified in this record of site condition at Table 1, maximum contaminant concentrations compared to applicable full depth generic site condition standards.

I am a qualified person and have the qualifications required by section 5 of the regulation.

I have in place an insurance policy that satisfies the requirements of section 7 of the regulation.

I acknowledge that the record of site condition will be submitted for filing in the Environmental Site Registry, that records of site condition that are filed in the Registry are available for examination by the public and that the  Registry contains a notice advising users of the Registry who have dealings with any property to consider conducting their own due diligence with respect to the environmental condition of the property, in addition to reviewing information in the Registry.

The opinions expressed in this record of site condition are engineering or scientific opinions made in accordance with generally accepted principles and practices as recognized by members of the environmental engineering or science profession or discipline practising at the same time and in the same or similar location.

I do not hold and have not held and my employer XCG CONSULTING LIMITED  does not hold and has not held a direct or indirect interest in the record of site condition property or any property which includes the record of site condition property and was the subject of a phase one or environmental site assessment or risk assessment upon which this record of site condition is based.

To the best of my knowledge, the certifications and statements in this part of the record of site condition are true as of 2020/08/07.

By signing this record of site condition, I make no express or implied warranties or guarantees.

By checking the boxes above, and entering my membership/licence number in this submission, I, KRISTIAN D PETER, a qualified person as defined in section 5 of O. Reg. 153/04 am, on 2021/01/21:

- a) signing this record of site condition submission as a qualified person; and
- b) making all certifications required as a qualified person for this record of site condition.

I agree

**Additional documentation provided by property owner or agent**

The following documents have been submitted to the Ministry of the Environment, Conservation and Parks as part of the record of site condition

Certificate of status or equivalent for the owner
Lawyer's letter consisting of a legal description of the property
Copy of any deed(s), transfer(s) or other document(s) by which the record of site condition property was acquired
A Current plan of survey
Area(s) of potential environmental concern
Table of current and past uses of the phase one property
Phase 2 conceptual site model
Owner or agent certification statements

As an owner:

1. I acknowledge that the RSC will be submitted for filing in the Environmental Site Registry, that records of site condition that are filed in the Registry are available for examination by the public and that the Registry contains a notice advising users of the Registry who have dealings with any property to consider conducting their own due diligence with respect to the environmental condition of the property, in addition to reviewing information in the Registry.
2. I have conducted reasonable inquiries to obtain all information relevant to this RSC, including information from the other current owners of the RSC property named in this part of the RSC and I have obtained all information relevant to this RSC of which I am aware.
3. I have disclosed all information referred to in paragraph 2 to any qualified person named in this RSC.
4. To my knowledge, the statements made in this part of the RSC are true as of January 20, 2021.
5. I have ensured that access to the entire property, including the phase one property, any phase two property and the RSC property, has been afforded to the qualified person and to persons supervised by the qualified person, for purposes of conducting the site reconnaissance.

Name of Owner: 2572584 Ontario Inc.

Signature:  \_\_\_\_\_

Date Signed: January 20, 2021

Name of Person Signing: Lee Piccoli

I, Lee Piccoli, am authorized to and hereby do bind 2572584 Ontario Inc.